
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





F. & F. Nurseries

scr. catalogo

SPRINGFIELD, NEW JERSEY



NATIONAL VICTORY GARDEN CONFERENCE

REPORT OF COMMITTEE ON LAWNS. FLOWERS AND SHRUBS

gardens for victory must include the growing of trees, shrubs and flowers for the health of the mind, as well as vegetables for the health of the body, because ornamental gardening is a vital and absolutely essential part of American life today, and its value as a stimulus to national, physical and spiritual well being is beyond calculation. The conservation and expansion of the home garden is, therefore, a goal that must be maintained.

It has already been pointed out by the Secretary of Agriculture that, in urban areas particularly, growing flowers and shrubs seem wiser than to tear up yards and playgrounds for the sake of trying to grow a few vegetables as was done during the last war.

It is the view of this committee that the facilities offered by this broad framework



should be utilized to encourage in every feasible way those phases of gardening which deal with flowers, shrubs, trees and other plants that are essentially ornamental in character. By assigning these to their proper and justified place in the whole gardening for victory plan the full potentialities and benefits of the national plan can best be attained.

December 20th, 1941 . Washington, D. C.

F. & F. Nurseries

SPRINGFIELD



NEW JERSEY

TELEPHONE

MILLBURN 6-0152

Contents

PAGE
Acid Soil, Plants for
Autumn Color, Plants for
Balling and Boxing ChargesInside Back Cover
Bank Plantings118
Berry Bearing Trees and Shrubs
Bird Havens, Plants for
Broad Leaved Evergreens
Bulbs, Planting Calendar
Conditions of Sale
Crevices, Plants for
Deciduous & Evergreen Trees, Shrubs & Vines2-81
Deciduous Shrubs 126-127
Deciduous Shrubs
Distinctive Bark, Plants with
Dry Soil, Plants for
Espalier Shrubs
Evergreen Conifers
Ferns
Fertilizers
Fertilizing Small Areas
Flowering Trees 128
Grass Seed
Ground Covers
Hedge Plants 123-124 Herbaceous Perennials 82-104
Herbs
Index
Insecticides
Plant Combinations
Planting Distances
Pruning129
Rock Garden Plants116-117
Seashore Planting
Shade Trees
Shaded Situations, Plants for117-118
Vines124
Wall Gardening
Wet Soil, Plants for119
Yew Hedges73



Deciduous and Evergreen Trees, Shrubs and Vines



The figures immediately following the name of each plant indicate the approximate height at maturity, which will vary considerably according to soil, exposure and other factors.

- A -

Each Ten Hundred

ABELIA grandiflora. 5'-6'

Glossy Abelia

HALF-EVERGREEN. Dainty bell-shaped shell-pink flowers produced throughout summer. The glossy privet-like foliage will persist all winter in a protected spot. Neat. Potgrown .. 12 to 15 in.

11/2 to 2 ft.

.90 B. & B..... 1.35 1.20

- Edward Goucher, 5'-6'

Hybrid Abelia

Slightly larger and deeper pink flowers assure a good permanent place for this newcomer. Good foliage too. 11/2 to 2 B. & B.....

ABIES concolor. 50'-60'

White Fir

EVERGREEN. This "Queen of the Firs" is a handsome thing with large flat silvery-green needles that seem to become more blue with age. As a pyramidal accent plant it is splendid, it withstands city conditions and drought.

2	to	21/2	ft.	B.	&	B	2.50	2.25
21/2	to	3	ft.	B.	&	В	3.75	3.30
3	to	4	ft.	B.	&	B	5.00	4.50

homolepis. 60'-70'

Nikko Fir

EVERGREEN. From the youthful broad-based pyramid this stately fir develops into α bold round-topped tree. Stiff lustrous green needles have silvery reverse. Hardy.

10	10	12	II.	B.	Cr	B	19.50
12	to	14	ft.	B.	&	B	27.00

veitchi. 50'-60'

Veitch Fir

EVERGREEN. A rather dainty narrow pyramid of soft green. The silvery under side of needles is quite marked.

4	10	0	11.	D.	Cc	D	0.00
5	to	6	ft.	B.	&	B	8.00

ACANTHOPANAX pentaphyllum. 7'-8' Five Leaf Aralia

Particularly useful for covering rocky slopes. Good bright green shining foliage, graceful arching habit.

116	to	2	f+		4E	10	35
1 72	: 10	4	11.	***********	.45	.40	.30
2	to	3	ft.	***************************************	.60	.50	.45
3	to	4	ft.		.75	.65	

ACER

Each Ten Hundred

palmatum atropurpureum novum. 8'-10' Purple Japan Maple

The characteristic wine-red coloring is reasonably persistent throughout summer in this improved form. Makes a well-shaped, compact bush, and improves with age.

AA CIT-	BIIC	peu,	CC	mpaci	Du	orr'	and	impro	462	AATIT	i age.
1	to	11/2	ft.	В.	&	B		1.80		1.65	1.50
11/2	to	2	ft.	B.	&	B		2.50		2.25	2.10
2	to	21/2	ft.	В.	8	B		3.50		3.30	3.00
21/2	to	3	ft.	B.	&	B		4.50		4.00	3.75
3	to	4	ft.	В.	&	B		6.00		5.40	5.00
4	to		ft.		8	B		8.00		7.20	6.60
5	to	6	ft.	B.	&	B		10.00		9.00	
6	to	8	ft.	В.	&	B		13.50	to	21.00	each

- crispum. 10'-12'

Crested Purple Japanese Maple

The foliage is more deeply and irregularly cut and the coloring lighter and fresher. Unfortunately not well-known

11/2	to	2	ft.	B.	&	В	2.50
2	to	21/2	ft.	B.	&	В	3.50
21/2	to	3	ft.	B.	&	В	4.50
3	to	4	ft.	B.	&	B	6.00
4	to	5	ft.	B.	&	В	8.00

- dissectum. 5'-6'

Cutleaf Japanese Maple

Deeply cut leaves impart a lacy, soft appearance to the flat-topped low spreading bush. Grows very slowly, but at maturity is a characterful billowy mound of fresh green.

11/2	to	2	ft.	spread,	B.	& B	4.00
2	to	21/2	ft.	spread,	B.	& B	6.00
21/2	to	3	ft.	spread,	B.	& B	8.00
3	to	31/2	ft.	spread,	B.	& B	10.00

— — purpureum. 5'-6'

Purple Cutleaf Maple

Differs from the green, only in having wine-stained foliage.

1	to	11/2	ft.	spread,	В.	&	B	2.50	2.25	
11/2	to	2	ft.	spread,	B.	&	В	4.00	3.50	3.00
2	to	21/2	ft.	spread,	B.	&	B	6.00	5.25	4.80
21/2	to	3	ft.	spread,	B.	&	B	8.00	7.20	6.75
3	to	31/2	ft.	spread,	B.	&	B	10.00		

- filicifolium. 8'-10'

Fernleaf Japanese Maple

Somewhat irregular in outline, between the cutleaf form and the type with graceful airy green foliage.

4	TO	3	It.	B.	Oc	В	3.50
3	to	4	ft.	B.	&	В	6.00
4	to	5	ft.	B.	&	B	9.00

- nigrum. 10'-12'

Darkest Purple Form

-										-	
This	is I	neare	st to	ar	our	ole	maple.	Vigoro	us,	holds	color.
1	to	11/2	ft.		B.	&	B	1.80		1.65	1.50
11/2	to	2	ft.		B.	&	B	2.50		2.25	2.10
2	to	21/2	ft.		B.	&	B	3.50		3.30	3.00
21/2	to	3	ft.		B.	&	В	4.50		4.00	3.75
3	to	4	ft.		B.	&	B	6.00		5.40	5.00
4	to	5	ft.		B.	8	В	8.00		7.20	6.60
5	to	6	ft.		R	&	B	10.00		9.00	
6	to	8	ft.		В.	8	B	13.50	to	21.00	each

pennsylvanicum. 30'-35'

Striped Maple

The green bark is lined with striking white stripes.

Each Ten Hundred ACER—Continued platanoides. 60'-80' Norway Maple Probably the easiest tree to transplant successfully. Throws a dense shade, so must be trimmed high if grass is to grow under it. Holds its green foliage until late. to 10 ft. 2.75 2.50 8 10 ft., 11/4 to 11/2 in.... 3.30 3.00 ft., 11/2 to 13/4 in.... 9 10 4.50 4.20 ft., 13/4 to 2 ft., 2 to 21 12 in..... 6.00 5.40 to 21/4 in.... to 14 7.50 6.75 ft., 2½ to 3 in.... 12 to 14 8.70 14 16 10.50 9.00 to ft., 3 t., 3½ to 3½ in..... to 4 in..... 14 to 16 16 18 to 18 ft., 4 to 5 in..... 21.00 to ft., 5 to 6 to in..... 30.00 - schwedleri. 60'-80' Schwedler Maple 80'-100' Red Maple rubrum. A well-loved native so noticeable in spring, when the fiery red blossoms cover the branches, and again in autumn, when the vivid scarlet dress is a high spot. Ordinarily found in low places but succeeds well in high land too. ft., 11/4 to 11/2 in..... 8 to 10 3.75 3.30 ft., 11/2 to 13/4 in.... 9 to 10 4.50 4.20 3.75 ft., 13/4 to 2 10 to 12 in..... 5.70 5.25 4.80 to 21/2 in..... ft., 2 to 14 7.50 6.75 ft., 21/2 to 3 12 14 in..... 10.50 to 9.00 to 3½ in..... 14 16 ft., 3 to 13.50 saccharum. 100' Sugar Maple Quite a princely tree dissatisfied with city life, but assumes noble proportions in clear atmosphere. The autumn colors ranging through all the fiery tones make this, for spectacularly beautiful foliage effects, the most glorious of all trees. 8 10 ft., 11/4 to 11/2 in..... 3.75 3.30 to 9 ft., 11/2 to 13/4 in.... 4.50 10 ft., 13/4 to 2 10 12 in.... 5.70 5.25 to to 2½ in.... 14 6.75 to ft., 2 7.50 ft., 21/2 to 3 14 10.50 in..... to 9.00 14 16 ft., 3 to 3½ in.... to 16 18 ft., 31/2 to 4 to in.... 18.00

15'-20' spicatum.

Mountain Maple

If used only for its gay autumn dress, a well worth-while little tree. The bunches of red-winged fruits are interesting.

3	to	4	ft.	•••••	1.50
4	to	5	ft.	***************************************	2.25
5	to	6	ft.	•••••	3.00

30' ACTINIDIA arguia. Vine.

Bower Actinida

Rich green leaves—greenish white flowers—yellow berries—and rapid growth are the main characteristics.

.70 .60 2 year45

AESCULUS parviflora. 9'-10'

Bottlebush Buckeye

Truly a handsome shrub. It gradually spreads into a large mound much broader than high over which the refined horsechestnut leaves are mantled, serving as an excellent foil for the erect spikes of creamy-white flowers. Slow.

1	to	11/2	ft.	***************************************				1.50	1.35
5	to	6	ft.	specimens,	B.	&	B.	15.00	

	Each	Ten Hundred
ALBIZZIA julibrissin rosea. 15'-20'		Silktree
Lovely pink tassel-like flowers arra	mged in	spikes make
quite a display in early summer. effective as a soft mass, too. Th	Feath	ery foliage is
5 to 6 ft	1.20	e naray form.
AMELANCHIER canadensis. 25'		wny Shadblow
The flurry of pure white flowers is the		The second second second
-most noticeable in our native wo	ods whe	ere this dainty
denizen is sparsely scattered. Bird	s relish	the dark pur-
ple fruits. The young leaves are	.70	.60 .50
1½ to 2 ft	.90	.80 .70
3 to 4 ft		
laevis. 30' The smooth bronzy red, young foliate	Allegh	any Shadblow
emphasize the beauty of gracefully	ge, and droopi	na bunches of
alistening white flowers. A variable	hut ha	ndsome shrub
1½ to 2 ft	.75	.65
3 to 4 ft.	1.35	1 20
2 to 3 ft	10.00	1.20
stolonifera. 4'-5'	Dy	warf Shadblow
This dwarf form develops by unde	rground	stems into a
large mass. Has typical dainty p beautiful picture in very early spr	ring. E	ndures shade.
1½ to 2 ft	.60	.50 .45
1½ to 2 ft	.85	.75 .65
	1.10	
AMORPHA conescens. 2'-3'		Lead Plant
So called because of the grayish of Very small leaflets and dense h	overing	on the stems.
texture and when the terminal spikes	s of blue	e flowers cram
the little bush it is a most interest	esting c	and handsome
plant. Prefers a sunny well drained 1½ to 2 ft.	situatio	n65 .60
2 to 3 ft	.90	.80
AMPELOPSIS		
heterophylla. 30'-40' Vine.	Porcelo	in Ampelopsis
The irregularly shaped deeply lob	ed lea	
The irregularly shaped deeply lob similar to Monkshood vine but has	blue b	perries.
3 year	.75	.65 .40
quinquefolia. 40' Vine.		Woodbine
A handsome woodbine used for autu	mnal ett .50	ects. Vigorous.
2 year	.00	
tricuspidata (veitchi). 40'-50' Probably the most popular self-cling	ing vine	Boston Ivy
2 year	.50	.45 .40
-lowi. 6'-8' Vine	Ger	anium Creeper
A miniature edition of the Boston Is	vv. cline	rs closely and
colors beautifully in fall. The thic curiously twisted. Splendid on low	ck-lookir	for a tracery
2 year, 3" pots	.60	.50 .45
	uble Flo	owering Peach
Really a glorious flowering form of ou		
6 to 8 ft		1.20
ARCTOSTAPHYLOS uva-ursi. 4"-6"		Bearberry
EVERGREEN. Forms a mat of gre	en on	the hot sandy
banks of South Jersey, but seems in cultivation. When the large re-	to prefe	r some shade
dence it is particularly attractive.		
3 year potgrown	.60	.50 .45

3 year potgrown

Each Ten Hundred

ARONIA arbutifolia. 8'-10'

Red Chokeberry

The handsome foliage assumes rich red tones in autumn and the brilliant red berries persist until the birds get really hungry. Prefers a moist place and should be pruned to overcome legginess. A grand shrub.

11/2	to	2	ft.	 .60	.50	.45
2	to	3	ft.	 .75	.65	.60
3	to	4	ft.	 .90	.80	.70
4	to	5	ft.	1.20	1.00	.90

melanocarpa. 3'-4'

Black Chokeberry

This black fruited form is more bushy and the foliage assumes brighter tints in autumn. White flowers practically cover the branches in May. Unfortunately the berries shrivel in dry seasons but birds love them.

11/2	to	2	ft.	 .60	.50	.45
2	to	3	ft.	 .75	.65	.60
3	to	4	ft.	.90	.80	

AZALEA amoena. 4'-6'

Amoena Azalea

EVERGREEN. Grows broader than tall with good compact habit. The small box like leaves take on a warm bronzy hue in winter, but in spring a mantle of magenta flowers is the striking feature. Most hardy evergreen form.

12	to	15	in.	spread,	B.	&	B	1.35	1.20
15	to	18	in.	spread,	В.	&	В	2.00	1.80
11/2	to	2	ft.	spread,	B.	&	В	2.75	2.50
2	to	21/2	ft.	spread,	B.	&	В	4.00	3.50
21/2	to	3	ft.	spread,	B.	&	B	6.00	5.50
4	to	5	ft.	spread.	B.	2	В	20.00	

amoena coccinea. 4'-5'

Red Amoena Azalea

EVERGREEN. Quite an improvement in color (almost vermilion) and just as dependable as the type.

15 to 18 in. spread, B. & B.... 3.00

arborescens. 15'-18'

Sweet Azalea

The exquisitely fragrant white or blush flowers are among the latest of Azaleas to be seen in June. Succeeds in moist or well drained places. Eventually becomes gnarled.

11/2	to	2	ft.	В.	&	В	2.75	2.50
3	to	4	ft.	В.	&	В	6.75	6.00

calendulacea. 10'-12'

Flame Azalea

Possibly the most brilliant of our native shrubs, the flowers vary from orange to scarlet in late May. Drained acid soil.

15	to	18	in.	B.	&	В	2.00	1.80	1.65
11/2	to	2	ft.	B.	&	В	2.50	2.25	2.00
2	to	21/2	ft.	B.	&	B	3.75	3.50	3.30
21/2	to	3	ft.	B.	&	В	5.00	4.50	4.20
3	to	4	ft.	В.	&	В	6.75	6.00	

hinodegiri. 4'-5'

Hinodegiri Azalea

EVERGREEN. This is THE red Azalea which in May is actually covered in a blanket of vivid carmine flowers. The foliage is lighter green and larger than that of "Amoena" and has a richer bronzy color in winter. A fine spot plant.

ana	nas	α	richer	pronzy	CO	101	in	winter. A	line spot	plant.
9	to	12	2 in.	spread,	B.	3	B	1.35	1.20	1.00
12	to	15	5 in.	spread,	B.	&	B	2.25	2.00	1.80
15	to	18	3 in.	spread,	B.	&	B	3.30	3.00	2.70
11/2	to	2	ft.	spread,	В.	&	B	4.80		

Alpines and rock plants are listed alphabetically in the perennial chart—a really notable collection.

AZALEA—Continued

kaempferi. 4'-6'

Each Ten Hundred

Torch Azalea

From salmon-pink to orange-red, the flowers transform this shrub into a thing of beauty. In a slightly shaded sheltered spot, it is almost evergreen, and the color of the flowers is preserved. Has successfully withstood our worst winters.

		15			В			1.35
		18			B	3.00	2.70	1.80
	-	2.1/2			B	3.75	3.30	3.00
_		3			В		4.20	3.75
		31/2			В		5.40	5.75
		4			В		0.40	
0 , 2		5		-	В			

- hybrids. 3'-4'

Cleopatra, Fedora, Othello

HALF EVERGREEN. Generally speaking, these hybrids have a lower, more bushy habit and the brilliant orange tints are missing. 'Tis a gloriously handsome family tho!

12	to	15	in.	B.	&	В	2.00	1.80
15	to	18	in.	В.	&	В	2.50	2.25
11/2	to	2	ft.	B.	&	В	3.25	3.00
2.	to	2.1/2	ft.	B	2	B	4.00	3.60

ledifolia (indica alba).

Snow Azalea

EVERGREEN. And particularly useful in combination with "hinodegiri," as the large dazzling white flowers appear at the same time. Give it a favored spot, it will pay well.

12 to 15 in. B. & B...... 2.75 2.50

macrantha. 3'-4'

Red Salmon Azalea

EVERGREEN. A low growing form with single red flowers and clean shiny leaves—continues to bloom until late May, needs shelter for sure results. A neat compact shrub.

15 to 18 in. B. & B....... 3.75

mollis, 4'-5'

Chinese Azalea

The mass of delicately shaded large bell-shaped flowers running through orange and red tones make a display worth waiting for each May. Succeeds best in sunny place.

12	to	15	in.	В.	E	В	2.25	2.00
15	to	18	in.	В.	&	В	3.00	2.70

mucronulata (dahuricum). 5'-6'

Dahurian Azalea

A welcome sight in March is the exquisitely frilled rosypurple flowers—in pleasing contrast to the Forsythia.

15	to	18	in.	В.	0	В	2.00	1.80
11/2	to	2	ft.	В.	&	В	2.70	2.25
2	to	21/2	ft.	В.	&	В	3.75	3.30

nudiflora. 6'-7'

Pinxterbloom

The fragrance of this "wild honeysuckle" quickly betrays its home in light woods where the variable pink flowers are eagerly sought in May. Does well in the open sun too.

15	to	18	in.	В.	&	В	2.00	1.80
11/2	to	2	ft.	В.	&	В	2.75	2.50
2	to	21/2	ft.	B.	&	В	3.75	3.30
21/2	to	3	ft.	B.	&	В	5.00	4.50
3	to	4	ft.	B.	&	В	6.75	6.00
4	to	5	ft.	B.	&	В	8.70	7.80

F. & F. NURSERIES			0
	Each	Ten H	undred
AZALEA—Continued pontica. 6'-8'	Lucii		
A fine old kind with rich yellow tr	ımnət a	Pontic A	
flowers borne in clusters at the tips			
12 to 15 in. B. & B	2.25	2.00	1.80
15 to 18 in. B. & B	3.00	2.70	2.40
1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	4.00	3.60 4.80	3.30
2½ to 3 ft. B. & B	5.25 7.00	6.75	
3 to 3½ ft. B. & B	9.00		
poukhanensis. 4'-5'		Korean A	Azalea
Almost a blue Azalea. Fine large b			
scattered over the spreading bu	sh —	effective	with
Forsythia. Stays well within boun			
12 to 15 in. B. & B 15 to 18 in. B. & B	2.25	2.00	2.50
1½ to 2 ft. B. & B	4.00	3.60	3.30
2 to 2½ ft. B. & B	5.25	4.80	4.50
2½ to 3 ft. B. & B	7.00	6.30	
— yodogawa. 4'-5'		logawa	
In May this bush is actually a den lavender-pink flowers with no folia			
sure to get the free-flowering type			
12 to 15 in. spread, B. & B	2.00	1.80	1.50
15 to 18 in. spread, B. & B	2.75	2.50	2.25
1½ to 2 ft. spread, B. & B 2 to 2½ ft. spread, B. & B	3.75 5.00	3.30 4.50	3.00
2½ to 3 ft. spread, B. & B	6.00	4.00	
rosea. 6'-7'	Down	y Pinxter	bloom
Possibly brighter pink and, with us,		_	
than "nudiflora," otherwise similar			
flower. Best in a slightly shaded mo			d soil.
15 to 18 in. B. & B 1½ to 2 ft. B. & B	2.00	1.80 2.50	
2 to 2½ ft. B. & B	3.75	3.30	
2½ to 3 ft. B. & B	5.00	4.50	
3 to 4 ft. B. & B	6.75	6.00	
schlippenbachi. 6'		Royal I	
Appropriately named—for this shape regal sight in spring, when the large			
purple-brown twigs. Even for its aut			
decidedly worthwhile, with crimso			
12 to 15 in. B. & B	2.50	2.25	
15 to 18 in. B. & B 1½ to 2 ft. B. & B	3.25 4.50	3.00 4.00	
vaseyi. 10'-12'		nkshell I	
A most exquisite thing when the pure early May—apparently just lightly	resting	nowers o	bare
twigs, its beauty is breath-taking.	Happi	est on r	nargin
of woods, where the soil is rath			acid.
15 to 18 in. B. & B 1½ to 2 ft. B. & B	2.25	2.00 2.70	1.80
2 to 2½ ft. B. & B	4.00	3.60	3.30
2½ to 3 ft. B. & B	5.25	4.80	4.25
3 to 4 ft. B. & B	6.50	6.00	
viscosa. 9'-10'		Swamp A	

Another beautiful native which offers its fragrant white, or

__ B __

- 5 -
Each Ten Hundred
BENZOIN aestivale. 12'-15' Spice Bush
The realless might seen glong the streams in April is the
Paracin's systeme to spring and later on you will line
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
liage ore spicily fragrant when crushed. Very informal 11/2 to 2 ft
2 to 3 ft .60 .55 .45
3 to 4 ft
BERBERIS aggregata pratti. 8'-10' Pratt Barberry
Numerous bunches of salmon-red truits make this worthy.
1 to 1½ ft
1½ to 2 ft
2 10 3 11
chenaulti. 3'-4' Chenault Barberry
EVERGREEN. In general appearance similar to, but larg-
er than the Warty Barberry. Glossy green foliage is whitish underneath and its compact neat habit is suffi-
whitish underneath and its compact heat has been cient recommendation. A really fine addition to this family.
12 to 15 in. B. & B 2.00
12 to 15 in. B. & B 2.00 15 to 18 in. B. & B 2.50
gagnepaini. 4'-5' Black Barberry
The coiny edged evergreen leaves are
foliage is a warm coppery purple that densely clothes the whole bush. Certainly in the top rank. Clusters of
the whole bush. Certainly in the top lank. Cutsters of bright yellow flowers, preceding the black fruits, are
12 to 15 in. B. & B 1.50 1.35
12 to 15 in. B. & B 1.50 1.35 15 to 18 in. B. & B 2.25 2.00
iuliange 6'-7' Wintergreen Barberry
THEOGREEN & wiggrous fellow rich in color. Deep green
The state of the s
wine stained young shoots top the bush. Good for hedge.
1 to 1½ ft
2 to 2½ ft. B. & B 2.25 2.00
1 ½ to 2 ft. B. & B
5 ft. specimens B. & B 12.00
macracantha. 10'-12' Bigspine Barberry
Particularly attractive in spring when the purplish leaves
are unfolding and again when the brilliant yellow flowers are strung along the branches. The large shiny red
berries retain color.
2 to 3 ft 1.00 .90
3 to 4 ft 1.50 1.35
neuberti latifolia (ilicifolia). 5'-6' Broadleaf Barberry
TITLE CUED COFFN Dull green holly-like leaves last until
Tanuary then turn brown. A tine plant for that and spot.
1½ to 2 ft
2 10 272 11.
thunbergi. 5'-7' Japanese Barberry
Keep the old wood cut out and you will have a wonderful
display of berries every year. Good for hedge or border. Bushy plants: Ten H'dr'd Th's'nd
10 15 17
12 to 15 m
15 to 18 m
1½ to 2 tt

BERBERIS	5 th	unbe	rgi–	-Continued		Each	Ten	Hundred
- atro	pur	purea	. 5	5'-6'	Red	lleaf Japo	nese	Barberry
Need	ls s	un to	br	ing out the	purple	coloring	of the	e foliage.
12	to	15	in.	***************************************		.30	.2	7 .22
15	to	18	in.	***************************************		.45	.3	6 .30
1 1/2	to	2	ft.			.60	.51	0 .40
2	to	21/2	ft.	***************************************		.75	.6.	5
21/2	to	3	ft.	***************************************		.90		
mino	or.	2'-3'					Box	Barberry

15 4'-5' triacanthophora.

to

9 to 12 in.

in.

Box Barberry When used as a close-clipped formal hedge the compact

.40

Threespine Barberry EVERGREEN. Really a handsome evergreen shrub. The narrow two inch leaves are surprisingly white underneath and the graceful branching arrangement displays the unusual whitish flowers and black fruits nicely. This has done well with us in hot sun as well as in half-shade.

.45

12	to	15	in.	В.	&	В	1.20	1.10	.90
15	to	18	in.	В.	&	В	1.80	1.65	1.50
11/2	to	2	ft.	В.	&	В	2.25	2.00	
2	to	21/2	ft.	В.	&	В	3.00	2.70	

habit is seen to advantage. Similar except size to type.

vernae. 5'-6'

Vernae Barberry

From the standpoint of fruits the most beautiful of all the family. The vigorous stems arch over and in June are closely studded with little bunches of rich yellow flowers which give way to the coral-red bloom covered berries bearing down the branches resembling miniature grapes.

11/2	to	2	ft.	***************************************	1.35	1.20
2	to	3	ft.		1.80	1.65
2	1 -	A	£1		0 50	

verruculosa. 3'

Warty Barberry

EVERGREEN. The aristocrat of Barberries, this evergreen develops into a compact mound densely covered with rich lustrous green foliage that reminds one of miniature English Holly leaves with a whitish underside. In spring the branches are strung with little golden cups nodding on half inch threads. These fragrant flowers are followed by bloomy black fruits. A splendid low hedge plant.

12	to	15	in.	B.	&	В	1.80	1.65	1.50
15	to	18	in.	В.	&	В	2.25	2.00	1.80
1 1/2	to	2	ft.	В.	&	В	2.75	2.50	

wilsoni subcauliatata. 5'-6'

Wilson Barberry

HALF-EVERGREEN. The dense clusters of golden yellow flowers justify use of this species as a flowering shrub, and when the lovely salmon pink fruits bejewel the angled branches it is an exquisite thing. Narrow inch long leaves are almost white underneath and in a sheltered spot will stay on all winter.

3	to	4	ft.	B.	&	В	3.75
4	to	5	ft.	В.	&	В	4.50

Trimming is most practical and effective just as growth commences in May.

Each Ten Hundred

Lacii Teli Hullatea
BETULA alba. 40'-50' European White Birch
Creamy white bark most effective against a background of
evergreen. Has charming graceful habit, most adaptable.
6 to 8 ft. B. & B 2.25
- fastigiata. 20'-25' Columnar White Birch
Grows amazingly like a Lombardy Poplar and in time forms
a dance migraed column of deals areas leaves. White have
a dense rugged column of dark green leaves. White bark,
6 to 8 ft. B. & B 6.00 8 to 10 ft. B. & B 8.40
8 to 10 ft. B. & B 8.40
10 to 12 ft. B. & B 13.50
10 to 12 ft. B. & B
Deeply cut leaves and fountain-like arrangement of the
drooping branches make this a justly popular lawn subject.
6 to 8 ft
0 to 0 ft
8 to 10 ft
- youngi. 8'-15' Young's Weeping Birch
The slender branches assume surprising positions, curving-
inverted, yet graceful and most interesting eventually
forming a broad picturesque mass, for large rock garden.
5 to 6 ft. B. & B 7.50
5 to 6 ft. B. & B 7.50 6 to 8 ft. B. & B 10.00
papyrifera. 40'-50' Paper Birch
White papery bark, lacy foliage, graceful stems all help
to make this the popular tree of the Adirondack Moun-
tains—indeed a grand American.
4 to 6 ft
6 to 8 ft 2.25
populifolia. 35'-40' Gray Birch
This "Queen of the Woods" is generally seen in clumps,
two or three white trunks rising gracefully from the ground
and swaying in the breeze. Small foliage quivers at the
slightest breeze. Particularly effective with dark evergreens.
6 to 8 ft. clumps, B. & B 5.25
8 to 10 ft. clumps, B. & B 7.50
6 to 8 ft. clumps, B. & B 5.25 8 to 10 ft. clumps, B. & B 7.50 10 to 12 ft. clumps, B. & B 10.00
12 to 14 ft. clumps, B. & B 15.00 to 25.00 each
BIGNONIA
grandiflora Mad. Gallen. 25'-30' Vine. Gallen Trumpet Vine
Gorgeous big trumpet flowers of red and orange freely
produced all over the vigorous growth in summer.
2 year potgrown
3 year potgrown 1.35 1.20
4 to 6 ft. specimens, B. & B. 4.50
radicans. 60'-80' Vine. Trumpet Vine
The striking scarlet trumpets can be seen in most early
settlements, sometimes as bush specimens or vast tall vines.
2 year
2 year
Lilac purple flowers literally cover the wide spreading
arching branches. Distinct habit, leaves grayish beneath.
2 year
Charming. 8'-10' Pink Buddleia
A very desirable break in color which is of a lovely
lavender pink shade. Flowers freely throughout sum-
mer. Easily grown, and a very useful cut flower.
2 year
davidi veitchi. 10'-12' Butterfly Bush
Gray-green foliage, rich lavender spikes of flowers and
yellow butterflies fluttering above the bush is a typical
summer picture from June to September. Apt to die
down somewhat in winter, but gets larger and better.
2 year
2 your
— Ile de France. 4'-5' Hybrid Butterfly Bush
— Ile de France. 4'-5' Hybrid Butterfly Bush The vivid rosy-purple six inch flower spikes are arresting
— Ile de France. 4'-5' Hybrid Butterfly Bush The vivid rosy-purple six inch flower spikes are arresting and being sweetly fragrant insure popularity of this com-
— Ile de France. 4'-5' Hybrid Butterfly Bush The vivid rosy-purple six inch flower spikes are arresting and being sweetly fragrant insure popularity of this com- pact shrub. An annual pruning will produce more flowers.
— Ile de France. 4'-5' Hybrid Butterfly Bush The vivid rosy-purple six inch flower spikes are arresting and being sweetly fragrant insure popularity of this com-

Each Ten Hundred **BUDDLEIA**—Continued Red Butterfly Bush Royal Red. 6'-8' The most important break in color. Splendid rich intense red free flowering typical long pyrimidal spikes. 5" Pots 1.00

Royal Purple. 6'-8'

Purple Butterfly Bush

Another decided acquisition. Rich velvety purple spikes most spectacular during Summer. A splendid variety. 5" Pots

BUXUS sempervirens angustifolia. 2'-3' Willowleaf Box EVERGREEN. Quite distinct and hardy. Forms a low flattish bush composed of many slender branches rather than main stem. Has survived very low temperatures here.

10	to	12	in.	В.	&	В	1.50	1.35	1.20
12	to	15	in.	В.	8	В	2.25	2.00	1.80
15	to	18	in	B	2	R	3 00		

- arborescens. 15'-20'

Tree Box

EVERGREEN. Apparently the hardiest of Boxwoods-and the tallest growing form, although it does take a lifetime to develop its real character. Assumes rugged unusual shapes well clothed with inch long black-green leaves which exude the typical delicious elusive fragrance.

ft. В. & В..... to 6

- suffruticosa. 5'-6' Dwarf Bush Boxwood EVERGREEN. Like wine this beloved plant improves with age, gradually becoming part of the family, and is passed down as an heirloom. In youth it makes good headway, but slows down year by year until it reaches three or four feet, after which it increases imperceptibly. Everyone knows the delicious boxwood smell most apparent in this dwarf kind. The small round deep green leaves withstand city conditions. A dwarf boxwood hedge which can start at three inches is practically a permanent institution. Specimens 3 to 5 ft. B. & B..... 100.00 to 300.00 each Edging 4 to 6 in.Edging 6 to 8 in.35 .40

— C —

CALLICARPA purpurea. 4'-5' Chinese Beautyberry Little bunches of shiny deep mauve berries are studded along the willowy branches, an attractive thing for cutting. ft.40 .35 1½ to 2 3 ft. .50 .45 .40 to 4 ft. .55 .50 to .60

CALLUNA vulgaris. Rose.

- -alba pilosa. White
- -alporti. Deep rose.
- cuprea. Bronzy foliage.
- Hammondi. White tall.
- rigida. Dwarf white.
- rosea. Pink.

Heather Silky Heather Alport Heather Bronze Leaf Heather Hammond Heather

.55

.45

.60

Brush Heather Pink Heather

Quoting a Scottish friend, "A Scottish glen with a background of mountains, the mists clinging to their tops and the purple bloom of the heather sweeping up into the gray tones," what a picture! And these hardy evergreen ground covers on a well-drained sunny slope can be as effective here. An occasional pruning will keep them neat. to 9 in. Potgrown .. .80

Each Ten Hundred CALYCANTHUS floridus. 8'-9' Common Sweetshrub Red-brown flowers, foliage and even the peculiar seeds, all give off a spicy fragrance. A neat old-fashioned shrub. ft.40 .35 11/2 to 3 ft. .50 .45 to to 4 ft. .65 .60 CARPINUS betulus. 50'-60' European Hornbeam Even a single tree with its blue-gray smooth bark, muscular wood and clean foliage is worth while, but as a hedge plant with brown leaves persisting it excels. 3 ft. 2.00 4 ft. 2.50 to 2.50 3.75 3 to 4 to 5 ft. ft. 5.25 6 to 8 6.00 ft. 10 ft. 8.40 CARYOPTERIS incana. 11/2'-2' Blue Spirea A bushy half herbaceous shrub which covers itself with lacy lavender flowers in September and October. Very effective against the gray-green leaves. Sheltered spot is best. CEDRUS altantica. 60'-70' Atlas Cedar Brush-like tufts of short gray-green needles are scattered along the stiff branches. Really worth the little protection needed in exposed location. to 3 ft. B. & B...... 3.75 5.25 В. & В..... ft. to to 6 ft. В. & В..... 12.00 altlantica glauca. 60'-70' Blue Atlas Cedar EVERGREEN. Silvery-blue needles cover the branches. Grows slowly and should have a favored spot—its worth it. 2 to 3 ft. B. & B....... 4.50 12 to 14 ft. B. & B....... 39.00 14 libani. 60'-80' Cedar of Lebanon Dignity is inherent in this historical old tree. The youthful pyramidal form gradually gives way to a more stately picturesque flat-topped tree with few far reaching horizontal branches. The light green rather short needles are arranged in tufts along the branches. Give it room. B. & B..... 5.25 ft. CELASTRUS orbiculatus. 30'-35' **Oriental Bittersweet** Can be identified by the brilliant red and yellow fruits being borne in short stemmed clusters in axils of leaves. .35 2 year scandens. 20'-25' American Bittersweet Not quite so vigorous or prolific but the long terminal bunches of typical fruits are just as effective as the Oriental. .30 .35 .50 .45 CEPHALANTHUS occidentalis. 12'-15' Buttonbush You will find this native growing actually in water where the rich green leaves show off the fuzzy round heads of white flowers to perfection in July and August. Very bushy. .40 ft. 11/2 to 2 .35 ft. .60 to 3 to 4 ft. CERCIDIPHYLLUM japonicum. 70'-80' Katsura Tree From a slender youth this tree develops into a magnificent spreading tree at maturity. Purple tinged heart shaped foliage is beautiful in spring and again in golden autumn.

5 to 6 ft. B. & B....... 5.00

6 to 8 ft. B. & B...... 6.00

8 to 10 ft. B. & B...... 9.00

B. & B.....

18.00

15 ft.

to

	Each Ten Hundred
CERCIS canadensis. 20'-25'	American Redbud
Small rosy pink pea shaped flowers branches in April. Beautiful with	
2 to 3 ft	.75 .65 .60 1.00 .90 .80
chinensis. 8'-10'	Chinese Redbud
A more shrubby relative with larg	
darker rosy purple shade. Good for 1½ to 2 ft.	.80 .70 .60
2 to 3 ft	1.20 1.00 .90
3 to 4 ft	1.80 1.50
CHAMAECYPARIS (RETINOSPORA)	ALL EVERGREEN
obtusa. 30'-35'	Hinoki Cypress
Lustrous deep green foliage on r	
graceful bushy pyramid here but 8 to 9 ft. B. & B	
— crippsi. 8'-10'	Cripps Golden Cypress
Probably the brightest yellow form; 6 to 7 ft. B. & B	
— filicoides. 8'-10'	Fernspray Cypress
The leaf covered branchlets are semble fern fronds; an unusual k	so arranged as to re-
in rock garden, where the intricat	e details can be seen.
6 to 7 ft. B. & B	18.00
— gracilis compacta. 6'-8'	Compact Hinoki Cypress
	-
A curious "Japanese" form slend	der in outline; closely
A curious "Japanese" form slend packed foliage and twisted branch	der in outline; closely nlets make this quite a
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily s 5 to 6 ft. B. & B	der in outline; closely alets make this quite a tunted to simulate age. 13.50
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily s 5 to 6 ft. B. & B 6 to 8 ft. specimens, B. & B.	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily s 5 to 6 ft. B. & B 6 to 8 ft. specimens, B. & B. 8 to 9 ft. specimens, B. & B.	der in outline; closely nlets make this quite a tunted to simulate age. 13.50 21.00 27.00
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily statement of the statement	der in outline; closely nlets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily statement of the statement	der in outline; closely nlets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress conese use this variety
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily standard form the standard form of the standard form of the second	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress comese use this variety ssumes the character of cloring. Dwarfest and
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily standard form the second form of the second for	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress panese use this variety ssumes the character of bloring. Dwarfest and fore useful in rock gar-
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily standard to a fit. B. & B	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress panese use this variety ssumes the character of boloring. Dwarfest and fore useful in rock garsmall scale is desired.
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily statements of the statement of the statemen	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress canese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily standard to a few second twisted branch of the second twisted branch for the second twisted branch for the second twisted t	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress canese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily standard to a fit. B. & B	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress canese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the second state o	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress canese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress ellow tipped branchlets.
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily standard to a few second to	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress canese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress allow tipped branchlets. hemlock. Handsome. 13.50
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the second state o	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress canese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress allow tipped branchlets. In hemlock. Handsome.
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the state of t	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress pamese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress allow tipped branchlets. In hemlock. Handsome. 13.50 24.00 54.00
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the state of t	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress canese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress allow tipped branchlets. In hemlock. Handsome. 13.50 24.00 54.00 Sawara Cypress
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the state of t	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress camese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress allow tipped branchlets. Handsome. 13.50 24.00 54.00 Sawara Cypress amid; hardiest of the to develop as a tree.
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the state of t	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress camese use this variety sumes the character of cloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress can be to develop as a tree. 1.65 1.50 1.35
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the state of t	der in outline; closely blets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress camese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress allow tipped branchlets. Handsome. 13.50 24.00 54.00 Sawara Cypress amid; hardiest of the to develop as a tree.
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the state of t	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress oranese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress and tipped branchlets. Handsome. 13.50 24.00 54.00 Sawara Cypress amid; hardiest of the to develop as a tree. 1.65 1.50 1.35 2.25 2.00 1.80 2.70 2.40 3.30 3.00
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the state of t	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress camese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garmsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress allow tipped branchlets. Handsome. 13.50 24.00 54.00 Sawara Cypress amid; hardiest of the to develop as a tree. 1.65 1.50 1.35 2.25 2.00 1.80 2.70 2.40 3.30 3.00 12.00
A curious "Japanese" form slend packed foliage and twisted branch distinct "find." Could be easily state of the state of t	der in outline; closely alets make this quite a tunted to simulate age. 13.50 21.00 27.00 Dwarf Hinoki Cypress oranese use this variety sumes the character of oloring. Dwarfest and fore useful in rock garsmall scale is desired. 3.75 3.30 3.00 4.50 4.00 3.60 6.00 5.40 5.00 Young Golden Cypress allow tipped branchlets. Handsome. 13.50 24.00 54.00 Sawara Cypress amid; hardiest of the to develop as a tree. 1.65 1.50 1.35 2.25 2.00 1.80 2.70 2.40 3.30 3.00

CHAMAECYPARIS—Continued	Each Ten Hundred
	Golden Sawara Cypress
Foliage is shining yellow. A	
the green type. Particularly effect	
1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	1.65 1.50 1.35 2.25 2.00 1.80
2½ to 3 ft. B. & B	
6 to 8 ft. B. & B	12.00
8 to 10 ft. B. & B	
10 to 12 ft. B. & B	
— filifera. 20'-25'	Thread Cypress
Has long stringy (Irooping branche	
compact broad pyramid of a go	
without care remains in good c	
12 to 15 in. B. & B	
—— aurea. 10'-15'	Golden Thread Cypress
This form grows more loosely, but	
brighter than any other evergree	
12 to 15 in. B. & B	
—— aureo-variegata. 10'-12' Va The half green, half yellow colori	negated Inread Cypress
but its billowy outline gives it rugo	
3 to 4 ft. spread, B. & B	
4 to 5 ft. spread, B. & B	
plumosa. 35'-40'	Plume Cypress
A feathery pyramid that can be she	eared into formal shapes.
Makes a good hedge where a fi	ne texture is called for.
12 to 15 in. B. & B	
15 to 18 in. B. & B	
1½ to 2 ft. B. & B	
2 to 2½ ft. B. & B 8 to 10 ft. B. & B	2.25 2.00 18.00 16.50
10 to 12 ft. B. & B	21.00
— aurea. 25'-30'	Golden Plume Cypress
— aurea. 25'-30' Quite a favorite for high lights	Golden Plume Cypress in a mixed planting.
— aurea. 25'-30'	Golden Plume Cypress in a mixed planting. ly bright in spring.
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B	Golden Plume Cypress in a mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B	Golden Plume Cypress in a mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	Golden Plume Cypress in a mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B	Golden Plume Cypress in α mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B — lutescens. 3'-4' Dwar	Golden Plume Cypress in α mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B — lutescens. 3'-4' A low broad round topped bush,	Golden Plume Cypress in a mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches.
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B — lutescens. 3'-4' A low broad round topped bush, 10 to 12 in. spread, B. & B	Golden Plume Cypress in a mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B — lutescens. 3'-4' A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90 1.50 1.35 1.20
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B — lutescens. 3'-4' A low broad round topped bush, 10 to 12 in. spread, B. & B	Golden Plume Cypress in a mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 2 to 2½ ft. B. & B — lutescens. 3'-4' A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B	Golden Plume Cypress in α mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 ff Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90 1.50 1.35 1.20 2.00 1.80 2.70 2.40
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B — lutescens. 3'-4' A low broad round topped bush, in pread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B — nana. 2'-3'	Golden Plume Cypress in α mixed planting. ly bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90 1.50 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 2 to 2½ ft. B. & B — lutescens. 3'-4' A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 If Yellow Plume Cypress sulphur tipped branches. 1.20 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home
-aurea. 25'30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B -lutescens. 3'-4' Dwar A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B -nana. 2'-3' This neat compact little cushion in a rock garden or even when madins dwarf, and develops into it	Golden Plume Cypress in a mixed planting. Ity bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90 1.50 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes.
-aurea. 25'30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B -lutescens. 3'-4' Dwar A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B 1½ to 2 ft. spread, B. & B -nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into it 2½ to 3 ft. spread, B. & B	Golden Plume Cypress in a mixed planting. Ity bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90 1.50 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes.
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 2 to 2½ ft. B. & B 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 17 to 2 ft. spread, B. & B 18 to 2 ft. spread, B. & B 19 to 2 ft. spread, B. & B 11/2 to 3 ft. spread, B. & B - nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into it 2½ to 3 ft. spread, B. & B squarrosa nana. 2'-3'	Golden Plume Cypress in a mixed planting. Ity bright in spring. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 If Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90 1.50 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 2 to 2½ ft. B. & B - lutescens. 3'-4' Dwar A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B - nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into it 2½ to 3 ft. spread, B. & B squarrosa nana. 2'-3' Looks exactly like what it is, a	Golden Plume Cypress in a mixed planting. 1,20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 ff Yellow Plume Cypress sulphur tipped branches. 1,20 1.05 .90 1.50 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7,50 Dwarf Moss Cypress stunted Moss Cypress stunted Moss Cypress.
- aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B 1½ to 2 ft. spread, B. & B -nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into in 2½ to 3 ft. spread, B. & B squarrosa nana. 2'-3' Looks exactly like what it is, a 2½ to 3 ft. spread, B. & B	Golden Plume Cypress in a mixed planting. In the planting of t
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 2 to 2½ ft. B. & B Hutescens. 3'-4' Dwar A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B — nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into in 2½ to 3 ft. spread, B. & B squarrosa nana. 2'-3' Looks exactly like what it is, a 2½ to 3 ft. spread, B. & B — veitchi. 25'-30'	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 90 1.50 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress stunted Moss Cypress. 6.00 Veitch Moss Cypress
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 2 to 2½ ft. B. & B Hutescens. 3'-4' Dwar A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B — nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into in 2½ to 3 ft. spread, B. & B squarrosa nana. 2'-3' Looks exactly like what it is, a 2½ to 3 ft. spread, B. & B — veitchi. 25'-30' Which is a remarkable plant. The	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 90 1.50 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress stunted Moss Cypress stunted Moss Cypress 6.00 Veitch Moss Cypress blue-gray foliage and
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B — lutescens. 3'-4' A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B — nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into it 2½ to 3 ft. spread, B. & B squarrosa nana. 2'-3' Looks exactly like what it is, a 2½ to 3 ft. spread, B. & B — veitchi. 25'-30' Which is a remarkable plant. The intricate branchlets combine to	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress stunted Moss Cypress stunted Moss Cypress 6.00 Veitch Moss Cypress 1.20 2.00 Veitch Moss Cypress 1.20 2.00 1.20 2.20 2.20 2.20 2.20 2.20
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B Hutescens. 3'-4' A low broad round topped bush, 10 to 12 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 15 to 18 in. spread, B. & B 17 to 2 ft. spread, B. & B — nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into in 2½ to 3 ft. spread, B. & B squarrosa nana. 2'-3' Looks exactly like what it is, a 2½ to 3 ft. spread, B. & B — veitchi. 25'-30' Which is a remarkable plant. The intricate branchlets combine to woolly pyramid. Quite a billowy	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90 1.50 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress stunted Moss Cypress tunted Moss Cypress tunted Moss Cypress te blue-gray foliage and make a dense, broad of tree in age.
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B	Golden Plume Cypress in a mixed planting. In 20 1.05 1.20 1.65 1.50 2.25 18.00 If Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 90 1.50 1.35 1.20 2.00 1.80 2.70 2.40 In 20 2.00
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.05 .90 1.50 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress stunted Moss Cypress tunted Moss Cypress tunted Moss Cypress te blue-gray foliage and make a dense, broad of tree in age.
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B **Independent of the state of the st	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress stunted Moss Cypress stunted Moss Cypress te blue-gray foliage and make a dense, broad tree in age. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 2.00
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B 8 to 10 ft. B. & B — lutescens. 3'-4' A low broad round topped bush, 10 to 12 in. spread, B. & B 12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B — nana. 2'-3' This neat compact little cushion in a rock garden or even when mains dwarf, and develops into in 2½ to 3 ft. spread, B. & B squarrosa nana. 2'-3' Looks exactly like what it is, a 2½ to 3 ft. spread, B. & B — veitchi. 25'-30' Which is a remarkable plant. The intricate branchlets combine to woolly pyramid. Quite a billowy 12 to 15 in. B. & B 1½ to 2 ft. B. & B 1½ to 2 ft. B. & B 2½ to 3 ft. B. & B	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress stunted Moss Cypress the blue-gray foliage and make a dense, broady tree in age. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 2.00 2.70 2.40
— aurea. 25'-30' Quite a favorite for high lights The yellow foliage is particular 12 to 15 in. B. & B 15 to 18 in. B. & B 2 to 2½ ft. B. & B 8 to 10 ft. B. & B **Independent of the state of the st	Golden Plume Cypress in a mixed planting. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 18.00 f Yellow Plume Cypress sulphur tipped branches. 1.20 1.35 1.20 2.00 1.80 2.70 2.40 Dwarf Plume Cypress of green looks at home planted formally. Renteresting shapes. 7.50 Dwarf Moss Cypress stunted Moss Cypress stunted Moss Cypress te blue-gray foliage and make a dense, broad tree in age. 1.20 1.05 1.35 1.20 1.65 1.50 2.25 2.00

Each Ten Hundred
CHIMAPHILA maculata. 6"-8" Pipsissewa
EVERGREEN. Essentially a shady woods plant where it revels in leaf mold, but soon establishes a home in a shady pocket in the rock garden. The handsome long narrow leaves are beautiful, marbled white with purple tinges throughout, and the loveliest white saucers are held up on long stems. Should be planted in little colonies. 4" Pots
Loose tassels of fragrant white flowers are effective against
the bold dark green foliage; really handsome for "dominant" spots. Dark purple plum-like fruits are quickly eaten by birds. One of our "forgotten" good natives. 2 to 3 ft
CLADASTRIS lutea. 40'-50' Yellow-wood
Has loose bunches of fragrant white pea-shaped flowers in June. The clear yellow autumn coloring is striking, too. 4 to 6 ft
CLEMATIS Large-flowering varieties
These European garden treasures are notable for their spectacular flowers—great platters of breathtaking beauty. Outstanding in color and in form, they add dignity and charm to any garden. A partially shaded spot is ideal, as the roots must be kept cool and moist—leave a permanent mulch of soil sponge. A rich, deep, well drained soil is required, in fact, drainage should be perfect, using plenty of sharp sand and well rotted manure. The roots should be encouraged to grow down, the whole plant must be deeply set, the crown to be not less than 3 inches the surface of the soil. Provide support and protect growth of the first year, using straw or burlap. No further protection will be required.
Duchess of Edinburgh. Double, pure glistening white. Not unlike a Gardenia. 5 in. potgrown
Henryi. Large single white flowers, often 8 inches across. Like glowing moons of light in a half shady nook. 5 in. potgrown
Jackmani. Large, velvety, violet-purple flowers. An old favorite. 5 in. potgrown
Mme. Edouard Andre. Rich purplish red, a unique color with velvety texture. 5 in. potgrown
Nelly Moser. Red bars accentuate the pale mauve and white petals. Vigorous and free flowering. One of the loveliest. 5 in. potgrown
Ramona.
Lavender-blue with a disk of darker anthers. Exquisite. 5 in. potgrown

CLEMATIS—Continued

Each Ten Hundred



And want no better company,
For such a man, I always find,
Is just the very sort and kind
Who's not content unless it be
He, too, can grow much like a tree.

For trees, you know, are friends indeed, They satisfy such human need, In summer shade, in winter fire, With flower and fruit meet all desire. And if a friend to man you'd be. You must befriend him like a tree.

CHARLES A. HEATH.

Each Ten Hundred CLETHRA alnifolia. 7'-8' Summersweet Useful for damp woodlands where the erect white flower spikes spice the air with a "peppery" odor all summer. Will also grow contentedly even in poor soil or sun. .50 11/2 to ft. 3 ft. •••• .70 .65 4 ft. .90 .80 - rosea. Pink Summersweet Retaining all the good points of the type with the advantage of a charming pink shade—very scarce. 1½ ft. 1.20 COLUTEA arborescens. 10'-12' Bladdersenna So called because the reddish seed pods are inflated, which follow the small bright yellow pea blossoms. Interesting. to ft.60 to ft. CORNUS alba (sibirica). 8'-10' Coral Dogwood Grows vigorously in moist places, where the vivid red bark is strikingly evident throughout winter, particularly if used with the yellow twig form. Birds quickly eat the berries. alternifolia, 15'-20' Pagoda Dogwood Too seldom used, this handsome shrub is full of character, with flat spreading tiers of branches creating deep shadows. 3 to ft.60 amomum. 8'-10' Silky Dogwood In autumn the bluish fruits are most ornamental, and even in winter the purplish branches give color. Good for massing, particularly in swampy areas. Has large silky foliage. .45 ft. .35 to 3 .45 ft .60 .55 4 4 ft. .75 .65 .55 .90 to 6 ft. .75 As sunbeams stream through liberal space, And nothing jostle or displace, So waved the pine tree through my thought, And fanned the dreams it never

EMERSON.

brought.

Ten Hundred

Bunchberry

Each

CORNUS—Continued canadensis. 6"

Although low in stature, a most desirable member of this bold family. Typical white dogwood "flowers" give way to little crowded bunches of brilliant red berries. It must
have shade and very acid soil—loves a pine needle mulch.
3" Pots
controversa. 25'-30' Giant Dogwood
Rarely seen and of outstanding merit. Notice the blue-black berries are quite large and it develops real character with age. The young branches have maroon bark. 4 to 5 ft
florida. 25'-30' White Flowering Dogwood
Surely evervone knows this splendid tree. Nothing is so spectacularly beautiful in spring as the banks of white flowers that border the woods. Then the profusion of glittering red berries and finally the brilliant autumn display of rich coloring, pink, crimson, scarlet, maroon. And in winter the twiggy intricate branch system forms a lacy network full of interest and beauty. Very adaptable and transplants readily. A real American. 2 to 3 ft
— pendula. 10'-12' Weeping Dogwood
Somewhat grotesque with odd recurved branches.
2 to 3 ft. B. & B 3.75 3.30
3 to 4 ft. B. & B 5.25
— plena. 20'-25' Double Flowering Dogwood
Has some additional bracts to give the appearance of a double flower—interesting break from our lovely Dogwood.
2 to 3 ft. B. & B 3.00 2.70 3 to 4 ft. B. & B 4.50 4.00 4 to 5 ft. B. & B 6.00 5.40 5 to 6 ft. B. & B 8.75
— rubra. 25'-30' Red Flowering Dogwood
Substitute pink flowers and you can imagine what a gorgeous effect can be made by using this form either alone or with the white type. Splendid free flowering specimens.
2 to 3 ft. B. & B 1.80 1.65 1.50 3 to 4 ft. B. & F 3.00 2.70 2.40
3 to 4 ft. B. & F 3.00 2.70 2.40 4 to 5 ft. B. & B 4.80 4.20 3.75
— welchi. 15'-20' Welch Dogwood The foliage is curiously but prettily marbled with pink and

kousa. 15'-20' Kousa Dogwood

2 to 3 ft. B. & B...... 2.00

white stripes of varying width—otherwise is similar to type.

In this Japanese counterpart of our dogwood the white flowers are borne after the leaves have expanded and thus lengthens the "Dogwood season." Large crimson strawberry-like fruits are attractive to humans and birds alike.

3	to	4	ft.	B.	&	B	2.00	1.80
6	to	8	ft.	B.	&	В	7.00	
8	to	10	ft.	B.	&	В	11.00	
10	to	12	ft.	В.	&	B	18.00	

F.	. C. F.	IVU	NSE	,							20
C	ORNUS	5 —C	onti	nued				Each	ı Ter	n Hun	dred
	kousa	chir	ens	is.	15'-20'			(Chinese	Dogv	wood
	Has	still	lar	ger fl	owers;	an	d don't	the bird	s relish	the fr	uits!
	2 3 4	to to	3 4 5	ft. ft. ft.	В	. &	B B	2.0	0 1.	20 80 00	
	mas.	15'-	20′						Corneli	ian Ch	erry
	twic ally	ggy :	brar come	ches s b	are corighter.	ve I	show red in c ater th Shoul	yellow e cher	r mist t ry-like	hat gr fruits	adu- are
	2 3 4 5 6	to to to to	3 4 5 6 8	ft. ft. ft. ft. ft.	B B B	. & . & . &	B B B B	1.80 3.00 4.00	0 1. 0 2. 0 3.	00 65 70 60	.90 1.50 2.40
	panic	ulata	. 1	0′-12	•				Gray	Dogs	boow
	myr to ti	impy	se clus	ction	s grea of white le. An	t m e be ide	b "par nounds erries or eal "fille	can be n red st er" for .51	e seen tems ac the shr	with	the
	stolon	ifera	. 8	'-10'				Red	Osier	Dogv	rood
	the	dull	wi	nter	landsc	ape	nt red to . Seve ill form	ere ann	ual pr	uning	will
	1 ½ 2 3 4	to to to	2 3 4 5	ft. ft. ft. ft.	***********	•••••		.50	0 .	35 45 55 65	.30 .40 .50
	— flav	viran	ıeα.	6′-8	3'			Gold	ientwig	Dogv	vood
							oark b <mark>ri</mark> than, b				
	1 1/2 2 3 4	to to to	2 3 4 5	ft. ft. ft. ft.		•••••		.60 .73	0 . 5 .	45 55 65 80	.40 .50 .60
C	ORYLO	PSIS	S gir	ensi	s. 9′-1	0′		Chi	nese V	Vinter	lazal
						•	hen the				

In March or early April when the fragrant little pendants of inverted yellow cups are studded throughout the bush—what a lovely thing!! Handsome round foliage, fat winter buds, and a neat branching habit serve to make this desirable and interesting throughout the year. Scarce.

2	to	3	ft.	B.	&	B	2.50
4	to	5	ft.	B.	&	B	6.00

CORYLUS avellana atropurpurea. 12'-15' Purple Filbert

Big round leaves are solidly stained a rich reddish purple. Most effective as a spot plant.

2	to	3	ft.	•••••	.75
3	to	4	ft.	• • • • • • • • • • • • • • • • • • • •	.90

Each Ten Hundred

COTONEASTER adpressa. 9"-12"

Creeping Cotoneaster

Decidedly a rock plant, where the creeping branches weave in and around intricately, forming an interesting mound. The glossy dark green wavy leaves show off the large bright red berries to perfection. Must have sun.

4" Pots, 9 to 12 in. spread 1.35

4'-5' apiculata.

Tipped Cotoneaster

Graceful spreading branches, shiny foliage, flowers tinged pink, and large bright red fruits—a handsome fellow. 5" Pots, 12 to 15 in. spread..... 1.50

5'-6' dielsiana. (applanata)

Diels Cotoneaster

Has slender arching branches, pinkish flowers and small foliage. Bright red fruits add to its beauty. Handsome. 2 to 3 ft. B. & B........ 1.65 1.50 B. & B..... to ft. 2.25 2.00

divaricata, 4'-6'

Spreading Cotoneaster

When studded with scarlet fruits, this shrub justifies a choice position. Vigorous and spreading with good clean foliage. A little-known gem, useful as a hedge or specimen,

7 1/	to s	2.	ft.	B (₹ B	1.00	90	80
		_	ft.			1.50		
			ft.		5⁄к В	2.00	1.80	1.50
4	to	5	ft.	В. с	& B	2.75	2.40	

foveolata. 8'-10'

Pitted Cotoneaster

A big fellow with splendid autumn dress, which shows off the glittering black berries. Has interesting irregular growth.

B. & B...... 2.25 B. & B..... 3.00 to ft. 4 to ft.

franchetti. 6'-7'

Franchet Cotoneaster

EVERGREEN. At least in sheltered spots. An important member even in this glorious family. Long rich green, deeply veined leaves, clusters of pale pink flowers climaxed by bright orange-red berries make a procession to keep your interest throughout the whole year. yes! the autumn coloring is beautiful too. 11/2 to B. & B..... ft.

1.20

2'-3' horizontalis.

Rock Cotoneaster

HALF EVERGREEN. The flat spray-like branches make an ideal cover for rocks or bank, especially when the deep green box-like leaves are bejewelled with the scarlet berries. Full open sunny place is best. Plant small sizes. 4" Pots, 9 to 12 in. spread......

- perpusilla. 1'-2'

Dwarf Rock Cotoneaster

HALF EVERGREEN. Smaller and neater than its parent, but even more effective in rock work. The bright red berries are larger, leaves are smaller, but more numerous. 4" Pots, 12 to 15 in. spread..... 1.35

hupehensis.

Hupeh Cotoneaster

Really a handsome flowering shrub, the willowy branches forming garlands of white in June and then are weighted down with numerous red fruits. Leaves yellow in August. to 5 B. & B.....

microphylla. 2'-21/2'

EVERGREEN. As indicated the shiny leaves are very small but rich in color. Somewhat leggy in youth it develops

COTONEASTER—Continued

Each Ten Hundred

racemiflora soongarica. 6'-7'

Coral Fruited Cotoneaster

When seen in full fruit, this lovely shrub never fails to excite admiration and cause superlative adjectives. The wide spreading branches are just loaded with coral berries, contrasting vividly with the round gray-green leaves. Plant in open and give space to develop, at least six feet apart.

11/2	2 to	2	ft.	B.	&	В	1.35	1.20
2	to	3	ft.	B.	&	B	2.00	1.80
3	to	4	ft.	B.	&	В	2.50	2.25
1	to	5	f+	P	2	D	2.00	

rotundifolia. 6'-7'

Roundleaf Cotoneaster

HALF EVERGREEN. Red berries in galore, clean attractive foliage and easily grown! there is no good reason why this shrub should not be extensively planted.

3	to	4	ft.	B.	&	В	2.00
4	to	5	ft.	B.	&	В	3.00

salicifolia floccosa. 6'-8'

Willowleaf Cotoneaster

EVERGREEN or practically so, the long slender leaves are dark green above, lighter beneath, and show off the red berries beautifully. Surely a most graceful spreading shrub.

CILL	CD 1	ocauli	ituity.	Darci	u	111051	gracerar	spicading	DIII
1	to	11/2	ft.	B.	&	B	. 1.00	.90	
11/2	to	2	ft.	B.	&	B	. 1.35	1.20	

simonsi. 5'-6'

Simon Cotoneaster

HALF EVERGREEN. Loose spreading bush with arching branches well clothed in foliage. The scarlet berries insure recognition as a useful and colorful member.


3	to	4	ft.	В.	&	В	2.50	2.25
4	to	5	ft	B	2	B	3.00	2.70

zabeli miniata. 4'-6'

Zabel Cotoneaster

It is difficult to visualize any shrub that fruits more profusely. The slender spreading branches become garlands of vivid red berries which are effectively contrasted by the yellow autumn foliage. Easily grown and a beauty.

2	to	3	ft.	B. &	B	2.00	
3	to	4	ft.	В. &	B	2.50	2.25
4	to	5	ft	B &	B	3.00	2.70



Each Ten Hundred

CRATAEGUS arnoldiana. 18'-20'

Arnold Hawthorn

Vigorous and bold. The white flowers are large, crimson berries big and plentiful and the zigzag branches are well armed with long thorns. Large maple-like leaves.

3	to	4	ft.	 2.00	1.80
4	to	5	ft.	 2.70	2.40
5	to	6	ft.	 3.30	3.00
6	to	8	ft.	4.50	

carrieri. 15'-20'

Carrier Hawthorn

Very large round orange-red fruits persist nearly all winter. Has distinctive gray bark; open growth and rather round thead, lustrous deep green oval leaves.

3	to	4	It.		2.00	1.80
4	to	5	ft.	*******	2.70	2.40
5	to	6	ft.	***************************************	3.30	3.00

coccinea. 10'-12'

Thicket Hawthorn

That is right, a real thicket shrub, for the intricate maze of branches forms a veritable barrier. The white May-flowers are large and give place to rather dull brown-red berries. Shiny bright green foliage is almost oval, good till late fall.

2	to	3	ft.	 1.20	1.05	.90
3	to	4	ft.	 1.80	1.50	1.20
4	to	5	ft.	 2.40	2.25	1.95
5		6		 3.00	2.70	2.40
6	to	8	ft	 3.75	3.30	3.00
8	to	10	ft.	 5.25		

cordata. 20'-25'

Washington Thorn

Beginning in May with white flowers followed by brilliant scarlet fruits which last nearly all winter, and throughout its pageant of autumn color most interesting and beautiful.

3	to	4	ft.	 2.00	1.80	1.65
4	to	5	ft.	 2.70	2.40	2.10
5	to	6	ft.	 3.30	3.00	2.70
6	to	8	ft.	 4.50	4.20	
8	to	10	ft.	6.75		

crusgalli. 20'-25'

Cockspur Thorn

Apart from the mass of white flowers, this Thorn is valuable for the shiny rich green leaves that stay fresh until late autumn, then turn orange. If left by birds, some fruits will persist until spring. A very practical hedge.

3	to	4	it.		2.00	1.80
4	to	5	ft.	***************************************	2.50	2.25
5	to	6	ft.		3.30	
6	to	8	ft.		4.50	

ellwangeriana. 15'-20'

Ellwanger Hawthorn

Quite tree-like with ascending branches, large coarsely toothed leaves and big red berries, which soon fall.

3	to	4	ft.	 2.00	1.80
4	to	5	ft.	 2.50	2.25
5	to	6	ft.	 3.30	3.00
6	to	8	ft.	 4.50	4.20
8	to	10	ft.	6.00	5.40

mollis. 20'-25'

Downy Hawthorn

Has large light green thin leaves, showy white red-centered flowers, scarlet succulent fruits, used for jelly.

3	to	4	ft.	 1.80	1.65
4	to	5	ft.	 2.50	2.25
5	to	6	ft.	 3.30	3.00
6	to	8	ft.	4.50	4.20

contraction of the land	Each Ten Hundred
CRATAEGUS—Continued	
nitida. 25'-30' The spreading branches have but two inch leaves are glossy rich g to orange and scarlet tones in at 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	reen above, changing utumn. Dull red fruit.
oxyacantha. 20'-25' In England this "May-Tree" is often the clusters of large fragrant whelusive fragrance and red berrier wide use. A great favorite with bird 1½ to 2 ft. 2 to 3 ft.	ite flowers with their s make it worthy of ds for nesting and food.
— Double White, — Double Pink,	
Double flowering forms that have cause of the freedom with which $1\frac{1}{2}$ to 2 ft	been perpetuated be- they produce flowers.
	Pink English Hawthorn
A most delightful break of the En	nglish May Iree with
lovely pink single flowers—quite s	
5 to 6 ft	5.70
6 to 8 ft	5.70
CRYPTOMERIA japonica lobbi. 50'-60' EVERGREEN. For this section under the section under the section under the section with the section to the section that the section that the section that the section that the section with the section that the section with the	subtedly the best form. The green, which changes It wears so well that replace native cedars difficult to imagine any therent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees creeffect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any wherent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees creeffect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any wherent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow-
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees creeffect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any wherent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. it has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees creeffect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. To green, which changes It wears so well that replace native cedars difficult to imagine any therent character than leates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant.
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees creffect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any therent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant. .35 .30 .25 .45 .40 .35
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. it has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees creeffect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. To green, which changes It wears so well that replace native cedars difficult to imagine any therent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant35 .30 .25
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees are effect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any therent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant. .35 .30 .25 .45 .40 .35
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. it has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees creffect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any wherent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant35 .30 .25 .45 .40 .35 .60 .55 .50
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees are effect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. To green, which changes It wears so well that replace native cedars difficult to imagine any therent character than leates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant. .35 .30 .25 .45 .40 .35 .60 .55 .50 .75 Tage Flowering Quince.
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees are effect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. To green, which changes It wears so well that replace native cedars difficult to imagine any therent character than leates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant. .35 .30 .25 .45 .40 .35 .60 .55 .50 .75 Tage Flowering Quince.
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees are effect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. To green, which changes It wears so well that replace native cedars difficult to imagine any therent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants licily fragrant. .35 .30 .25 .45 .40 .35 .60 .55 .75 Tage Flowering Quince. with pink. A novelty. 2.25
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. it has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees are effect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any therent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant35 .30 .25 .45 .40 .35 .60 .55 .75 Tage Flowering Quince. with pink. A novelty. 2.25 Vhite Flowering Quince
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. It has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees are effect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any therent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant35 .30 .25 .45 .40 .35 .60 .55 .50 .75 Tage Flowering Quince. with pink. A novelty 2.25 Thite Flowering Quince owers freely produced.
EVERGREEN. For this section under It makes an irregular column of dark to a warm purple bronze in winter. it has been most effectively used to that succumb to civilization. It is a tree that has more dignity and in this. An avenue of large trees are effect. A warm, moist, well-drain 4 to 5 ft. B. & B	subtedly the best form. It green, which changes It wears so well that replace native cedars difficult to imagine any therent character than eates a most inspiring ed spot is ideal. 4.50 10.00 21.00 33.00 30.00 48.00 45.00 60.00 Flowering Quince carlet pageant of flow- pring. Seedling plants icily fragrant35 .30 .25 .45 .40 .35 .60 .55 .75 Tage Flowering Quince. with pink. A novelty. 2.25 Vhite Flowering Quince

By referring to "Contents" and the complete index you will quickly find information desired.

CYDONIA—Continued

Each Ten Hundred

japonica pygmaea. 2'-3'

Pygmy Flowering Quince

Twisted branches form dense bush which is sprinkled with pale salmon flowers over a long period. The best one for a rock garden, and for facing a shrub border.

- sanguinea plena. 4'-5'

Double Red Quince

Although not truly double the large red flowers are particularly brilliant and do have additional petals. Striking.

1 1/2	to	2	ft.	***************************************	1.00	.90	.80
2	to	3	ft.	***************************************	1.50	1.35	
3	to	4	ft.		2.25		

maulei. 2'-3'

Lesser Flowering Quince

If brilliancy is desired this low spiny bush ranks high for the vivid red flowers are remarkable in April. Try training this and other varieties on a south wall—surprisingly good.

1	to	11/2	ft.	spread		.60	.50
11/2	to	2	ft.	spread		.80	.70
					*******	1.00	.90
21/2	to	3	ft.	spread		1.35	1.20

CYTISUS kewensis. 1'-11/2'

Kew Broom

Almost procumbent, but forms a neat little mound generously dotted with sulphur colored pea shaped flowers. It needs and deserves a little protection.

scoparius. 5'-6'

Scotch Broom

The long slender bright green branches are always conspicuous particularly when the pea-shaped yellow flowers are strung along them in spring.

- D -

DAPHNE cneorum. 1'

Rose Daphne

EVERGREEN. Gray-green foliage, rose-pink deliciously fragrant flowers and a clean, neat habit make this garden gem the most appealing subject to any plant lover. Seems to thrive equally well in acid or sweet soil, in half shade or full sun, and it certainly seems at home in the rockery.

9	to	12	in.	spread,	B.	&	В	1.35	1.20	1.00
12	to	15	in.	spread,	B.	&	В	1.80	1.65	1.50
15	to	18	in.	spread,	B.	&	В	2.25	2.00	1.80
18	to	21	in.	spread,	В.	&	В	3.00	2.70	

genkwa. 3'

Lilac Daphne

Lovely little bells of delicate lavender are strung along slender stems before the leaves unfold in spring. White berries are attractive too.

mezereum. 21/2'-3'

February Daphne

Upright fat little branches are thickly studded with deliciously fragrant rosy purple flowers in February. Scarlet berries are only sparsely produced but are most decorative. Even the gray green foliage, appearing later, is in harmony—a really worthwhile small shrub. Quite hardy.

15	to	18	in.	B. & B	.85
18	to	24	in	B & B	1.00

F. & F. NU	RSERIES					26
				Each	Ten H	undred
DEHTTIA -	:1:- 0	, _A ,			lender D	
DEUTZIA gr	the most	useful of	all low s			
		ers cover				
12 to				.40		.33
15 to	18 in.			.50	.45	.40
1½ to	2 ft.			.60	.55	.50
roseα.	3'			Rose P	anicle I	eutzia
The pin	kish flow	ers are a	n added	attraction	n. Neat	habit.
15 to	18 in.			.40	.36	.33
1½ to	2 ft.			.50	.45	
lemoinei.	4'-5'				moine I	
Large d	azzling w	vhite flowe	ers in sho	rt sprays	are pro	duced
	zing abu	ındance n	naking a	'high	spot" in	June.
1 to 1½ to	1 ½ ft. 2 ft.			.30	.25	.20 .33
2 to					.45	
magnifica			1		Showy I	
		ent in bloc owy and c				
1½ to	2 ft.		acon dole	.35	.30	.27
2 to				.45	.40	.36
3 to	4 ft.			.60	.54	.50
4 to	5 ft.			.75	.70	
scabra Pr	ide of Ro	chester.	B'-9'		Pink D	eutzia
Deserve	dly popu	lar, this h	usky fell	low prod	uces clo	uds of
		s in May				
		oring some				pink.
1½ to 2 to				.40	.27 .36	.33
3 to	4 ft.			.50	.45	.40
4 to				.65	.60	
]	E		*	
LAEAGNU	Slongine	s 5'.6'		Gumi-Cl	nerry Ele	aanue
		olace seen	s to perf			
for their	fragrand	ce the yel	low flowe	ers might	be unn	oticed,
		imed oran				rative.
1½ to	2 ft.			.60	.54	
pungens r		10'-12'			orny Ele	
		Vhen esta				
our win	ters and	is certainly	y worthy	of trial.	The way	y rich
		ee inch le				
hefore	seen" fol	clusters o llowed by	decorat	ive oran	are s	centea
	4 ft.	B. &	В	4.50	ge man	ο.
			2	1.00	3.61	C1 1-
LSHOLTZIA		of reddisl	nurnla	flowers to		Shrub
August	and rem	ain attrac	tive for v	weeks.	When cr	ushed.
the nar	row leav	ain attrac	minty	odor. V	Vinter fr	eezing
of the to	op merely	serves to	make a	more bu	shy spe	cimen.
3 year				.50	.40	
NKIANTHU	S campa	nulatus.	12'-15'	Redv	ein Enki	anthus
		huse over				
		handsome				
		hich turns				
and th		ers are boveined w				
1½ to			B	2.25	2.00	inque.
2 to	2½ ft.		В	3.00	2.70	
2½ to	3 ft.	B. &	B	4.00	3.60	
3 to	4 ft.		B	6.00	5.40	
4 to	5 ft.	B. &	В	7.50	6.75	

Each Ten Hundred
EPIGAEA repens. 2"-4" Trailing Arbutus
EVERGREEN. Although somewhat difficult to establish in cultivation a much loved wildling that carpets the ground with broad leaves and produces its clusters of delicate rose colored flowers in May. It seems incredible such a lowly plant could exhale the exquisite fragrance so characteristic of this gem. Acid soil is necessary. 5" Pots established
ERICA carnea. 10"-12" Spring Heath
EVERGREEN. Opening in early spring, the bright rosypink flowers persist for months, surely a most striking thing. 2 year, 4" pots
EUONYMUS alatus. 8'-9' Winged Euonymus
Pink and crimson in autumn, interesting corky branches in winter, this handsome outstanding shrub is too little used. $1\frac{1}{2}$ to 2 ft
3 to 4 ft 1.00 .90
compactus. 5'-6' Compact Winged Euonymus
Just as beautiful and even neater than its big brother. Useful for a specimen, mass, or hedge planting. $1\frac{1}{2}$ to 2 ft
europaeus. 12'-15' Burning Bush
Slender and tree like, escapes notice until the dull leaves take on a purplish crimson coloring in autumn—then you watch for the bright pink and scarlet fruits strung along the green four sided stem like hanging ornaments. Lovely. $1\frac{1}{2}$ to 2 ft
hamiltonianus. 9'-10' Hamilton Euonymus
Numerous pale pink fruits split open to show the scarlet seeds, although somewhat "leggy" is assuredly worthy of wide recognition. Judicious pruning is helpful.
2 to 3 ft
patens. 8'-10' Spreading Euonymus
HALF-EVERGREEN. If in doubt plant this shrub—it seems contented in all places and conditions. The glossy 3-inch wavy leaves become stained with purple as autumn progresses and the orange fruits hang on almost until spring. Makes α broad round specimen, perfect for hedges. 1 to 1½ ft. B. & B 1.00 .90 1½ to 2 ft. B. & B
radicans. 15'-20' Vine. Wintercreeper
EVERGREEN. Makes good cover for wall or ground. 2 year, 6 to 9 in
— carrieri. 3'.4' Vine. Glossy Wintercreeper EVERGREEN. Large shiny leaves mark this brisk grower as quite distinct. Will make a fine hedge, but rarely fruits. 2 year, 9 to 12 in
— coloratus. 4'-6' Vine. Purple Wintercreeper
EVERGREEN. For a ground cover in shade there are few things to equal this. The long narrow leaves are rosypurple underneath and the veins pencilled in gray. 2 year, 12 to 15 in

EUC	NYN	MUS-	Co	ontini	ied			Each	Ten F	Hundred
					3' Vi	ne		Baby	Winter	стеерег
- 1								led in gr		
	arra	nge	d al	ona :	the clim	v es ihir	a vines	, which	arow via	orously
	to the	heir	apr	ointe	ed statu	ire	then	age. For	rock a	ardens.
									.45	
	_									
_	-				Vine				f Winter	
								to be the		
								north. Fr		
								lmost an		
								nd orang		
	2 y	rear,	9 t	0 12	in			.bU	.50	
v	edoe	nsis.	9'	-10'				Y	eddo Euc	nymus
4					ic pinki	sh	fruits o	md orang		
								acle whe		
			2					.60	.55	
	2	to	3							
	3		4						.00	
EXC					flora.					rl Bush
								ess of the		
								ttention.		
								bit. Prefe		place.
	3	to	4	ft.	3			.75	.65	
q	iraldi	wil	soni	. 10	'-12'			Wil	son Pear	l Bush
	Deci	ded	v th			dso	me of th	he family		
	whit	e fl	owe	r bu	ds are	α	rranged	in loos	e bunch	es. but
								ing snow		
	like	larg	re d	rifts	through	iou	t the bu	ish. Ha	upright	habit.
		to								
								.60	.50	
	2	to	3					.60 .75		
	2	to			•••••					
	2	to			•••••					
FAC			3	ft.		- 1		.75	.60	Reach
FAC	us	ame	3 rica	ft.	80′-100	- 1	F —	.75	.60	
FAC	us Grov	ame ws s	3 rica low	ft. na. ly, b	80'-100	-]	F —	.75 	.60 American ose clear	n gray-
FAC	Grov	ame ws s	rica low	ft. na. ly, bi	80'-100 ut a ha	-]	some no	.75 ative, who	.60 American ose clear s. Prefer	n gray- rs well
FAC	Grov bark drain	ame ws s ed ned	rica low trun	na. ly, bi	80'-100 ut a ha re fami soil and	ndilia	some no	.75 Itive, who ht woods anting. <i>I</i>	.60 American ose clear s. Prefer A beautif	n gray- rs well ul tree.
FAC	Grov bark drain 3	ame ws s ed ned to	rica low trun alko	ft. na. ly, bit ks a aline ft.	80'-100 ut a ha re fami soil and B.	ndilia d s	some nor in lig	.75 ative, which the woods anting. A 2.50	.60 American ose clear s. Prefer A beautif 2.25	n gray- rs well ul tree. 2.00
FAC	Grov bark drain 3 4	ame ws s ed ned to	rica low trun alko	ft. na. ly, br ks a dline ft. ft.	80'-100 ut a ha re fami soil and B. B.	ndilia d s	some nor in ligpring pl	.75 Attive, whit woods anting. A 2.50 3.75	.60 American ose clear s. Prefer A beautif 2.25 3.30	rs well ul tree. 2.00 3.00
FAC	Grov bark drain 3	ame ws s ed ned to	rica low trun alko	ft. na. ly, briks a dine ft. ft. ft.	80'-100 ut a ha re fami soil and B. B. B.	mndilia d s	some nor in lig pring pl	.75 Attive, who has anting. A 2.50 3.75 5.25 8.25	American ose clear s. Prefer A beautif 2.25 3.30 4.80 7.50	n gray- rs well ul tree. 2.00 3.00 4.50
FAC	Grov bark drain 3 4 5	ame ws s ed ned to to	rica low trun alko 4 5 6	ft. na. ly, br ks a dline ft. ft.	80'-100 ut a ha re fami soil and B. B. B.	mndilia d s	some nor in lig pring pl	.75 Attive, who has anting. A 2.50 3.75 5.25 8.25	American ose clear s. Prefer A beautif 2.25 3.30 4.80 7.50	rs well ul tree. 2.00 3.00
FAC	Grove bark drain 3 4 5 6	ame ws s ed ned to to to to	rica low trun alko 4 5 6	ft. na. ly, by ks a dline ft. ft. ft.	80'-100 ut a ha re fami soil and B. B. B.	mndilia d s	some nor in lig pring pl	.75 Attive, who has anting. A 2.50 3.75 5.25 8.25	American ose clear s. Prefer A beautif 2.25 3.30 4.80 7.50	n gray- rs well ul tree. 2.00 3.00 4.50
	Grove bark drain 3 4 5 6 8 10	ame ws s ed to to to to to to	rica lowitrun alko 4 5 6 8 10	na. ly, briks a dline ft. ft. ft. ft. ft. ft.	80'-100 ut a ha re fami soil and B. B. B.	mndilia d s	some nor in lig pring pl	.75 ative, whit woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00	American ose clears. Prefer A beautif 2.25 3.30 4.80 7.50 11.00	n gray- rs well ul tree. 2.00 3.00 4.50 6.75
	Grov bark drain 3 4 5 6 8 10	ame ws s ted to to to to to to to to	3 rica llow! trun calke 4 5 6 8 10 12	ft. na. ly, by ks a dline ft. ft. ft. ft. ft. ft. ft.	80'-100 ut a ha re fami soil ana B. B. B. B. B.	ndalia s	some nor in lig pring pl B B B B B	.75 ative, whit woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00	American ose clear s. Prefer A beautif 2.25 3.30 4.80 7.50 11.00	n gray- rs well ul tree. 2.00 3.00 4.50 6.75
	Grov bark drain 3 4 5 6 8 10	ame ws s ed ned to to to to to to small	rica low trum alko 4 5 6 8 10 12 80' aller	ft. na. ly, broks a dine ft. ft. ft. ft. ft. ft. darl	80'-100 ut a ha re fami soil and B. B. B. B. B. B. B.	ilia & & & & & & & & & & & & & & & & & & &	some nor in lig pring pl B B B B	.75 ative, whit woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00	American ose clear s. Prefer beautif 2.25 3.30 4.80 7.50 11.00	n gray- rs well ul tree. 2.00 3.00 4.50 6.75
	Grow bark drain 3 4 5 6 8 10 Plvati Has than	ame ws s ed to	rica llowitrun alko 4 5 6 8 10 12 80'.	ft. na. ly, by ks a stilline ft. ft. ft. ft. ft. it. ft. it.	80'-100 ut a ha re fami soil and B. B. B. B. B. B. Checker lea	nddiliad s	some nor in lig pring pl B	ative, whit woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00	American ose clear s. Prefer Leautif 2.25 3.30 4.80 7.50 11.00 Curopean on more de while	n gray- rs well ul tree. 2.00 3.00 4.50 6.75 Beech slowly
	Grow bark drain 3 4 5 6 8 10 Plvati Has than 2	amee ws s ed to	rica lowlitrum alko 4 5 6 8 10 12 80' aller nati	ft. na. ly, be ks a ft.	80'-100 ut a ha re fami soil and B.	ndilia s	some nor in lig pring pl B	.75 ative, whit woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, shade 1.65	American ose clear s. Prefer Leautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50	n gray- rs well ul tree. 2.000 4.50 6.75 Beech slowly young. 1.35
	Grow bark drain 3 4 5 6 8 10 plvati Has than 2 3	amee ws s ed to	rica lowitrum alko 4 5 6 8 10 12 80' uller nati	ft. na. ly, btks a atline ft.	80'-100 ut a ha re fami soil and B.	ondillia si & & & & & & & & & & & & & & & & & &	some nor in lig pring pl B	.75 ative, whith woods anting. A 2.50 3.75 5.25 12.00 18.00 Frows evenent, share 1.65 2.25	American ose clear s. Prefer Leautif 2.25 3.30 4.80 7.50 11.00 Luropean en more de while 1.50 2.00	n gray- rs well ul tree. 2.00 3.00 4.50 6.75 Beech slowly young. 1.35 1.80
	Grove bark drain 3 4 5 6 8 10 Plvati Has than 2 3 4	ameews seed to	rica lowitrum alko 4 5 6 8 10 12 80' aller nati 3 4 5	ft. na. ly, bitks a diline ft.	80'-100 ut a hare fami soil and B.	mild silia & & & & & & & & & & & & & & & & & & &	some nor in lig pring pl B	.75 ative, whith woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, shade 1.65 2.25 3.25	American ose clears. Prefer A beautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00	n gray- rs well ul tree. 2.00 3.00 4.50 6.75 Beech slowly young. 1.35 1.80 2.70
	Grove bark drain 3 4 5 6 8 10 vivati Has than 2 3 4 5 5	ameews seed to	rica low trun alko 4 5 6 8 10 12 80 dler nati 3 4 5 6	ft. na. ly, briks a diline ft.	80'-100 ut a ha re fami soil ann B.	andilia si & & & & & & & & & & & & & & & & & &	some nor in lig pring pl B	2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, share 1.65 2.25 3.25 5.00	American ose clears. Prefer A beautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50	n gray- rs well ul tree. 2.00 3.00 4.50 6.75 Beech slowly young. 1.35 1.80 2.70 4.00
	Grov bark drain 3 4 5 6 8 10 Plvatis than 2 2 3 4 5 6 6	ameews seed to	3 rica low trun alko 4 5 6 8 10 12 80' aller nati 3 4 5 6 8	ft. na. ly, biks a ft.	80'-100 ut a ha re fami soil and B.	mildia si sa	some nor in ligpring pl B	2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, share 1.65 2.25 3.25 5.00 7.50	.60 American ose clear s. Prefer A beautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75	n gray- rs well ul tree. 2.00 3.00 4.50 6.75 Beech slowly young. 1.35 1.80 2.70
	Grove bark drain 3 4 5 6 8 10 vivati Has than 2 3 4 5 5	ameews seed to	rica low trun alko 4 5 6 8 10 12 80 dler nati 3 4 5 6	ft. na. ly, briks a diline ft.	80'-100 ut a ha re fami soil and B.	andilia si & & & & & & & & & & & & & & & & & &	some nor in lig pring pl B	2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, shad 1.65 2.25 3.25 5.00 7.50 11.00	American ose clears. Prefer A beautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50	n gray- rs well ul tree. 2.00 3.00 4.50 6.75 Beech slowly young. 1.35 1.80 2.70 4.00
sy	Grove	ame ws s ed to t	3 rica low trun alko 4 5 6 8 10 12 80' aller nati 3 4 5 6 8 10 12	ft. na. ly, b) ks a dline ft.	80'-100 ut a ha re fami soil and B.	- I middlia side side side side side side side side	some nor in ligpring pl B	2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, share 1.65 2.25 3.25 5.00 7.50	.60 American ose clear s. Prefer Lose 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75 10.00	n gray- rs well ul tree. 2.00 3.00 4.50 6.75 Beech slowly young. 1.35 1.80 2.70 4.00 6.00
sy	Grov bark drain 3 4 5 6 8 10 Alvati Has than 2 3 4 5 6 8 10 - aspl	ame ws s seed to	rica allowing trum alko 4 5 6 8 10 12 80 allowing trum alk 5 6 8 10 12 black 6 8 10 12 b	ft. na. ly, be ks a dline ft.	80'-100 at a ha re fami soil and B.	mddilia si sa	some nor in lig pring pl B	2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, share 1.65 2.25 3.25 5.00 7.50 11.00 15.00	.60 American ose clear s. Prefer Learning 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75 10.00 Fernleaf	Beech Beech Beech Beech Beech Beech Beech
sy	Grov bark drain 3 4 5 6 8 10 Plvati Has than 2 3 4 5 6 8 10 Well Well	ame ws s sed to	rica llowing alko 4 5 6 8 10 12 80' aller nati 3 4 5 6 8 10 12 12 10 10 10 10 10 10 10 10 10 10 10 10 10	ft. na. ly, b) ks a dline ft.	80'-100 at a ha re fami soil and B.	indilia si & & & & & & & & & & & & & & & & & &	some nor in ligpring pl B	2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, share 1.65 2.25 3.25 5.00 7.50 11.00 15.00	.60 American ose clear s. Prefer Learning 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75 10.00 Fernleaf graceful	Beech Beech Beech Beech Beech Beech Beech
sy	Grov bark drain 3 4 5 6 8 10 class than 2 3 4 5 6 6 8 10 - aspl Well 2	ws seed to	3 rica low trum alko 4 5 6 8 10 12 80' aller nati 3 4 5 6 8 10 12 olia.	ft. na. ly, be ks a dline ft.	80'-100 at a ha re fami soil and B.	mildia si sa	some nor in lig pring pl B	.75 ative, whit woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, shade 1.65 2.25 3.25 5.00 7.50 11.00 15.00	.60 American ose clear s. Prefer Leautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75 10.00 Fernleaf graceful 1 3.00	Beech leaves.
sy	Grov bark drain 3 4 5 6 8 10 Plvati Has than 2 3 4 5 6 6 8 10 - aspl Well 2 3	amee ws s ed to	3 rica low!trun alko 4 5 6 8 10 12 80 aller nati 5 6 8 10 12 olia. ned 3 4	ft. na. ly, be ks a arrive ft.	80'-100 ut a hare fami soil and B.	mildia si sa	some nor in light pring plants and grant treatm B	.75 ative, when the woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, shade 1.65 2.25 3.25 5.00 7.50 11.00 15.00 narrow e 3.25 4.50	.60 American ose clear s. Prefer Leautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75 10.00 Fernleaf graceful 1 3.00 4.00	Beech slowly young. 1.35 1.80 2.70 4.00 6.00 Beech slowly young. 1.35 1.80 2.70 4.00 6.00
sy	Grov bark drain 3 4 5 6 8 10 Plvati Has than 2 3 4 5 6 8 10 - aspl Well 2 3 4	amee ws s ed to	3 rica lowitrum alko 4 5 6 8 10 12 80' riller nati 3 4 5 6 8 10 12 olia.	ft. na. ly, be ks a diline ft.	80'-100 ut a hare fami soil and B.	- I	some nor in lig pring pl B	.75 ative, whith woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, shade 1.65 2.25 5.00 7.50 11.00 15.00 narrow (3.25 4.50 6.50	.60 American ose clears. Prefer A beautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75 10.00 Fernleaf graceful 1 3.00 4.00 6.00	Beech leaves.
sy	Grov bark drain 3 4 5 6 8 10 Plvati Has than 2 3 4 5 6 8 10 Well 2 3 4 5 5	amee ws seed to	3 rica 10witrum alko 4 5 6 8 10 12 80' 3 4 5 6 8 10 12 colia. med 3 4 5 6	ft. na. ly, be ks a diline ft.	80'-100 ut a ha re fami soil ann B.	- I middlia si & & & & & & & & & & & & & & & & & &	some nor in light pring plants and grant reatm B	2.50 3.75 5.25 8.25 12.00 18.00 1.65 2.25 3.25 5.00 7.50 11.00 15.00 narrow (3.25 4.50 6.50 9.00	.60 American ose clears. Prefer A beautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75 10.00 Fernleaf graceful 1 3.00 4.00 6.00 8.00	Beech slowly young. 1.35 1.80 2.70 4.00 6.00 Beech slowly young. 1.35 1.80 2.70 4.00 6.00
sy	Grov bark drain 3 4 5 6 8 10 Plvati Has than 2 3 4 5 6 8 10 - aspl Well 2 3 4	amee ws s ed to	3 rica lowitrum alko 4 5 6 8 10 12 80' riller nati 3 4 5 6 8 10 12 olia.	ft. na. ly, be ks a diline ft.	80'-100 ut a hare fami soil and B.	nddilia si saaaa saaa saaaa sa	some nor in lig pring pl B	.75 ative, whith woods anting. A 2.50 3.75 5.25 8.25 12.00 18.00 Frows evenent, shade 1.65 2.25 5.00 7.50 11.00 15.00 narrow (3.25 4.50 6.50	.60 American ose clears. Prefer A beautif 2.25 3.30 4.80 7.50 11.00 Curopean en more de while 1.50 2.00 3.00 4.50 6.75 10.00 Fernleaf graceful 1 3.00 4.00 6.00	Beech slowly young. 1.35 1.80 2.70 4.00 6.00 Beech slowly young. 1.35 1.80 2.70 4.00 6.00

FAGUS—Continued	Each	Ten H	undred
sylvatica fastigiata. 40'-50'		Upright	Beech
Not considering time this would be	an exce	ellent sul	ostitute
for the Lombardy Poplar. Inspiring			
3 to 4 ft. B. & B	4.50	4.00	
4 to 5 ft. B. & B	6.50	6.00	
5 to 6 ft. B. & B	9.00	8.00	
6 to 8 ft. B. & B	12.00	11.00	
8 to 10 ft. B. & B	15.00		
— pendula. 50'-60'		Weeping	
Of all "weeping" trees this is the			
descend to the ground in broad to			
a character specimen even in win ing contours, or as a single spe			
			Idwii.
3 to 4 ft. B. & B 4 to 5 ft. B. & B	6.00 7.50	5.40 6.75	
5 to 6 ft. B. & B	10.00	0.75	
6 to 8 ft. B. & B	13.50		
8 to 10 ft. B. & B	18.00		
10 to 12 ft. B. & B	22.50		
12 to 14 ft. B. & B	27.00		
riversi, 70'-80'	River	s Purple	Beech
The best purple leaf tree, grafted. H		_	
4 to 5 ft. B. & B	6.50		
5 to 6 ft. B. & B	9.00		
6 to 8 ft. B. & B	12.75		
8 to 10 ft. B. & B	18.00		
10 to 12 ft. B. & B	22.50		
12 to 14 ft. B. & B	27.00		
FORSYTHIA			
	ww Bor	der Gold	lenhell
Here is the most spectacular memb			
larger deeper yellow flowers in pro	fusion.	Indisper	sable.
1½ to 2 ft	.35	.30	.24
2 to 3 ft.	.45	.36	.33
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	
ovata. 6'-8'	Kore	ean Gold	enbell
Of all the goldenbells this has prove			
the amber yellow flowers are not so			
other forms, they will defy any winter			
1½ to 2 ft.	.50	.45	
2 to 3 ft	.60		
suspenso. 6'	Woon	ine Cald	anhall
		ing Gold	
Much more graceful, particularly if a retaining wall. The willowy branch			
form an immense mass in a few year			
	arb. Lito		.24
	35		
1½ to 2 ft	.35	.30	33
2 to 3 ft	.35 .45 .60	.36 .50	.33
2 to 3 ft.	.45	.36	.33 .45 .60
2 to 3 ft	.45 .60 .75	.36 .50	.45 .60
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. viridissima. 8'-9'	.45 .60 .75	.36 .50 .65	.45 .60
2 to 3 ft	.45 .60 .75	.36 .50 .65 Stem For	.45 .60
2 to 3 ft	.45 .60 .75 Green upright	.36 .50 .65 Stem For	.45 .60 sythia stems.
2 to 3 ft	.45 .60 .75 Green tupright	.36 .50 .65 Stem For t green .30	.45 .60 sythia stems.
2 to 3 ft	.45 .60 .75 Green tupright .35 .45 .60	.36 .50 .65 Stem For t green .30 .36 .50	.45 .60 sythia stems. .24 .33 .45
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. viridissima. 8'-9' The last to flower. Has vigorous, 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft.	.45 .60 .75 Green supright .35 .45 .60	.36 .50 .65 Stem For d green .30 .36 .50	.45 .60 sythia stems. .24 .33 .45

.60

1½ to 2 ft.

-- G --

Each Ten Hundred

Will convert a hot, stony bank into a blanket of brilliant yellow in May and June. The dark, neat foliage is attractive.
4" Pots, 3 year, 9 to 12 in. spread .90 .80 .70

prostrata. 3" Creeping Broom

tinctoria. 2'-3'

Slender green whip-like shoots bearing bunches of yellow pea shaped blossoms form a loose bush sparsely clothed with small leaves. Loves the sun but not the cold wind.

— plena. 2'-3' Double Woadwaxen

Really a good form with double flowers similar in habit.

2 year, 15 to 18 in 1.35 1.20

Full of interest, historically and physically, a grand old patriarch of a bygone age. Practically insect, dust and disease proof; good for city planting, but grows slowly.

6	to	8	ft.					3.50	3.30	
8	to	10	ft.,	11/4	to	11/2	in	5.25	4.80	4.20
10	to	12	ft.,	11/2	to	13/4	in	7.50	6.75	6.00
12	to	14	ft.,	13/4	to	2	in	9.30	8.40	
12	to	14	ft.,	2	to	$2\frac{1}{2}$	in	12.00	11.00	
14	to	16	ft.,	21/2	to	3	in	16.50	15.00	
14	to	16	ft.,	3	to	31/2	in	21.00	19.50	

GYMNOCLADUS dioica. 60'-80' Kentucky Coffee Tree
Gnarled branchlets and thick branches—a picture of age.

				1	
2	to	3	ft.	 .80	.70
3	to	4	ft.	 1.20	1.00
4	to	6	ft.	1.80	



Behold the trees unnumbered rise,
Beautiful, in various dycs;
The gloomy pine, the poplar blue,
The yellow beech, the sombre yew.
The slender fir that taper grows,
The sturdy oak with broad-spread boughs.

Each Ten Hundred

-H-

HALESIA tetraptera. 20'-25' Great Silver Bell
During May a lovely thing indeed. Myriads of little pearly bells dangle from the reaching branches, to be followed by
interesting brown winged seeds. Will yet come into its own. 2 to 3 ft. .50 .45 .40 3 to 4 ft. .65 .60 .55 4 to 5 ft. .90 .80 .70 5 to 6 ft. 1.20 1.00 .90
HAMAMELIS japonica. 20'-25' Japanese Witchhazel
Spidery canary yellow flowers decorate the naked
branches in mid-winter even during zero weather. Hand- some smooth round leaves turn yellow in autumn. 12 to 18 in
mollis. 15'-25' Chinese Witchhazel
Every February this glorious shrub surprises us with its fragrant ribbon-like flowers of spun gold draped throughout the branches. Always a cheerful spot in a drab winterscape, even in zero weather. In summer the handsome velvety gray-green foliage clothes this well-shaped bush, which seems happiest in slightly moist place. Indispensable for the border, or near the doorway. 2 to 3 ft. 1.80 3 to 4 ft. 2.40 4 to 5 ft. 3.00 5 to 6 ft. 4.50 Vernalis. 4'.6' Vernal Witchhazel Not so showy but sweetly fragrant these pale yellow flowers mature in January, opening and closing with warm and cold spells. The small foliage is smooth but deeply veined. There is also a form with reddish flowers. 1½ to 2 ft
3 to 4 ft
virginiana. 15'-25' Witchhazel
The fringy light yellow flowers are conspicuous in November brightening our native woods. Splendid in mass when the rich yellow autumn color is effective bordering swamps. 2 to 3 ft
HEDERA helix. 60'-75' English Ivy
EVERGREEN. Where hardy the finest ground or wall cover. The rich green foliage is beautifully veined with white.
2½" Pots\$90.00 per 1000 .20 .16 .12
4" Pots
EVERGREEN. Long leaves, flowers and fruits freely. Interesting form.
3" Pots
— baltica. 30'-40' Baltic Ivy
EVERGREEN. Quite similar to the English Ivy, but has smaller leaves veined white, purplish in winter.
3" Pots45 .40 .33 4" Pots60 .55 .50
—conglomerata. 1½'.2' EVERGREEN. The curiously twisted stems are crowded with small wavy leaves. Looks perfectly at home in the
rock garden where it never grows out of bounds. 4" Pots, 4 to 6 in

HEDERA-Continu	ed	Each	Ten H	undred
helix deltoidea.			Heartle	of Issa
	Narrow heart shape		ves disti	nguish
4" Pots 4 to	fellow—half vine, half :	.75	.60	
		., 0		
— hibernica.				sh Ivy
EVERGREEN.	Large leaves rapid gr	rowth.	Best in	shade.
21/4" Pots	\$90.00 per 1000	.20	.16	.12
— minima.			Ere	ct Ivy
EVERGREEN.	Quite self sufficient	with th	hick but	small
leaves system	natically crowded on the	he sho	rt branch	nlets-
	ubject for the rock gard			
4" Pots. 3 to	5 in	.60	.54	.48
— pedata.			Birdsfo	ot lvy
EVERGREEN.	A hardy form that cli	ings tic	ghtly but	not a
	The star like leaves			
3" Pots		.60	.54	.48
0 1015		.00		
self branching			Pittsburg	
EVERGREEN.	Without any cutting	or pinc	ching this	form
	a well furnished little			
	s. Small foliage is light			
	e branches. Needs prote			
0 1013			.40	.00
HIBISCUS syriacus	. 10'-12'	1	Rose of S	haron
	teristic upright habit u			
	g as it grows until la			
Double white.	Single nurnle Singl	o red		
	Single purple. Single		Double	pink.
	t	.35	Double .30	.27
1½ to 2 f			.30 .40	.27 .36
1½ to 2 f 2 to 3 f	tt.	.35	.30 .40	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f	t. t.	.35 .45 .60	.30 .40	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f	t	.35 .45 .60 .75	.30 .40 .55	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f	it. t. t. it. de blue W. F	.35 .45 .60 .75	.30 .40 .55	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f	t. t. t. t. te blue W. F	.35 .45 .60 .75	.30 .40 .55 a. Single .45	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f	it. t. t. it. de blue W. F	.35 .45 .60 .75	.30 .40 .55	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f	t. t. t. t. te blue W. F	.35 .45 .60 .75 Smith .50	.30 .40 .55 a. Single .45	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f	t. t. t. t. de blue W. F	.35 .45 .60 .75 3. Smith .50 .70	.30 .40 .55 a. Single .45 .60	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f	t. t. t. t. de blue W. F	.35 .45 .60 .75 3. Smith .50 .70	.30 .40 .55 a. Single .45 .60	.27 .36
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f	t. t. t. tle blue W. F t. t. t. t.	.35 .45 .60 .75 3. Smith .50 .70 .90	.30 .40 .55 h. Single .45 .60 .75	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gran	t. t. tle blue W. F t.	.35 .45 .60 .75 3. Smith .50 .70 .90	.30 .40 .55 h. Single .45 .60 .75	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f - coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRÂNGEÂ arborescens gran The rather stro	t. t. tle blue W. F t.	.35 .45 .60 .75 3. Smith .50 .70 .90	.30 .40 .55 h. Single .45 .60 .75	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRÂNGEÂ arborescens gran The rather stro August by the	it.	.35 .45 .60 .75 3. Smith .50 .70 .90 Snowh	.30 .40 .55 a. Single .45 .60 .75 a. II Hydro set in Juli	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gran The rather stra August by the bunches, Prune	t. t. tle blue W. F. t. t. tt. tdiflora. 4'-5' tggling habit is more the	.35 .45 .60 .75 3. Smith .50 .70 .90 Snowh nan offs lowers ults. Us	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Jul- borne in seful in s	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gran The rather stro August by the bunches, Prum 1½ to 2 f	t. t. t. tle blue W. F. t. t. t. tdiflora. 4'-5' tgggling habit is more the fine display of white fle e severely for best rest t.	.35 .45 .60 .75 R. Smith .50 .70 .90 Snowh nan offs lowers ults. Us	.30 .40 .55 h, Single .45 .60 .75 hill Hydre set in Juli borne in seful in seful in s	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gran The rather stro August by the bunches, Prune 1½ to 2 f 2 to 3 f	t. t. t. t. tle blue W. F t. tt. tt. tdiflora. 4'-5' rggling habit is more th fine display of white fl e severely for best resit.	.35 .45 .60 .75 .7 .70 .90 Snowhar offs lowers ults. Us .45	.30 .40 .55 h. Single .45 .60 .75 hill Hydroset in Juliborne in seful in seful in seful in s	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gran The rather stro August by the bunches, Prune 1½ to 2 f 2 to 3 f	t. t. t. tle blue W. F. t. t. t. tdiflora. 4'-5' tgggling habit is more the fine display of white fle e severely for best rest t.	.35 .45 .60 .75 R. Smith .50 .70 .90 Snowh nan offs lowers ults. Us	.30 .40 .55 h, Single .45 .60 .75 hill Hydre set in Juli borne in seful in seful in s	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gram The rather sthe bunches, Prum 1½ to 2 f 2 to 3 f 3 to 4 f	t. t. t. t. tle blue W. F t. tt. tt. tdiflora. 4'-5' rggling habit is more th fine display of white fl e severely for best resit.	.35 .45 .60 .75 3. Smith .50 .70 .90 Snowh nan offs lowers ults. Us .45 .55	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Juli borne in seful in seful in	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gran The rather stro August by the bunches, Prum 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10'	t. t. t. t. t. tle blue W. F. t. t. t. t. tdiflora. 4'-5' rggling habit is more the fine display of white fle e severely for best reset. t. t.	.35 .45 .60 .75 .70 .90 Snowhar offs lowers ults. Us .45 .55 .75	.30 .40 .55 h, Single .45 .60 .75 hill Hydro set in Juli borne in seful in seful in	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gram The rather stro August by the bunches, Prum 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10' The long loose	t. t	35 .45 .60 .75 R. Smith .50 .70 .90 Snowh acan offs lowers ults. Us .45 .55 .75 Pani s are bo	.30 .40 .55 h. Single .45 .60 .75 hill Hydro set in Juli borne in seful in s .40 .50 .65	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gram The rather stro August by the bunches, Prum 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10' The long loose and make this	t. t. t. de blue W. F. t. t. diflora. 4'-5' reggling habit is more the fine display of white flee severely for best rest. t. t. t. trusses of white flowers a most desirable shru	35 .45 .60 .75 R. Smith .50 .70 .90 Snowh acan offs lowers ults. Us .45 .55 .75 Pani s are bo	.30 .40 .55 h. Single .45 .60 .75 hill Hydro set in Juli borne in seful in s .40 .50 .65	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gram The rather stro August by the bunches, Prum 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10' The long loose and make this	t. t	.35 .45 .60 .75 R. Smith .50 .70 .90 Snowh nan offs lowers ults. Us .45 .55 .75 Panic s are be	.30 .40 .55 h. Single .45 .60 .75 hill Hydro set in Juli borne in seful in s .40 .50 .65 cle Hydro August h	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gram The rather stro August by the bunches. Prunc 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10' The long loose and make this 2 to 3 fi	t. t. t. de blue W. F. t. t. diflora. 4'-5' reggling habit is more the fine display of white flee severely for best rest. t. t. t. trusses of white flowers a most desirable shru	35 .45 .60 .75 R. Smith .50 .70 .90 Snowhers ults. Us .45 .55 .75 Panics are boub for	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Juli borne in seful in s .40 .50 .65 cle Hydre Dorne grad	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gran The rather stro August by the bunches. Prune 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10' The long loose and make this 2 to 3 f 3 to 4 f	t. t. t. de blue W. F. t. t. diflora. 4'-5' rggling habit is more the fine display of white flee severely for best rest. t. t. t. trusses of white flowers a most desirable shrut.	.35 .45 .60 .75 R. Smith .50 .70 .90 Snowh nan offs lowers ults. Us .45 .55 .75 Panic s are be	.30 .40 .55 h. Single .45 .60 .75 hill Hydro set in Juli borne in seful in s .40 .50 .65 cle Hydro August h	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f - coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gram The rather stra August by the bunches, Prum 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10' The long loose and make this 2 to 3 f 3 to 4 f 4 to 5 ff	t. t	35 .45 .60 .75 .75 .30 .90 .90 .90 .90 .45 .55 .75 .75 .75 .75 .75 .75 .60 .75 .60 .75	.30 .40 .55 h. Single .45 .60 .75 hill Hydro set in Juli borne in seful in s .40 .50 .65 cle Hydro August h	.27 .36 white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f - coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gram The rather stra August by the bunches, Prum 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10' The long loose and make this 2 to 3 f 3 to 4 f 4 to 5 ff	t. t	35 .45 .60 .75 .75 .30 .90 .90 .90 .90 .45 .55 .75 .75 .75 .75 .75 .75 .60 .75 .60 .75	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Juliborne in seful in s .40 .50 .65 cle Hydre Drine grace August b .54 .65	.27 .36 white
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 to 5 from 3 to 3 to 4 from 4 to 5 from 2 to 3 to 3 to 4 from 4 to 5 from 2 to 3 to 3 to 4 from 4 to 5 from 2 to 3 to 3 to 4 from 4 to 5 from 2 to 3 to 3 to 4 from 4 to 5 from 2 to 3 to 3 to 4 from 4 to 5 from 2 to 3 to 3 to 3 to 4 from 4 to 3 to 3 to 3 to 4 from 4 to 5 from 2 to 3 to 3 to 3 to 3 to 4 from 4 to 3 to	t. t	35 .45 .60 .75 R. Smith .50 .70 .90 Snowhers ults. Us .45 .55 .75 Panics are be .60 .75 .90	.30 .40 .55 h, Single .45 .60 .75 hill Hydre set in Jul- borne in seful in s .40 .50 .65 cle Hydre August k .54 .65	white
1½ to 2 f 2 to 3 f 3 to 4 f 4 to 5 f — coelestis, Sing 1½ to 2 f 2 to 3 f 3 to 4 f HYDRANGEA arborescens gram The rather stro August by the bunches. Prunc 1½ to 2 f 2 to 3 f 3 to 4 f paniculata. 10' The long loose and make this 2 to 3 f 3 to 4 f 4 to 5 f — grandiflora. 8 Almost everyor	t. t	35 .45 .60 .75 .70 .90 .90 .90 .90 .90 .45 .55 .75 .75 .75 .75 .75 .75 .75 .75 .7	.30 .40 .55 h. Single .45 .60 .75 hill Hydro set in Juli borne in seful in s .40 .50 .65 cle Hydro orne grace August h .65	white
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 4 from 5 from	t. t	35 .45 .60 .75 R. Smith .50 .70 .90 Snowth nan offs lowers ults. Us .45 .55 .75 Panic s are be ulb for .60 .75 .90 adds of	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Jul- borne in seful in s .40 .50 .65 cle Hydre orne grace August 65 .65	white ingea y and large chade. 45 .60 eegee owers ation.
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 from 3 to 4 from 3 to 4 from 5 from	t. t	35 .45 .60 .75 .8. Smith .50 .70 .90 Snowh and offs lowers ults. Us .45 .55 .75 Panies are balb for .60 .75 .90 ads of l dried .60	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Jul- borne in seful in s .40 .50 .65 cle Hydre .65 August b .54 .65	white ringea y and large chade. 45 .60 segee ation50
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 5 to 4 from 5	t. t	35 .45 .60 .75 R. Smith .50 .70 .90 Snowth nan offs lowers ults. Us .45 .55 .75 Panic s are be ulb for .60 .75 .90 adds of	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Jul- borne in seful in s .40 .50 .65 cle Hydre orne grace August 65 .65	white ingea y and large chade. 45 .60 eegee owers ation.
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 3 to 5 from 3 to 4 from 3 to 4 from 3 to 5 from 3 to	t. t	35 .45 .60 .75 .8 .50 .90 .90 .90 .90 .90 .90 .90 .90 .90 .9	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Juli borne in seful in s .40 .50 .65 cle Hydre .65 August k .54 .65	white ungea y and large chade. 45 .60 egge owers ation50 .60
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 5	t. t	35 .45 .60 .75 R. Smith .50 .70 .90 Snowh an offs lowers ults. Us .45 .55 .75 Panic s are be ub for .60 .75 .90 ads of l dried .60 .75 Oakle	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Jul- borne in seful in s .40 .50 .65 cle Hydre orne grace August h .65 .65	white ingea y and large chade. 45 .60 egge owers ation50 .60 ingea
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 2 to 5 from 3 to 4 from 3 to 4 from 2 to 3 from 3 to 4 from 3 to	t. t	35 .45 .60 .75 R. Smith .50 .70 .90 Snowh nan offs lowers ults. Us .45 .55 .75 Panic s are bo lab for .60 .75 .90 ads of l dried .60 .75 Oakle n the	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Jul- borne in seful in s .40 .50 .65 cle Hydre orne grad August b .54 .65 white fla for decor .55 .65	white ringea y and large chade. 450 60 eegee wers ation. 50 60 ringea k-like
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 3 to 4 from 2 to 3 from 3 to 4 from 3 to 5 from 3 to 5 from 3 to 4 from 3 to 5 from 3 to	t.	35 .45 .60 .75 .70 .90 Snowhard offs lowers ults. Us .45 .55 .75 Panic s are bould for .60 .75 .90 adds of d dried .60 .75 Oakle white f white f white f	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Juli borne in seful in s .40 .50 .65 cle Hydre one grace August h .54 .65 white fle for decor .55 .65 cle Hydre one grace August h .65	white ungea y and large chade. 45 .60 eegee owers ation50 .60 ungea k-like- radu.
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 3 to 4 from 5	t. t	35 .45 .60 .75 .70 .90 Snowhard offs lowers ults. Us .45 .55 .75 Panic s are bould for .60 .75 .90 adds of d dried .60 .75 Oakle white f de or white f de	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Juli borne in seful in s .40 .50 .65 cle Hydre one grace August h .54 .65 white fle for decor .55 .65 af Hydre large of	white ungea y and large chade. 45 .60 eegee owers ation50 .60 ungea k-like radu- argin.
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 3 to	t. t	Snowhard offs lowers ults. Us45 .55 .75 Panies are bela for .60 .75 .90 ads of l dried .60 .75 .90 adds of l dried .60 .75 .75 Oakle a the l white fide or v70	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Juliborne in seful in	white ungea y and large chade. 45 .60 eegee owers ation50 .60 ungea k-like- radu.
1½ to 2 from 2 to 3 from 3 to 4 from 4 to 5 from 2 to 3 from 3 to 4 from 3 to 4 from 5	t. t	35 .45 .60 .75 .70 .90 Snowhard offs lowers ults. Us .45 .55 .75 Panic s are bould for .60 .75 .90 adds of d dried .60 .75 Oakle white f de or white f de	.30 .40 .55 h. Single .45 .60 .75 hill Hydre set in Juli borne in seful in s .40 .50 .65 cle Hydre one grace August h .54 .65 white fle for decor .55 .65 af Hydre large of	white ungea y and large chade. 45 .60 eegee owers ation50 .60 ungea k-like radu- argin.

Each Ten Hundred

HYPERICUM aureum. 3'-4'

Golden St. Johnswort

Most welcome in July and August when the brilliant yellow flowers with their centre brush of silky stamens are at their best. Even in a dry rocky place will maintain its neat cheerful habit and covering of blue green foliage.

11/2	to	2	ft.	 .50	.45	.40
2	to	3	ft.	 .60	.55	.50
3	to	4	ft.	 .75	.65	60

moserianum. 11/2'

Goldflower

- I -

ILEX cornuta. 10'

Chinese Holly

EVERGREEN. One that bids well to become a favorite. The oblong rectangular leaves vary from $1\frac{1}{2}$ to 4 inches long but retain the characteristic shape and leathery texture. Scarlet berries are attractive. Need some shelter.

11/2	to	2	ft.	В. 8	ъ В	2.25
2	to	3	ft.	В. 8	В	3.00
3	to	4	ft.	B. 8	B	3.75

crenata. 12'-15'

Japanese Holly

EVERGREEN. Has thick dark lustrous green leaves of variable size never larger than a privet, really quite unlike a holly. Forms a fine large bush for permanent planting and does not object to some shade. Black berries.

1	to	11/2	ft.	B.	&	В	1.35	1.20	1.00
11/2	to	2	ft.	B.	&	В	2.00	1.80	1.65
2	to	3	ft.	B.	&	В	3.00	2.70	2.40
3	to	4	ft.	B.	&	В	5.50	4.80	4.50
4	to	5	ft.	B.	&	В	8.00	7.20	
5	to	6	ft.	B	3	B	10.00	9.00	

— convexa (bullata). 3'-4'

Boxleaf Japan Holly

EVERGREEN. Think of this as a dwarf boxwood which it resembles both in habit and foliage. Any plant lover cannot help but enthuse over an old specimen broader than high well clothed in roundish convex leaves that withstand the hardest winters. Eventually this will be the recognized hardy substitute for dwarf boxwood edging.

4	to	6	in.	edging	.30	.24	.21
6	to	9	in.	edging	.60	.54	.48
12	to	15	in.	В. & В	1.80	1.65	1.50
15	to	18	in.	В. & В	2.10	1.95	
21/2	to	3	ft.	В. & В	6.00		
3	ft.			В. & В	9.00		

— helleri. 1'-1½'

Heller Holly

EVERGREEN. Just hugs the ground and forms a broad flat compact mass just packed with stiff twigs which in turn are well clothed with shiny dark green leaves half inch or less in length. Very neat and slow in growth—a gem for low permanent planting. Needs no pruning.

6	to	9 8	in.	spread,	B.	&	B	.90	.80)	.72
9	to	12	in.	spread,	B.	&	B	1.35	1.2)	1.05
12	to	15	in.	spread,	B.	&	B	2.40	2.2	5	
15	to	18	in.	spread.	B.	&	В	3.75			

ILEX crenata-Continued

Each Ten Hundred

— microphylla. 8'-10'

Littleleaf Japanese Holly

EVERGREEN. Even the smallest plant shows inherent character and sturdiness. Being more hardy than the type this form is recommended for general use, particularly as the twiggy branches make an ideal hedge or handsome specimen. Has smaller leaves and a much bushier habit.

Dr.			~~		200			-			
1	to	11/2	ft.	Bushy,	В.	&	B		1.50	1.35	1.20
11/2	to	2	ft.	Bushy,	B.	δ	В		2.70	2.40	2.10
2	to	21/2	ft.	Bushy,	B.	&	B		3.75	3.30	3.00
$2\frac{1}{2}$	to	3	ft.	Bushy,	B.	&	B		5.25	4.80	4.50
3	to	4	ft.	Bushy,	B.	&	B		7.50	7.00	6.00
4	to	5	ft.	Bushy,	B.	&	B]	10.00	9.00	
5	to	6	ft.	Bushy,	В.	&	B]	13.50		

— rotundifolia. 12'-15'

Roundleaf Japan Holly

EVERGREEN. In character rather more loose and irregular than "crenata," but quite distinct because of its leaves which are almost as large as Privet. The upright tendency can be used to good advantage in mass plantings.

2	to	3	ft.	B. &	B	3.50	3.00
3	to	4	ft.	В. &	В	5.25	

glabra. 4'-6'

Inkberry

EVERGREEN. Rather loose but well clothed with deep green leaves that turn to a peculiar metallic deep purple color in winter. Most effective in masses when the glittering black berries are more evident. Grows in shade or sun.

12	to	15	in.	В.	E	B	2.40	2.10
15	to	18	in.	В.	&	В	3.00	2.70

latifolia. 50'-60'

Broadleaf Holly

EVERGREEN. Judging from the handsome glossy green six inch oblong leaves it promises to develop into "one of the most beautiful Hollies" to quote L. H. Bailey. The red fruits are arranged in dense clusters and so far it has proved hardy, but we suggest winter protection at first.

opaca. 30'-40'

American Holly

EVERGREEN. Christmas is immediately suggested by the familiar typical holly leaves and red berries. Be sure to get both male and female trees if berries are wanted, and transplant in spring. Young plants seem to prefer light shade but later a moist but well-drained sunny spot will produce a more compact specimen. Acid soil preferred.

produc	e a	more	compact	specimen.	Acid	soil pre	etei
1½ to	2	ft.	B. &	В	1.50	1.35	
2 to	3	ft.	В. &	В	3.00	2.70	
3 to	4	ft.	В. &	В	5.00	4.50	
4 to	5	ft.	B. &	В	7.50	6.75	
5 to	6	ft.	В. &	В	10.00	9.00	
6 to	7	ft.	B. &	В	13.50		
7 to	8	ft	specimens	B & B	25 00 1	50.00	90

For selected berrying plants add 30% to above prices.

- xanthocarpa. 25'-30'

Yellowfruited Holly

EVERGREEN. Finally we found this true form with really yellow berries. Similar to the type but seems more hardy.

1	to	11/2	ft.	B.	&	В	2.75
11/2	to	2	£+	P	2	D	250

pernyi. 7'-8'

Perny Holly

EVERGREEN. Thick, small, angular leaves are crowded on the branchlets, and the dark lustrous green coloring makes α splendid foil for the bright red berries. The intricate branching habit results in α spiny compact bush.

ILEX-Continued

Each Ten Hundred

verticillata. 8'-10' Common Winterberry

One of the few native shrubs that carries its bright red fruits practically throughout winter. While generally found in swampy ground it seems perfectly happy when high and dry. Plant in groups to insure a crop of berries—it's a holly!

11/2	to	2	ft.		.50	.45	.40
2	to	3	ft.	•	.65	.60	.55
3	to	4	ft.		.80	.70	.65
4	to	5	ft.	***************************************	1.00	.90	

For selected berrying plants add 30% to above prices.

INDIGOFERA ambylantha. 5'-6'

Pink Indigo

Beginning in July clusters of pink pea-blossoms bejewel the arching branches until October. Airy bright green foliage creates a soft effect often lacking in small border planting.

kirilowi, 3'-4'

Kirilow Indigo

Very small rose colored flowers in dense bunches brighten up the compact bush in July. Withstands drought and heat.

potanini. 5'-6'

Potanin Indigo

More upright and compact than the former with slightly larger pale pink flowers. An occasional freeze back helps.

11/2	to	2	ft.	***************************************	.75
2	to	3	ft.	***************************************	1.00
3	to	4	ft.	***********	1.50



-J-

Each Ten Hundred

IASMINUM nudiflorum. 4'-5'

Winter Jasmine

Most effective when the long slender viny branches are trained on a sunny wall to display the bright starry yellow bells in April and sometimes during a warm February. As a shrub the branches will root as they spread, into a mass.

11/2	to	2	ft.	 .75	.65
2	to	3	ft.	 .90	

JUNIPERUS chinensis. 18'-20' ALL EVERGREEN Chinese Juniper

A formal narrow cone of gray-green foliage assuming more character with age. Reliable and useful. Very hardy.

CHAI	actes		AATITI	age.	111	erre	TUTE	and	userur.	ACIA	naidy.
21/2	to	3	ft.		В.	&	В		2.70	2.40	
3	to	4	ft.		B.	δ	В		3.60	3.30	3.00
4	to	5	ft.		B.	&	B		4.50	4.00	3.60
5	to	6	ft.		B.	&	В		6.00	5.40	
6	to	7	ft.		B.	&	В		8.00		

- albo variegata. 8'-10'

White Leaf Chinese Juniper

Creamy white branchlets are interspersed throughout the bush. Other foliage is blue-gray. Forms stocky pyramid.

6	to	7	ft.	B.	&	В	7.50	6.75
7	to	8	ft.	B.	&	В	10.00	
8	to	10	ft.	B.	&	В	13.50	

- columnaris. 20'-25'

Column Chinese Juniper

Rapidly grows into a slender shaft of gray-green. Splendid "accent" plant. An annual trimming keeps column compact.

6	to	7	ft.	В.	&	В	8.25	7.50	6.75
7	to	8	ft.	В.	&	В	11.00	10.50	9.00
8	to	10	ft.	B.	&	В	13.50	12.00	11.00
10	to	12	ft.	B.	&	В	18.00	16.50	
12	to	14	ft.	B.	&	В	24.00		

- columnaris viridis. 20'-25'

Green Column Juniper

This green form is more pyramidal and grows more slowly.

	200				1- 7				
3	to	4	ft.	В.	. δ	В	3.75	3.30	3.00
4	to	5	ft.	B.	. δ	В	5.25	4.80	4.20
5	to	6	ft.	В.	. δ	В	6.30	5.70	5.25

— pfitzeriana. 5'-6'

Pfitzer Juniper

Naturally develops into a spreading vase-shaped bush formed by handsome plume-like branches. Being resistant to cold, dust, smoke and drought it is widely used in city plantings, and deserves its popularity. Indispensable.

12	to	15	in. spred	rd, Β. δ	В	1.80	1.65	1.50
15	to	18	in. spred	rd, B. &	B	2.40	2.25	2.00
1 1/2	to	2	ft. spred	ad, Β. δ	В	3.00	2.70	2.40

— sargenti. 2'-21/2'

Sargent Juniper

Prostrate in habit, this hardy ground cover quickly forms a mat of bright grass-green foliage in a sunny spot.

15 to 18 in. spread, B. & B..... 2.70

communis montana. 11/2'

Mountain Juniper

In its native rocky home the large perfectly flat carpets of cheerful green are strikingly effective. The prostrate branches just reach out horizontally about a foot off the ground and cover surprisingly large areas. Scarce.

1 to 1½ ft. spread, B. & B.... 1.80 1.50

JUNIPERUS—Continued

Each Ten Hundred

excelsa stricta. 5'-6'

Spiny Greek Juniper

These	blue-gray	"blobs"	are	so	often	seen	in	window
hovee	formal ac	rrdone /	and n	nivo	d four	adation	· r	lantings

12	to	15 in.	В. &	В	1.20	1.00	.90
15	to	18 in.	B. &	B	1.50	1.35	
11/2	to	2 tt.	В. &	В	2.40	2.25	
21/2	to	3 ft.	B. &	В	3.60	3.30	
3	to	4 ft.	B. &	B	4.50	3.90	
4	ft.	specimens	B. &	В	5.40	4.80	

horizontalis. 1'-2'

Creeping Savin

Has long prostrate branches that crawl over and around stones to spread its green plumes. A sunny rocky slope with plenty of room is ideal. Tinged lavender in winter.

12	to	15	in.	spread,	В.	&	B	1.35	1.20	
15	to	18	in.	spread,	В.	&	В	1.65	1.50	1.35
11/2	to	2	ft.	spread,	B.	&	B	2.40	2.25	2.00
2	to	21/2	ft.	spread,	В.	&	B	3.00	2.70	

— Bar Harbor. 6"-12"

Bar Harbor Juniper

Of all ground Junipers we rate this first, it actually "hugs" the ground and makes a velvety mat of gray-green foliage which in winter changes to a most attractive metallic purple and lavender coloring. Splendid for the rock garden.

6	to	9	in. spread,	, potgi	rown	1.35	1.20
9	to	12	in. spread	, В. &	В	1.80	1.65
12	to	15	in. spread	, B. &	В	2.25	2.00
15	to	18	in, spread	. B. &	В	2.70	

-glauca. 1'

Blue Creeping Savin

An improvement upon the green type, both in neatness and coloring. Blue gray in summer, purple in winter.

12	to	15	in.	spread,	B.	&	В	1.50	1.35	1.20
15	to	18	in.	spread,	B.	&	B	1.80	1.65	
11/2	to	2	ft.	spread,	В.	&	B	2.40	2.25	
2	to	21/2	f+	enroad	R	2	R	3 00		

- plumosα. 1'-2'

Andorra Creeping Juniper

Even a single plant will make a neat low dense mat of soft silver-green which gradually takes on a rich deep lavender purple color with colder weather. Handsome.

12	to	15	in.	spread,	B.	&	B	1.35	1.20	
15	to	18	in.	spread,	B.	&	В	1.65	1.50	1.35
11/2	to	2	ft.	spread,	В.	&	B	2.25	2.00	1.80
2	to	21/2	ft.	spread,	В.	&	B	2.70	2.40	2.25
21/2	to	3	ft.	spread,	В.	&	B	3.30	3.00	
3	to	4	ft.	spread,	B.	&	В	4.20	3.60	

sabina. 5'-6'

Savin

A vase shape bush of dark green, dependable in exposures.

12	to	15	in.	B.	&	В	1.20	1.05	.90
15	to	18	in.	B.	&	В	1.50	1.35	1.20
1 1/2	to	2	ft.	B.	&	В	2.25	2.00	

- tamariscifolia. 1'-2'

Tamarisk Leaf Juniper

Develops into a flat mat of soft feathery texture gray green throughout the year. Quite a favorite for rock gardeners.

12	to	15	in.	spread,	B.	&	B	1.50	1.35
15	to	18	in.	spread,	B.	&	B	1.80	1.65
				spread.				2.40	2.25

JUNIPERUS -- Continued

Each Ten Hundred

squamata. 1'-2'

Singleseed Juniper

Stays "good" indefinitely and is one of the finest winter evergreens. All the creeping branches are well clothed with scaly gray-green foliage equally resistant to heat

OI	cora,	bre	eser.	iling a	116	uı	mai	surface	aı	an	umes.
12	to	15	in.	spread,	В.	&	В	2.00	1.	.80	1.65
15	to	18	in.	spread,	В.	&	В	2.70	2.	40	2.25
11	2 to	2	ft.	spread,	В.	&	В	3.60	3.	.30	3.00
				spread,				4.50			
Sp	ecime	ens 5	ft.	spread,	В.	&	В	21.00			

- variegata. 1'-2'

Whiteleaf Singleseed Juniper

But for the occasional creamy white sprays, this variety is similar to the green type, just as good in winter.

15	to	18	in.	spread,	В.	E	В	2.40
11/2	to	2	ft.	spread,	В.	&	В	3.00

virginiana, 30'-50'

Redcedar

Our well loved native Cedar which has given rise to all the following variations. Annual trimming will improve it.

2	to	21/2	ft.	В.	E	В	1.80	1.65
21/2	to	3	ft.	В.	&	В	2.25	2.00
3	+0	Λ	£4	P	2	D	2 00	2.70

- burki. 12'-15'

Burk Cedar

Forms a well shaped dense column of silvery gray until frost, then becomes overlaid with a flush of purple.

4	to	5	ft.	B.	&	В	5.25
5	to	6	ft.	В.	&	В	6.75

- cannarti. 20'-25'

Cannart Cedar

Like a true aristocrat this handsome Cedar is unobtrusively dignified and dislikes any fussy trimming that would interfere with its natural character. Columnar in outline, the surface is broken by short lateral branches making black shadow spots on a very deep green mantle of foliage. In autumn when the crop of steely blue berries are in evidence, it is almost gay enough to be saved for Christmas decoration.

2	to	21/2	ft.	B.	&	В	2.40	2.25	
21/2	to	3	ft.	B.	&	В	3.00	2.70	
3	to	4	ft.	B.	&	В	3.75	3.30	3.00
4	to	5	ft.	В.	&	В	5.25	4.80	4.50
5	to	6	ft.	B.	&	В	6.75	6.00	5.40
6	to	7	ft.	B.	&	B	9.00	8.10	7.50
7	to	8	ft.	B.	&	В	12.00	11.00	
8	to	10	ft.	B.	&	В	16.50	15.00	

- elegantissima. 15'-18'

Goldtip Redcedar

Named from the bright yellow branchlets, turning bronzy in winter, really a warm color that doesn't look "dead.

4	to	5	ft.	В.	&	В	4.50	4.00
5	to	6	ft	R	2	R	6.00	

- fastigiata, 15'-20'

Upright Redcedar

Strives to grow as erect as possible so that the whole specimen is a close compact pillar of deep green rather like the Italian Cypress—no pruning needed.

21/2	to:	3	ft.	В.	&	В	3.00	2.70
3	to	4	ft.	B.	&	В	3.75	3.30
4	to	5	ft.	B.	&	В	5.25	4.80
5	to	6	ft.	B.	&	В	6.75	6.00
6	to	7	ft.	В.	&	В	9.00	

IUNIPERUS—Continued

Each Ten Hundred

virginiana glauca. 20'-25'

Silver Redcedar

One might call this the blue counterpart of the Cannart Cedar. The whole irregular column is richly clad in a blue-gray mantle effective among other evergreens.

3	to	4	ft.	В.	&	В	3.75	3.30	3.00
4	to	5	ft.	В.	&	В	5.25	4.80	4.50
5	to	6	ft.	В.	&	В	6.75	6.00	
10	to	12	ft	R	2	R	21.00		

— globosa. 4'-5'

Globe Cedar

Needs no trimming to keep it dwarf and compact. Some interesting shapes are assumed, as the plants mature.

2	to	21/2	ft.	B.	&	В	5.25	4.80	4.50
21/2	to	3	ft.	B.	&	В	6.75	6.30	
3	to	4	ft.	В.	&	В	9.00		

- keteleeri. 18'-20'

Keteleer Cedar

Handsome dark green leaves set off large slaty blue berries which are unusually decorative in winter. Develops into a pyramid that is compact right to its broad base.

3	to	4	ft.	В. &	В	3.75	3.30	3.00
4	to	5	ft.	В. &	В	5.25	4.80	4.50
5	to	6	ft.	В. &	В	6.75	6.00	5.40
6	to	7	ft.	В. &	В	9.00	8.10	
7	to	8	ft.	В. &	В	12.00	10.80	
8	to	10	ft.	В. &	В	16.50	15.00	
10	to	12	ft.	В. &	В	18.00		

- pyramidalis. 25'

Pyramidal Redcedar

A	dense	e na	rrow	spire	of	green	without	any	trimming.
2	to	21/2	ft.	B.	&	В	2.40	2.2	5 2.10
21	/2 to	3	ft.	В.	&	В	3.00	2.7	0 2.40
3	to	4	ft.	B.	&	В	3.75	3.3	0 3.00
4	to	5	ft.	В.	&	В	5.25		

--- schotti. 20'-25'

Schott Redcedar

More formal and lighter green than Cannart's Cedar and with occasional trimming makes a handsome column.

AA TITT	00	Capic	DIICI	II IIIIIIII	19	marco	a	1101	abollic		columni.
21/2	to	3	ft.	В.	&	В	;	3.00	2.7	0	2.40
3	to	4	ft.	В.	&	В	,	3.75	3.3	0	3.00
4	to	5	ft.	B.	&	В		5.25	4.8	0	4.50
5	to	6	ft.	B.	&	В	1	6.75	6.0	0	
6	to	7	ft.	В.	&	В	9	9.00			
7	to	8	ft.	В.	&	B	12	2.00			
8	to	10	ft.	В.	&	В	10	6.50			

-- smithi. 6'-8'

Smith Juniper

Is quite unusual in habit and color; really an open but well furnished bush richly clad in a mantle of light grass-green foliage that remains fresh and bright all year.

9.000	200		01100		2 0 2.	TI CALLED	II ODII GII	a wingin an	10000
2	to	21/2	ft.	В.	&	B	2.70	2.40	
21/2	to	3	ft.	В.	&	B	3.75	3.30	
3	to	4	ft.	B.	&	В	5.25	4.80	4.50

[&]quot;Magnolia gardens" are just as possible here as in the South—just look at the enviable collection on pages 43 to 46 all perfectly hardy and easily grown—fit companions for Azaleas.

Ten Hundred

KALMIA

_ K _

Each

KALMIA	
angustifolia. 3'-4'	Sheep Laurel
EVERGREEN. Quite distinct from its	more popular brother
by reason of the small gray-green f	oliage and bunches of
small pretty pink flowers. Does	well in open sun.
2 to 2½ ft. B. & B	3.75 3.30
2 to 2½ ft. B. & B 2½ to 3 ft. B. & B	4.50 4.20
3 to 4 ft. B. & B	6.00 5.40
latifolia. 6'-8'	Mountain Laurel
EVERGREEN. Doubtless the most v	
of our broadleaf evergreens. In July	
the glorious effect created by a mass	of laurel with its great
wealth of pink flowers. Even in zero	
iage retains its vigor and deep gre	
adaptable to sun or shade the ideal l	
12 to 15 in. B. & B	1.65 1.50 1.35
15 to 18 in. B. & B	2.40 2.25 1.95
1½ to 2 ft. B. & B	3.30 3.00 2.70
2 to 2½ ft. B. & B	4.20 3.75
KERRIA japonica fl. pl. 4'-5'	Double Kerria
Green stems and rich golden flowers "button" chrysanthemums combine	
popular "old fashioned" useful shruk	
2 to 3 ft	.90 .80 .75 1.20 1.05 .90
3 10 4 11,	1.20 1.05 .90
KOELREUTERIA paniculata. 25'-30'	Goldraintree
Most conspicuous when the large la	oose bunches of bright
yellow flowers crown the trees in Ju	ly. The compound fol-
iage is pleasing and for dry city of	
	1.20 1.05
	1.20 1.05 1.65 1.50
4 to 5 ft	1.65 1.50
4 to 5 ft	1.65 1.50
4 to 5 ft	1.65 1.50 2.40 2.25 3.60 3.30
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9'	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'9' During late spring the common name	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common nam the graceful slender branches are to	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush te is well deserved for ransformed to ropes of
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common nam the graceful slender branches are to gay little pink bells. Improves with	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for ransformed to ropes of the age, so don't expect
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common nam the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Ve	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit.
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common nam the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Ve	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect rry neat habit75 .70 .60
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Ver 1½ to 2 ft. 2 to 3 ft.	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common nam the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Ve	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect rry neat habit75 .70 .60
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verong the common of the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verong the common of the	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. **Colorental Amabilis.** 6'-9' During late spring the common name the graceful slender branches are transported by the service of the se	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80 1.35 1.20
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. **COLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Ver 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. L- LABURNUM alpinum. 18'-20'	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 .70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verong the series of the	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 .70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are the gay little pink bells. Improves with many flowers on young shrubs. Verong the series of the series of the series of the series of the Golden Chains, are for the foot-long racemes of brillians.	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit75 .70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, ap-
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verently to 2 ft. 2 to 3 ft. 3 to 4 ft. LABURNUM alpinum. 18'-20' Hardiest of the Golden Chains, are for the foot-long racemes of brillian pearing in late June. Light silky	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit75 .70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, ap-
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verent in the street of the street of the street of the street of the Golden Chains, and for the foot-long racemes of brillian pearing in late June. Light silks grace and value.	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, apply foliage adds to its
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verecase 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. — L— LABURNUM alpinum. 18'-20' Hardiest of the Golden Chains, are for the foot-long racemes of brillian pearing in late June. Light silky grace and value. 2 to 3 ft.	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors and yellow flowers, apply foliage adds to its
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are transported by the spring shrubs. Verently to 2 ft. 2 to 3 ft. 3 to 4 ft. LABURNUM alpinum. 18'-20' Hardiest of the Golden Chains, are for the foot-long racemes of brillian pearing in late June. Light silky grace and value. 2 to 3 ft. 3 to 4 ft.	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors and yellow flowers, apply foliage adds to its 1.80 1.50 2.25 2.00
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verecase 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. — L— LABURNUM alpinum. 18'-20' Hardiest of the Golden Chains, are for the foot-long racemes of brillian pearing in late June. Light silky grace and value. 2 to 3 ft.	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors and yellow flowers, apply foliage adds to its
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are transported by the spring shrubs. Verently to 2 ft. 2 to 3 ft. 3 to 4 ft. LABURNUM alpinum. 18'-20' Hardiest of the Golden Chains, are for the foot-long racemes of brillian pearing in late June. Light silky grace and value. 2 to 3 ft. 3 to 4 ft.	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors and yellow flowers, apply foliage adds to its 1.80 1.50 2.25 2.00
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verently to 2 ft. 2 to 3 ft. 3 to 4 ft. LABURNUM alpinum. 18'-20' Hardiest of the Golden Chains, are for the foot-long racemes of brillian pearing in late June. Light silky grace and value. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. vossi. 20'-25'	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit75 .70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, application of the age and the second states of the age. The second states of the age and the second states of the age. The second states o
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are transported by the spring shrubs. Very strain of the graceful slender branches are transported by the spring shrubs. Very strain of the graceful slender branches are transported by the spring shrubs. Very strain of the graceful slender branches are transported by the spring shrubs. Very strain of the spring shrubs. Very shrubs	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 7.5 70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, application of the age of the age. The age of th
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are transported by the spring shrubs. Verenament of the graceful slender branches are transported by the spring shrubs. Verenament of the graceful slender branches are transported by the spring shrubs. Verenament of the graceful slender branches of the graceful slender branches of the Golden Chains, and for the foot-long racemes of brilliant pearing in late June. Light silky graceful slender graceful slender branches of the graceful slender branches. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. vossi. 20'-25' Golden yellow flowers resembling of from the green branches. Plant	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 .70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, application of the age of t
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are transported by the spring shrubs. Verestand the graceful slender branches are transported by the spring shrubs. Verestand the graceful slender branches are transported by the spring shrubs. Verestand the spring shrubs shrubs shrubs. Verestand the spring shrubs shrubs. Verestand the spring shrubs sh	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, application of the age of th
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are transported by the spring shrubs. Verenament of the graceful slender branches are transported by the spring shrubs. Verenament of the graceful slender branches are transported by the spring shrubs. Verenament of the graceful slender branches of the graceful slender branches of the Golden Chains, and for the foot-long racemes of brilliant pearing in late June. Light silky graceful slender graceful slender branches of the graceful slender branches. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. vossi. 20'-25' Golden yellow flowers resembling of from the green branches. Plant	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 .70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, application of the age and the age of the age. 1.80 1.50 2.25 2.00 3.75 3.30 Goldenchain and yellow wisterial hange in a sheltered spot. 2.25 2.00 2.70 2.25
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. KOLKOWITZIA amabilis. 6'-9' During late spring the common name the graceful slender branches are to gay little pink bells. Improves with many flowers on young shrubs. Verent live to 2 ft. 2 to 3 ft. 3 to 4 ft. LABURNUM alpinum. 18'-20' Hardiest of the Golden Chains, are for the foot-long racemes of brillian pearing in late June. Light silky grace and value. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. vossi. 20'-25' Golden yellow flowers resembling a from the green branches. Plant 4 to 5 ft. 5 to 6 ft.	1.65 1.50 2.40 2.25 3.60 3.30 Beautybush the is well deserved for transformed to ropes of the age, so don't expect try neat habit. 75 70 .60 1.00 .90 .80 1.35 1.20 Scotch Laburnum and also claims honors the yellow flowers, application of the age of th

Each Ten Hundred

LAUROCERASUS schipkaensis. 6'-8' Cherry Laurel EVERGREEN. Rarely seen, this handsome shrub should prove useful for bold effects with its five inch lustrous green leaves. A rather sheltered semi-shady spot is best.

B. & B...... 2.50 2 to 3 ft.

LEIOPHYLLUM buxifolium. 1'-2' Box Sandmyrtle EVERGREEN. Particularly attractive and cheerful in June when small pinkish flowers bejewel the branches, Although naturally irregular the cultivated specimens are generally well shaped little cushions with small leaves. 15 to 18 in. spread, B. & B..... 3.75

LESPEDEZA formosa. 6'-7' Purple Bushclover Reddish purple flowers just hide the clover-like leaves in July and August. Although the slender arching branches may freeze back, it quickly makes a graceful shrub.

3 to 4 ft.

LEUCOTHOE axillaris. 2'-3' Lesser Leucothoe

EVERGREEN. Although not so handsome as its dashing brother, really neater and more useful for the small border. The shiny three inch leaves are set more closely together on the arching shoots which form a broad well filled

catesbaei. 4'-5' Drooping Leucothoe EVERGREEN. What a glorious welcome sight the rich

purple foliage makes in winter, and even in summer the thick shiny green five inch leaves, so regularly arranged on the arching branches are striking. Then in May, graceful sprays of fragrant white flowers hang from the branches, giving the effect of a flowering fern. Handsome as Christmas decorations. Useful for shady ground cover work. Moist acid soil is ideal.

1 to 1½ ft.	B. & B	1.35	1.20	1.05
1½ to 2 ft.	B. & B	1.80	1.65	1.50
2 to 2½ ft.	B. & B	2.70	2.40	
2½ to 3 ft.	B. & B	3.75	3.30	
Specimen clumps	B. & B	7.50		

LIGUSTRUM amurense. 10'-12' **Amur Privet**

HALF EVERGREEN. Admittedly a splendid hedge plant, but don't overlook it as a specimen shrub where the graceful lines of the spreading branches are notable.

11/2	to	2	ft.		.12	.10	.09
2	to	3	ft.	***********	.20	.18	.15
3	to	4	ft.		.30	.25	

ibota regelianum. 4'-6' Regel Privet HALF EVERGREEN. Either as a hedge plant or for the shrubbery border this is a good subject with low branches.

11/2	to	2	ft.		.60	.54	.50
2	to	21/2	ft.		.75	.65	.60
21/2	to	3	ft.	***************************************	.90	.80	.70
3	to	31/2	ft.		1.35	1.20	

ovalifolium. 10'-15' California Privet HALF EVERGREEN. In addition to being "the hedge plant supreme" this shrub is splendid for mass planting. Bushy plants. Ten H'dr'd Th's'nd

1 1/2	to	2	ft.	 .12	.09	.07
2	to	3	ft.	 .18	.13	.10
3	to	4	ft.	 .24	.18	.15

	Each	Ten H	lundred
LIQUIDAMBAR styraciflua. 100'		Swee	t Gum
The swampy places where this pyr			
transformed into beauty spots in blazing scarlet coloring of the star			
the bare corky barked branches			
6 to 8 ft	4.00	3.60	
8 to 10 ft., 1½ to 2 in 10 to 12 ft., 2 to 2½ in	6.00 8.10	5.40 7.50	
12 to 14 ft., 2½ to 3 in	12.00		
12 to 14 ft., 3 to $3\frac{1}{2}$ in	15.00		
LIRIODENDRON tulipifera. 150'		Tuli	p Tree
Greenish yellow tulip-like flowers	top the	branch	lets in
June, and the unique "cut-off" sh remarkable. A magnificent tree wit	ape of	the lea	ves is
8 to 10 ft. 1½ to 1¾ in	3.75	3.30	ilulik.
10 to 12 ft., 13/4 to 2 in	4.80	0.00	
12 to 14 ft., 2 to 2½ in	6.00		
LITHOSPERMUM			
prostratum, Heavenly Blue. 4-6"		Gre	omwell
EVERGREEN. Wiry tortuous trailing			
regular mats of deep green in which of blue flowers from May to August			
3" Pots, 4 to 6 in		.60	.45
LONICERA fragrantissima. 6'-8'	Winte	r Honey	renckla
HALF EVERGREEN. So called beca			
age and the early appearance of t	he delici	ously fr	agrant
flowers on bare branches in March.			
2 to 3 ft	.50 .60	.45 .55	.40
- 10 2 21 111111111111111111111111111111	rblooming		
A twining vine-like shrub which in			
bedecked with attractive tubular fl	owers of	purpli	sh-rose
outside and old gold within. Flori			
2 year	.75	.65	.60
japonica halliana. 20'-25' Vine. Ha		_	
HALF EVERGREEN. Wherever pla takes possession with its tropical lux			
as ground cover, trellis vine or b			
sweetly fragrant creamy flowers a			
2 year	.20	.18	.15
korolkowi floribunda. 8'-10' Broad		_	
Forms a large intricately branched			
foliage bespangled in early summer which give place to an abundance of			
1½ to 2 ft	.54	.48	
2 to 3 ft	.70	.66	
maacki podocarpa. 10'-12'	Late	Honey	suckle
Rather straggling, but a vigorous ha	bit. Brilli	ant red	fruits.
2 to 3 ft	.50	.45	
3 to 4 ft	.65	.60	
morrowi. 7'-8'	Morrow	_	
Distinct useful shrub of wide spread: June when the creamy flowers expan			
bright red berries ripen. Clean gray-c	green foli	age, vic	jorous.
1½ to 2 ft	.40	.35	.30
2 to 3 ft	.50 .60	.45	.40
J 10 T 11	.00	.04	.48

THACKERAY

LONICERA—Continued	Each Ten Hundred
notha. 8'-10'	Rutarian Honeysuckle
Vigorous upright growing shrub	nutarian Honeysuckie
bright red berries in July. Pinkish flo	wers change to vellow
11/2 to 2 ft	.50 .45 .40
1½ to 2 ft	.60 .55 .50
periclymenum belgica. 15'-20'	D-1-1-117 11°
Good healthy looking glossy foliage	Duich Woodbine
an excellent foil for the fragrant	ciotnes the long vines,
an excellent foll for the fragrant	.60 .54 .48
2 year	.75 .66 .60
5 year	./3 .00 .00
tatarica lutea. 8'-10' Yello	w Fruited Honeysuckle
One of the few good yellow fruit	ing shrubs. Vigorous
and easily grown. Pruning forms	a snapely specimen.
2 to 3 ft	.60 .55 .75 .65
roseα. 8'-10'	Tatarian Honeysuckle
Most adaptable old favorite. This	host form has nink
flowers in early June followed by	g grop of eggplot fruits
11/2 to 2 ft	25 20
2 to 3 ft	45 40
2 to 3 it	60 50
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. thibetica. 3'-4'	Tibetan Honeysuckle
For dry rocky slopes this is not onl	v a useful but a hand-
some spreading shrub; pale purple	flowers are followed by
red berries. Leaves smooth gree	n above, hairy white
underneath.	
9 to 12 in	.75
— M —	
MAGNOLIA	
acuminata cordata. 15'-20'	Yellow Cucumber Tree
The only yellow flowering Magn	relies also distinct by
6 11 1 1 1 1 1	TT1 1 1 1 1
reason of its heart shaped leave protected spot. Look up the roman 5 to 6 ft. B. & B 6 to 8 ft. B. & B 8 to 10 ft. B. & B 10 to 12 ft. B. & B amphilis. 20'.30'	atic history of this tree
5 to 6 ft. B. & B.	7.50 7.00
6 to 8 ft. B. & B.	10.00 9.00
8 to 10 ft. B. & B	13.50 12.00
10 to 12 ft. B. & B	16.50 15.00
amabilis. 20'-30'	
A hybrid of the Yulan Magnol flowers with a chocolate colored	ia with similar white centre.
A hybrid of the Yulan Magnol: flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre.
A hybrid of the Yulan Magnol: flowers with a chocolate colored of 2 to 3 ft. B. & B 3 to 4 ft. B. & B	ia with similar white centre.
A hybrid of the Yulan Magnol: flowers with a chocolate colored of 2 to 3 ft. B. & B 3 to 4 ft. B. & B conspicua. 30'-35'	ia with similar white centre. 3.75 5.25 Yulan Magnolia
A hybrid of the Yulan Magnol: flowers with a chocolate colored of 2 to 3 ft. B. & B 3 to 4 ft. B. & B conspicua. 30'-35' Has a certain dignified beguty tha	ia with similar white centre. 3.75 5.25 Yulan Magnolia
A hybrid of the Yulan Magnol: flowers with a chocolate colored of 2 to 3 ft. B. & B 3 to 4 ft. B. & B conspicua. 30'-35' Has a certain dignified beguty tha	ia with similar white centre. 3.75 5.25 Yulan Magnolia
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia at marks the tree as an each white flowers are in April. Good foliage.
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an inch white flowers are in April. Good foliage. 6.75 6.00
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an inch white flowers are in April. Good foliage. 6.75 6.00
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an inch white flowers are in April. Good foliage. 6.75 6.00
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an inch white flowers are in April. Good foliage. 6.75 6.00
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an inch white flowers are in April. Good foliage. 6.75 6.00
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an each white flowers are in April. Good foliage. 6.75 6.00 8.50 7.50 10.00
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an inch white flowers are in April. Good foliage. 6.75 6.00
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B 3 to 4 ft. B. & B conspicua. 30'-35' Has a certain dignified beauty that aristocrat. Sweetly scented six is proudly held up by bare branches 4 to 5 ft. B. & B 5 to 6 ft. B. & B 6 to 8 ft. B. & B Know ye to	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an each white flowers are in April. Good foliage. 6.75 6.00 8.50 7.50 10.00
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an inch white flowers are in April. Good foliage. 6.75 6.00 8.50 7.50 10.00 the willow tree, by leaves quiver,
A hybrid of the Yulan Magnol flowers with a chocolate colored of 2 to 3 ft. B. & B 3 to 4 ft. B. & B conspicua. 30'-35' Has a certain dignified beauty that aristocrat. Sweetly scented six is proudly held up by bare branches 4 to 5 ft. B. & B 5 to 6 ft. B. & B 6 to 8 ft. B. & B Know ye to	ia with similar white centre. 3.75 5.25 Yulan Magnolia It marks the tree as an inch white flowers are in April. Good foliage. 6.75 6.00 8.50 7.50 10.00 the willow tree, by leaves quiver, and gloomily



MAGNOLIA—Continued

Each Ten Hundred

glauca. 15'-20'

Sweetbay

HALF EVERGREEN. Although rather sparingly produced during May and June, the creamy white three inch flowers are so fragrant as to permeate the air for a good distance around with a delicious gardenia-like scent. Naturally rather loose the shrub can be improved by judiciously pruning while young. Handsome lustrous leaves, mealy white underneath and red seed-pods.

	,		2						
2	to	3	ft.	B.	&	В	. 2.25	2.10	1.80
3	to	4	ft.	B.	&	В	. 3.00	2.70	2.40
4	to	5	ft.	B.	&	В	. 3.90	3.60	3.30
5	to	6	ft.	B.	$\delta_{\!\scriptscriptstyle c}$	В	. 5.25	4.80	
6	+0	Q	f+	R	2	R	7.50	6 75	

kobus. 30'-35'

Kobus Magnolia

The hardy form we have is a symmetrical fast growing tree that must acquire age before blooming freely but the semi-double starry white flowers are beautiful.

4	to	5	ft.	B.	&	В	3.75	3.30
5	to	6	ft.	B.	&	В	5.25	4.80
6	to	8	ft.	B.	&	В	7.50	6.75
8	to	10	ft.	B.	&	В	10.00	9.00
10	to	12	ft	B	2	B	13.50	

- borealis. 20'-25'

Northern Magnolia

This variety forms a many stemmed neat bush and apparently flowers at a much younger stage than the type.

3	to	4	ft.	В.	&	В	3.75	3.30
4	to	5	ft.	B.	&	В	5.25	4.50
5	to	6	ft	R	2	B	7.50	6.75

liliflora. 9'-10'

Lily Magnolia

Quite similar to following variety, except that the flowers are almost white on the inside. Slender graceful branches.

2	to	3	ft.	B.	E	В	2.70
3	to	4	ft	B.	2	B	3 75

- nigra. 10'-12'

Purple Lily Magnolia

Darkest of all is this rapid growing shrub with its long brownish purple flowers continually opening until late spring. The shiny leaves are distinct and even small plants bloom freely.

0	4 -	0	£1	D	2	D	0.70	0.40
4	to	3	II.	D.	Ox.	В	2.70	2.40
3	to	4	ft.	B.	&	В	3.75	3.30
4	to	5	ft.	B.	&	B	5.40	4.80
5	to	6	ft.	B.	δ	В	7.50	6.75
6	to	7	ft	B	2	B	9.00	

parviflora. 10'-12'

Oyama Magnolia

What a pity this charming shrub is not widely used. The lovely white cup shape flowers have a rosette of deep crimson stamens in the centre and their delicious fragrance is noticeable all summer as the occasional blooms expand. Give plenty of room for its full development.

2	to	3	ft.	B.	&	B	4.20	
3	to	4	ft.	B.	&	B	6.00	5.40
4	to	5	ft.	B.	&	В	8.40	7.50
5	to	6	f+	R	2	R	12.00	

reflorescens.

Magnolia

Originally received from the Rochester Collection—similar to the Saucer type but quite distinct in the low bushy shrublike habit. Numerous smooth thin branches arising from the ground. Some protection is appreciated.

0		0		-	~	-	0 ===	
4	to	3	It.	B.	Or.	B	3.75	3.30
2	to	1	EL			B		
C)	LO	44	11.	D.	Cr	D	2/2	4 811

MAGNOLIA—Continued

Each Ten Hundred

soulangeana. 18'-20'

Saucer Magnolia

Here is the spectacular member of this glorious family. Every branch plays its part in effectively covering the whole shrub with great purplish pink cups in early spring. In small plants the white innerside of the flowers give a bicolor effect. When trained in one stem as a tree the large bold foliage is effective, especially in an avenue.

2	to	3	ft.	B.	&	В	2.70	2.40	
3	to	4	ft.	B.	&	В	3.75	3.30	3.00
4	to	5	ft.	B.	&	В	5.25	4.80	4.20
5	to	6	ft.	B.	&	В	6.75	6.00	5.40
6	to	7	ft.	B.	&	В	8.40	7.50	6.75
7	to	8	ft.	B.	&	B	10.80	9.60	8.70
8	to	10	ft.	B.	&	В	13.50	12.00	11.00
10	ft.	spec	cimens	B.	&	В	24.00	22.50	

— tree form.

Trained on single stems as shade trees.

B. & B...... Same price as above

4 to 8 ft. - glexandring, 18'-20'

Alexander Magnolia

Quite similar in general appearance to the Saucer Magnolia but the rose colored flowers appear a little later.

2	to	3	ft.	B.	&	В	3.00
3	to	4	ft.	B.	&	В	4.50
4	to	5	> ft.	В.	&	В	6.00
5	to	6	ft.	B.	&	В	8.00
6	to	8	ft.	B.	&	B	10.00

-lennei. 15'-18'

Lenne Magnolia

A handsome fellow satisfied with fewer flowers, but each one a perfect rosy-purple pear shaped cup, firmly held erect, the broad thick petals are surprisingly white on the inside and flowering late are rarely damaged by frost. Even the big leathery leaves alone make this unique.

2	to	3	ft.	B.	&	В	3.00	2.70	
3	to	4	ft.	B.	&	В	4.50	4.00	3.60
4	to	5	ft.	B.	&	В	6.00	5.40	5.00
5	to	6	ft.	B.	&	B	8.00	7.20	
6	to	8	ft	B	2	R	10.00	9 00	

- norbertiana. 15'-18'

Norbert Magnolia

Differs from the mother plant in having slightly smaller upright flowers giving a more formal "staccato" effect.

3	to	4	ft.	B.	&	В	4.50	4.00
4	to	5	ft.	B.	&	B	6.00	5.40
5	to	6	ft.	В.	&	В	8.00	7.20
6	to	7	ft.	B.	&	B	10.00	9.00
7	to	8	ft.	B.	&	В	12.75	11.00
8	to	10	ft.	B.	&	B	15.00	13.50
10	ft.	spec	cimens	B.	&	В	24.00	

- rustica. 15'-18'

Purple Saucer Magnolia

Typical flowers—rosy red on the outside. Vigorous grower. 3 to 4 ft. B. & B....... 4.50 4.00

3	to	4	it.	B. &	В	4.50	4.00
4	to	5	ft.	В. &	B	6.00	5.40
5	to	6	ft.	B. &	B	8.00	7.20

speciosa alba. 12'-15'

Snowy White Magnolia

Except for a purple stained stripe on the outside the numerous flowers are white. Grows vigorously but neatly.

2	to	3	ft.	В. 8	В	3.00	2.70
3	to	4	ft.	В. 8	В	4.50	4.00
4	to	5	ft.	В. 8	В	6.00	
5	to	6	ft.	B. 8	В	8.00	
6	to	7	ft.	В. 8	В	10.00	
7	to	8	ft.		В		

MAGNOLIA—Continued

Each Ten Hundred

stellata. 10'-12'

Star Magnolia

Appropriately named for dazzling white semi-double flowers which on bare twiggy branches herald the parade of its larger brothers. Occasionally a flush of tender pink will emphasize the purity of the narrow wavy petals. Delightfully fragrant. Naturally forms a handsome bush.

2	to	21/2	ft.	B.	&	В	3.75	3.30	
21/2	to	3	ft.	B.	&	В	5.25	4.80	4.20
3	to	4	ft.	B.	&	В	6.75	6.00	5.40
4	to	5	ft.	B.	&	В	10.00	9.00	8.00
5	to	6	ft.	B.	&	В	13.50	12.00	

verbanica.

Little known but highly regarded at Rochester Parks where it shows its noble soulangeana parentage. A lovely form.

2	to	3	ft.	B.	&	В	3.75	3.30
3	to	4	ft.	B.	3	B	5.25	4.80

MAHONIA aquifolium. 3'-4'

Oregongrape

EVERGREEN. Thin wavy holly-like leaves vary in color from deep green to rich purple-red, especially noteworthy in winter. When happily placed not too exposed, will perfect pretty yellow flowers followed by little grape-like bunches of black fruits. A rather loose, many stemmed bush for half shade.

12	to	15	in.	В.	&	В	1.20	1.05	.90
15	to	18	in.	B.	&	B	1.50	1.35	1.20
11/2	to	2	ft.	B.	&	B	2.25	2.10	1.80
2	to	21/2	ft.	B.	&	B	2.70	2.40	2.25

MALUS arnoldiana, 12'-15'

Arnold Crab

Enthusiasm is difficult to restrain when crabapples are in season. The dainty pastel shading of the airy flowers, the brilliant coloring of the fruits, the intricate branching habits, all serve to set them apart as worthy of a place in almost every planting. Arnold's Crab has semi-double flowers deep pink in bud expanding to almost white. The waxy yellow little apples are most decorative before the birds find them.

3	to	4	ft.		1.35	1.20
4	to	5	ft.	***************************************	1.80	1.65
5	to	6	ft.		2.70	2.40
6	to	8	ft.		3.60	3.30

atrosanguinea. 12'-15'

Carmine Crab

Dark pink shading to deep purplish crimson flowers just envelop the whole structure of branches in May. Shapely.

3	to	4	ft.		1.35	1.20
4	to	5	ft.	***************************************	1.80	1.65
5	to	6	ft.		2.70	2.40

coronaria. 15'-18'

Wild Sweet Crab

The fragrance of the blush pink apple blossoms just penetrates the air in spring; each tree is quite individual.

Λ	+0	5	£÷	2.05	1 00
4	LO	J	11.	 4.40	1.00
5	to	6	ft.	 3.00	2.70
6	to	8	ft	4.50	420
0		3.0	c.	 1.00	4.20
				6 00	

MALUS—Continued

Each Ten Hundred

floribunda. 12'-15'

Japanese Flowering Crab

Bright pink buds and white open flowers make a pleasing contrast. The yellow fruits about pea size will turn red if the birds are not too voracious. Truly a handsome thing.

3	to	4	ft.	 1.35	1.20
4	to	5	ft.	 1.80	1.65
5	to	6	ft.	 2.70	2.40

- brevipes. 6'-8'

Dwarf Flowering Crab

Very neat in growth forming a round headed dense bush aglow with red berries in fall. Splendid for a limited space.

3	to	4	ft.	 1.80	1.65
4	to	5	ft.	 2.70	2.40
5	to	6	ft.	 3.30	

halliana parkmanni. 12'-15'

Parkman Crab

Irregular crooked branches help to make this α picturesque winter picture and serve excellently to display the semi-double bright rose flowers nodding on long thin stems.

3	to	4	ft.	 1.80	1.65
4	to	5	ft.	 2.70	2.40
5	to	6	ft.	 3.60	
6	to	8	ft.	 5.25	

ioensis plena. 15'-18'

Bechtel Crab

Each fragrant flower resembles a little pink rose prettily dangling on a two inch stalk. Quickly develops into a formal compact little tree and is the last crab to flower.

3	to	4	ft.		1.80	1.65
4	to	5	ft.	***************************************	2.70	2.40
5	to	6	ft.		3.60	3.30

micromalus. 10'-12'

Midget Crab

Lovely indeed when the little rosy buds are expanding to pale pink flowers early in May and again when little yellow pearls bejewel the whole pyramidal bush.

niedzwetzkyana. 12'-15'

Redvein Crab

Leaves, flowers, fruit, bark and even the wood of this form are reddish purple. Improves with age. Vigorous.

3	to	4	ft.	 1.35	1.20
4	to	5	ft.	 1.80	1.65
5	to	6	ft.	2.70	2.40
6	to	8	ft.	 3.60	3.30
8	to	10	ft.	6.00	2.00

prunifolia. 15'-18'

Pearleaf Crab

Handsome red or yellow apples about an inch across dangle from the strong branches and persist way into the winter. Large white flowers are so numerous as to resemble snow. One of the most spectacular fruiting trees.

5	to	6	ft.	 2.70	2.40
6	to	8	ft.	 3.60	3.30
8	to	10	ft.	6.00	

sargenti. 8'-9'

Sargent Crab

An interesting shrubby habit makes this a most useful shrub for the smaller place. Hard to decide whether it is most attractive when blanketed with sparkling white flowers or when the myriad glittering red berry like fruits are strung along the spreading branches defying zero weather.

				_1	1 -	
2	to	3	ft.		1.80	1.65
3	to	4	ft.		2.70	2.40
4	to	5	ft.		3.60	3.30

r. ex r. NURSERIES		70
MALUS—Continued	Each Te	n Hundred
scheideckeri. 12'-15'		ecker Crab
Has large semi-double pure pink flov		
followed by a profusion of waxy yel	llow fruits	over a half
inch in diameter. Somewhat formal	and uprig	ht in habit.
3 to 4 ft		.20
4 to 5 ft		.65
5 to 6 ft	2.70 2 3.60	.40
		C
sieboldi. 12'-15' In the bud deep rose is predominant		oringo Crab
fade to white. Large yellow or redd:		
3 to 4 ft,		.20
4 to 5 ft		.65
5 to 6 ft		.40
6 to 8 ft	3.60	
8 to 10 ft	6.00	
— calocarpa. 12'-15'		ruited Crab
Particularly handsome while the ch dantly decorate the branches. The		
first hides the brilliant scarlet coloring		
but they persist until mid-winter.		
large pink and white flowers see	ems to be	come more
beautiful each year.		
3 to 4 ft		.20
4 to 5 ft.		.65
5 to 6 ft		ering Crab
Fragrant semi-double delicate pink fl		
beautiful upright form which for flow		
ranks among the best. Small yellow	fruits are	not showy.
3 to 4 ft		.20
4 to 5 ft,	1.80	
5 to 6 ft	2.70 3.60	
6 to 8 fttheifera. 15'-18' (hupehensis)	3.00	Tea Crab
Even for a crab apple this is amazin	ngly, florifer	
whole stiffly branching structure is h	buried und	er a heavy
cloud of red buds and blush white		
outline and floral effect resembles t		cherry tree.
3 to 4 ft,	1.80 2.70	
4 to 5 ft	3.60	
6 to 8 ft.	5.25	
toringoides. 18'-20'		utleaf Crab
A cloud of white in spring but when it	n full fruit s	superlatives
are inadequate for description. The	e yellow f	ruits larger
than a pea flushed with bright red o		n profusion.
3 to 4 ft	1.80	
4 to 5 ft	2.70 3.60	
MITCHELLA repens. 2"		nides Ponne
EVERGREEN. Round half inch whi		ridge Berry
leaves are formally arranged on the		
hug the ground, an effective carpet	in shady	woods. Fra-
grant white flowers are followed by	well known	n bright red
berries. A gem for the rock garde		
3" Pots	.30	.24 .18
MYRICA carolinensis. 5'-6'		n Bayberry
Few things will grow in such poor dry	y soil as thi	s bayberry.

outside. Quickly acquires a look of age. Aromatic foliage. .50 12 to 15 in.45 .40 15 to 18 in. .65 .60 .54 1½ to 2 ft. .80 .70 .65 to 2½ ft. 1.00 .90

The gray wax berries crowded on stiff branches last just as well when cut and dried for inside decoration as they do

- N -

Each Ten Hundred

NEILLIA sinensis. 4'-5'

Chinese Neillia It is difficult to understand why this charming shrub is so little known. The bronzy miniature maple leaves are

NYSSA sylvatica. 60'-70'

Tupelo-Sour Gum

Wavy, knotted interlacing branches give this native pe-culiar interest in winter but it is the brilliant scarlet autumn color that stands out. Moist location, spring planting best.

4	to	5	it.		3.00
5	to	6	ft.		4.50
6	to	8	ft.	***************************************	5.25
8	to	10	ft.		6.75

-0-

OXYDENDRUM arboreum. 30'-35'

Sourwood

Throughout the year a handsome tree with thick shiny leaves that turn vivid scarlet early in fall and remain colored until winter. The long erect bunches of white summer flowers are not to be overlooked and even the gray fruits are conspicuous. Indispensable in landscape work.

3	to	4	ft.	В. δ	В	2.25	1.95
4	to	5	ft.	В. 8	В	3.00	2.70
5	to	6	ft.	В. 8	В	4.20	3.90
6	to	8	ft.	В. δ	В	6.00	5.40

P

PACHISTIMA canbyi. 6"-9"

Canby Pachistima

EVERGREEN. Somewhat resembles a miniature box bush. In an open moist place will gradually spread to make a pleasing glossy green mound. For rockwork or edging.

PACHYSANDRA terminalis. 6"-9" Japanese Spurge EVERGREEN. Probably the most notable of all ground covers preferring shade but succeeds even in dry soil. Ten H'dr'd Th's'nd Strong plants. 21/2" deep pots

> Ten Hundred Each

PHELLODENDRON amurense. 40'-50' Amur Cork Tree

One of the few trees that will thrive in cities. Large com-pound leaves and thick corky branches give the appearance of a handsome black-walnut. Withstands drought.

6	to	8	ft.					2.70	2.40	2
8	to	10	ft.,	11/4	to	11/2	in	3.30	3.00	
10	to	12	ft.,	11/2	to	2	in	4.20	3.75	
10	to	12	ft	2	to	21/2	in	5.70		

sachalinense. 30'-40' Sakhalin Cork Tree

Has dark brown rough bark and reddish branchlets. The aromatic compound leaves are somewhat smaller with fewer leaflets than in the Amur Cork Tree. Black berries with an odor of turpentine follow the loose clusters of greenish yellow flowers. Adaptable and interesting.

6	to	8	ft.					2.70	2.40
							in	3.30	3.00
10	to	12	ft.	11/2	to	2.	in	4.20	3.75

to 12 ft., 2 to 2½ in....

3 to 4

PHILADELPHUS coronarius. 8'-10'

4'-5'

- Mont Blanc. 4'-5'

to 3 ft.

1½ to 2 ft.

ft.

.45

Ten Hundred

Mock Orange

.36

Lemoine Mock Orange

Each

.60

White Mountain Mock Orange

Vigorous and long lived this old fashioned "Sweet Syringa" is often found planted near the door or windows of farmhouses where the delicious fragrance of its white flowers can be enjoyed in May and June.

The sweet fragrance has been retained in this neat compact hybrid. Needs practically no pruning, but remains within bounds indefinitely, and blooms profusely.

These hybrids are most useful small shrubs that succeed in spite of many adverse conditions. None are more cheerful

	ziing ma	n this when its annu	ual June s	show is	given.
1½ to	2 ft.		.45	.40	.36
2 to	3 ft.		.60	.54	.45
3 to	4 ft.		.70	.63	
virginalis.	7′-8′		Virginal	Mock O	range
		e caused a greater			
		Each flower, most			
		across and large chas to create a "".			
		soms just glisten in			
		whole summer you o			icious
		the continually ope			
1½ to 2 to	2 ft. 3 ft.		.40	.36	.33
	4 ft.		.54 .70	.50 .63	.45
0 10	T 11.	***************************************	./0	.00	
PHOTINIA v	illosa.	12'-15'	Ch	ristmas	Berry
		e known but particu			
		old leathery foliage			
the brigl	at berrie	s thickly strung over	er the bu		vinter.
			.60	.54	
3 to	4 ft.	••••••	.84	.75	
PHYSOCARP	US opul	ifolia nana. 4'-5'	Dv	varf Nin	ebark
One of t	he good	small shrubs that	will add i	interest t	to the
One of t	he good vith flat-t		will add i	interest to	to the June.
One of t border w 1½ to	he good vith flat-t 2 ft.	small shrubs that topped bunches of c	will add i reamy flo .45	interest to wers in .40	to the June.
One of to border we 1½ to 2 to	he good vith flat-t 2 ft. 3 ft.	small shrubs that to	will add i reamy flo .45 .60	interest to wers in .40 .54	to the June.
One of to border we 1½ to 2 to	he good vith flat-t 2 ft.	small shrubs that topped bunches of c	will add i reamy flo .45	interest to wers in .40	to the June.
One of the border was 1½ to 2 to 3 to	he good vith flat-t 2 ft. 3 ft. 4 ft.	small shrubs that topped bunches of c	will add i reamy flo .45 .60 .75	interest towers in .40 .54 .66	to the June36 .48 .60
One of the border with the second sec	he good vith flat-t 2 ft. 3 ft. 4 ft.	small shrubs that topped bunches of c	will add i reamy flo .45 .60 .75	onterest of the second	June. .36 .48 .60
One of the border with the bor	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREEI	small shrubs that topped bunches of comments. '-80' N. Somewhat simit rather slow to be	will add in reamy flow .45 .60 .75 Rough Blar to a come esta	wers in .40 .54 .66 cranch S	to the June36 .48 .60 pruce Nor- The
One of the border with the bor	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREE ruce, but are gray	small shrubs that topped bunches of comments. 7-80' N. Somewhat similar rather slow to be regreen: on large trees.	will add in the amy flow .45 .60 .75 .75	.40 .54 .66 Franch S refined ablished.	to the June36 .48 .60 pruce Nor- The
One of the border with the bor	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREE ruce, but are gray 2 ft.	small shrubs that topped bunches of commence. 7-80' N. Somewhat similar rather slow to be regreen: on large trees. B. & B	will add in reamy flow .45 .60 .75 Rough B lar to a come estages the base 3.00	wers in .40 .54 .66 refined ablished. ark flake 2.70	to the June36 .48 .60 pruce Nor- The
One of the border with the border with the border with the border with the border was permitted by the border was	he good with flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREEI uce, but are gray 2 ft. 3 ft.	small shrubs that to topped bunches of comments. 7-80' N. Somewhat similar trather slow to be t	will add in reamy flow .45 .60 .75 Rough B lar to a come estages the back .3.00 4.00	.40 .54 .66 .7anch S refined ablished. ark flake 2.70 3.60	to the June36 .48 .60 pruce Nor- The
One of the border with the border with the border with the border with the border way Springer and the border way Springer and the border way Springer way Springer way Springer way Springer way to be a border with the border way to be a border way to be a border with the border way the border way to be a border with the border wi	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREE ruce, but are gray 2 ft.	small shrubs that topped bunches of commence. 7-80' N. Somewhat similar rather slow to be regreen: on large trees. B. & B	will add in reamy flow .45 .60 .75 Rough B lar to a come estages the base 3.00	wers in .40 .54 .66 refined ablished. ark flake 2.70	to the June36 .48 .60 pruce Nor- The
One of the border with the border with the border with the border with the border was permitted by the border was	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREE uce, but are gray 2 ft. 4 ft. 4 ft.	small shrubs that to topped bunches of comments. 7-80' N. Somewhat similar trather slow to be t	will add in reamy flow .45 .60 .75 Rough B lar to a come estate est the base .3.00 4.00 5.00	.40 .54 .66 .7anch S refined ablished. ark flake 2.70 3.60	to the June36 .48 .60 pruce Nor-The es off.
One of the border with the border with the border with the border with the border way Springedles of the border. The border was broaden to border with the border way Springedles of the border was border with the border was border with the border was a springer with the border was a springer with the border was a springer was a springer with the border was a springer was a springer with the border was a springer was a sprin	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREE uce, but are gray 2 ft. 3 ft. 4 ft. 5'-100' ly devel	small shrubs that topped bunches of comments. 7.80' N. Somewhat similar trather slow to be comments. B. & B B. & B B. & B B. & B	will add in reamy flow .45 .60 .75 Rough B lar to a come estate the bar .3.00 4.00 5.00	interest in .40 .54 .66	to the June36 .48 .60 pruce Nor-The es off.
One of the border with the border with the border with the border with the border way Springedles of the bicolor. 79 Eventual rather signature.	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREEN uce, but are gray 2 ft. 3 ft. 4 ft. 5'-100' ly develow at :	small shrubs that topped bunches of commence of commen	will add in reamy flow .45 .60 .75 Rough B lar to a come estates the bases the bases the bases of the state	interest in .40 .54 .66	to the June36 .48 .60 pruce Nor-The es off.
One of the border with the border with the border with the border with the border way Springedles of the bicolor. 79 Eventual rather shades almost a bicolor with the bicolor wi	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREEN uce, but are gray 2 ft. 3 ft. 4 ft. 5'-100' ly develow at inost whim to the control of	small shrubs that topped bunches of commence of commen	will add in reamy flow .45 .60 .75 Rough B lar to a come estable sthe book 3.00 4.00 5.00 Pyramida ed needlark green.	interest in .40 .54 .66	to the June36 .48 .60 pruce Nor-The es off.
One of the border with the border with the border with the border with the border way Springedles of the bicolor. 79 Eventual rather shades almost a bicolor with the bicolor wi	he good vith flat-t 2 ft. 3 ft. 4 ft. ata. 70 ERGREEN uce, but are gray 2 ft. 3 ft. 4 ft. 5'-100' ly develow at :	small shrubs that topped bunches of commence of commen	will add in reamy flow .45 .60 .75 Rough B lar to a come estates the bases the bases the bases of the state	interest in .40 .54 .66	to the June36 .48 .60 pruce Nor-The es off.

PICEA—Continued

Each Ten Hundred

Norway Spruce

excelsa, 80'-100'

Generally regarded as more valuable for windbreaks and hedges than as a decorative tree, although while young the dark green symmetrical pyramid is most useful as a Christmas tree or tub specimen. Grows rapidly.

15 to 18 in. В. & В..... .80

30'-40'

Golden Spruce

The exposed side of the needles turns light yellow in spring deepening to bronze in autumn, otherwise similar to type. B. & B.....

- clanbrasiliana. 4'-5'

Barry Spruce

Forms a broad billowy mass of light green. Extremely hardy and grows more quickly than most dwarf forms. 2½ to 3 ft. spread, B. & B..... 12.00 3 to 4 ft. spread, B. & B..... 15.00

-- conica. 6'-8'

Arrowhead Norway Spruce

Without any trimming forms a perfectly symmetrical dense cone, admirable for formal or "foundation" work.

11/2	to	2	ft.	B.	&	В	2.40	2.25
2	to	21/2	ft.	B.	&	В	3.30	3.00
4	to	5	ft.	B.	&	В	6.75	6.00
5	to	6	ft.	B.	8	В	8.25	7.50

- Dwarf forms.

Unnamed

In this collection are some of the most interesting pygmy Spruces we have seen—just because they are not yet named need not detract from their usefulness and beauty. This is a rare opportunity to obtain some of these jewels.

12	to	15	in.	spread,	В.	&	В	1.80	1.65
15	to	18	in.	spread,	В.	&	B	3.00	2.70
18	to	24	in.	spread,	B.	&	В	4.50	3.90
24	to	30	in.	spread,	В.	&	В	6.00	5.40

- gregoryana. 3'

Gregory Spruce

Another variation in this family of dwarfs. This has a broad roughly rounded form and rather pale green needles.

15	to	18	in.	spread,	B.	&	В	3.30	3.00
21/2	to	3	ft.	spread,	В.	&	B	9.00	
3	to	31/2	ft.	spread,	В.	&	B	12.00	

- maxwelli. 2'

Maxwell Spruce

This, the true form, is doubtless the aristocrat of the dwarfs. It forms a broad dense cushion with thick stubby branches covered all around with thick pale green needle pointed leaves. At maturity the specimen is broader than high with slight irregularities that add to its character.

6	to	9.	in.	spread,	В.	&	В	2.70	2.40
9	to	12	in.	spread,	B.	&	В	3.75	3.30
12	to	15	in.	spread,	B.	&	В	5.25	4.80

microsperma. 1½'-2'

Small cone Spruce

Diminutive in all its parts and exceedingly slow in growth -just a little green hummock, crowded with tiny needles.

12	to	15	in.	spread,	B.	&	B	3.75	3.30
15	to	18	in.	spread,	B.	&	В	4.50	3.90
11/2	to	2	ft.	spread,	В.	&	B	5.40	4.80
2	to	21/2	ft.	spread,	B.	&	B	6.75	6.30

pendula. 20'-25'

Weeping Spruce

Creates a curious sad effect with the inverted branches growing toward the ground. The grotesque lines look well among large boulders or in exotic gardens when old.

2	to	3	ft.	B.	8	В	5.25
6	to	8	ft.	B.	&	В	12.00

PICEA excelsa—Continued

Each Ten Hundred

- procumbens. 2'

Prostrate Norway Spruce

In youth this little fellow has the shape of a flat pumpkin but slowly covers a broader area slightly adding to its height, and all through its long life is neat, well defined and beautifully clothed with short rich green needles.

and	beautifully		lly	clothed	W	ith	short	rich	green	needles.
9	to	12	in.	spread,	В.	& E	3	3.00	2.70	2.40
12	to	15	in.	spread,	В.	& E	3	3.75	3.30	3.00
15	to	18	in.	spread,	B.	& E	3	4.50	3.90	
11/2	to	2	ft.	spread,	B.	& E	3	5.40	4.80	
2	to	21/2	ft.	spread,	B.	& E	3	6.75	6.00	
21/2	to	3	ft.	spread,	B.	& E	3	9.00	8.10	
3	ft.			spread.	B.	& E	3	12.00		

— pumila. 3'-4'

Dwarf Norway Spruce

More globular than most, but very dense. Needs a little protection from winter sun but able to withstand zero.

Protoction	** ****	********		NO 01 C 01 NO 2		** ************************************	
9 to 1:	2 in.	spread,	В. &	В	3.00	2.70	2.40
12 to 1	5 in.	spread,	B. &	В	3.75	3.30	3.00
15 to 1	8 in.	spread,	B. &	В	4.50	3.90	
$1\frac{1}{2}$ to 2	ft.	spread,	B. &	В	5.40	4.80	

- pyramidalis. 40'-50'

Pyramidal Norway Spruce

All	the	bro	anches	asce	nd	to form	a n	arrow	pyramid
5	to	6	ft.	B.	&	В	6.75	6.0	00
6	to	8	ft	B.	2	B	7.50		

- repens. 1½'

Creeping Norway Spruce

Wide spreading prostrate branches make a thick irregular blanket of interesting texture, quite at home among rocks.

12	to	15	in.	spread,	В.	&	В	3.75	3.30	3.00
15	to	18	in.	spread,	В.	&	B	4.50	3.90	3.60
11/2	to	2	ft.	spread,	В.	&	B	5.40	4.80	

glauca conica. 8'-10'

Dwarf Alberta Spruce

A perfect miniature reproduction of a tall forest tree, having branches crowded into a compact narrow cone with a rugged old look about it. Very thin slaty green foliage makes an exceedingly fine texture. Best where slightly shaded. Grows slowly and is extremely hardy.

21/2	to	3	ft.	B.	&	В	5.25
3	to	4	ft.	B.	&	В	6.75
4	to	41/2	ft.	В.	&	В	8.25

hunnewelliana.

Hunnewell Spruce

A comparatively new hybrid that resembles a much glorified White Spruce. Each shoot is well clothed all around with a distinct blue gray foliage. Side branches ascend to form a neat narrow pyramid—we consider this a "find."

1	to	1 1/2	ft.	В.	&	В	3.00
11/2	to	2	ft.	В.	&	B	3.75

koyamai. 40'-50'

Koyamai Spruce

When young a broad-based cone, but lengthens into a narrow pyramid with husky looking branches. Scarce.

2	to	3	ft.	B.	&	В	3.75
3	to	4	ft.	B.	&	B	4.50
4	to	5	ft.	B.	&	В	6.00





PICEA—Continued

Each Ten Hundred

omorika. 60'-80'

Serbian Spruce

We rate this as the King of Spruces, handsome from a foot high to its lofty maturity. On the under side the flat needles are lustrous green with white stripes above, giving a bicolor effect. Its narrow pyramidal outline is maintained and the severest climate does not influence its even growth.

11/2	to	2	ft.	B.	&	В	3.75	3.30	3.00
2	to	21/2	ft.	В.	&	В	4.50	3.90	3.60
21/2	to	3	ft.	B.	&	В	5.25	4.80	4.50
3	to	4	ft.	В.	&	В	7.50	6.75	6.00
4	to	5	ft.	В.	&	В	9.00	8.10	7.50

orientalis. 60'-70'

Oriental Spruce

Graceful widespreading branches sweep the ground merging into a central spire which rises with classic outline to pierce the sky. Glossy blackish green needles increase its sombre dignity—a picture of aristocratic beauty. Useful in small plantings owing to its slow growth and rich color.

11/2	to	2	ft.	В.	&	В	3.75	3.30	3.00
2	to	21/2	ft.	В.	&	В	4.50	3.90	3.60
21/2	to	3	ft.	В.	&	В	5.25	4.80	4.50
3	to	4	ft.	В.	&	В	7.50	6.75	6.00
4	to	5	ft.	В.	&	В	9.00	8.10	7.50
5	to	6	ft.	В.	&	В	12.00	10.80	9.00
6	to	7	ft.	B.	&	В	15.00	13.50	

60'-75' polita.

Tigertail Spruce

Is the most distinct of all Spruces by reason of the thick rigid spiny needles sparsely distributed around the stubby branches. An irregular interesting tree when older.

11/2	to	2	ft.	B.	&	В	2.25	2.00
2	to	21/2	ft.	B.	&	В	3.00	2.70
21/2	to	3	ft.	B.	&	В	3.75	3.30
3	to	4	ft.	В.	&	В	4.50	
4	to	5	ft.	B.	&	В	6.00	5.40
5	to	6	ft.	B.	&	В	7.50	

pungens. 70'-80'

Colorado Spruce

A bold native Spruce with dull gray-green thick needles. Quite symmetrical and handsome when young, but becomes picturesque in old age when the lower branches disappear. B. & B.....

to ft. 3.75

70'-80' - glauca.

Colorado Blue Spruce

From the variable seedlings has been selected this intensely "blue" form, so popular even in very small sizes.

4	to	5	ft.	B.	&	В	6.75	6.30
5	to	6	ft.	B.	&	В	10.00	9.00
6	to	7	ft.	В.	&	В	13.50	
7	to	8	ft.	В.	&	В	16.50	

- kosteri. 50'-60'

Koster Blue Spruce

Probably the most widely known of all evergreens, due to the brilliant silvery blue foliage, which is kept uniform by grafting selected specimens. Spectacular as a lawn specimen and ideal for the color climax or contrast in groups.

2	to	21/2	ft.	В.	&	В	4.80	4.50	3.90
21/2	to	3	ft.	В.	&	В	6.00	5.40	4.80
3	to	4	ft.	B.	&	В	8.25	7.50	6.75
4	to	5	ft.	B.	&	В	11.25	10.50	9.00
5	to	6	ft.	В.	&	В	13.50	12.00	11.25
6	to	7	ft.	В.	&	B	16.50	15.00	
7	to	8	ft.	B.	&	B	21.00	19.50	
8	to	10	ft.	B.	&	В	30.00	27.00	
10	to	12	ft.	В.	&	В	39.00	36.00	
10	4 -	1.4	EL	D	2	D	51.00		

Each Ten Hundred

PIERIS floribunda. 4'-5'

Mountain Andromeda

EVERGREEN. Both for foliage and floral effect this hardy native is well nigh indispensable. Dark green leathery privet-like leaves remain untouched in zero weather and serve splendidly as background for the upright clusters of waxy white flowers in May. Acid soil, half shade.

12	to	15	in.	spread,	B.	&	В	1	1.65
15	to	18	in.	spread,	В.	&	В	2	2.40
11/2	to	2	ft.	spread,	В.	&	В	3	3.60
2	to	21/2	ft.	spread,	В.	&	В	4	4.80
21/2	to	3	ft.	spread,	В.	&	B	(6.00
3	to	31/2	ft.	spread.	B.	3	В	10	0.00

japonica. 6'-7'

Japanese Andromeda

EVERGREEN. Almost the ideal shrub without a flaw. In early spring graceful pendants of waxy white urnshaped flowers are prettily interspersed among the lustrous deep green foliage. Then comes the tender green young growths beautifully winestained until the wavy leaves mature into their leathery texture defying both extreme heat and cold. In mid-winter the rugged character of the bush is emphasized by the young unopened flower buds.

		7		2		2	*	
12	to	15	in.	В.	&	B	1.65	1.50
15	to	18	in.	В.	&	B	2.40	2.25
11/2	to	2	ft.	B.	&	B	3.60	3.30
2	to	21/2	ft.	B.	&	B	4.80	4.20
21/2	to	3	ft.	B.	&	B	6.00	
3	to	4	ft.	B	3	B	10.00	

PINUS cembra. 30'-40'

Swiss Stone Pine

ALL EVERGREEN. Slow growing so it may be safely used in low plantings. Generally seen as a blunt compact pyramid clothed in soft textured coat of bluish-green needles, but eventually becomes a picturesque round topped tree.

11/2	to	2	ft.	В.	&	B	4.50	4.00
2	to	21/2	ft.	B.	&	В	6.75	
21/2	to	3	ft.	В.	&	В	9.00	
3	to	4	ft.	B.	&	B	12.00	
4	to	5	ft	B	2	R	15.00	

flexilis. 30'-40'

Limber Pine

Often called the "Blue" Pine because of its characteristic steel gray tufts of stiff needles, but these turn dark green when old. Even young cultivated specimens shows impatience to assume their native picturesque habit.

4	to	5	ft.	В.	&	В	6.00	5.40
5	to	6	ft.	В.	&	В	7.50	6.75
6	to	7	ft.	B.	&	В	9.00	

montana mughus. 3'

Mugho Pine

Most conspicuous in spring when the erect "candles" of new growth decorate the top of the low cushion-like bush.

10	to	12	in.	spread,	B.	&	B	1.50	1.35
12	to	15	in.	spread,	B.	&	B	2.00	1.80
15	to	18	in.	spread	B	3	B	2.70	

nigra. 50'-60'

Austrian Pine

One of the most dignified of the family, with stiff dark green six inch needles covering the vigorous up curving branches tipped with silky white buds. Succeeds on poor land even down to the seashore. Handsome.

11/2	to	2	ft.	В.	&	В	2.25	1.90	1.65
10	to	12	ft.	B.	&	В	30.00		
12.	to	14	ft	B	2	R	39 00		

PINUS—Continued

Each Ten Hundred

resinosa. 60'-70'

Red Pine

For this section doubtless the best pine for reforestation as it succeeds on the poorest land and soon prevents erosion of a barren hillside. Vigorous in any well drained location, its dark green needles make a good background.

8	to	10	ft.	В.	&	В	19.50
10	to	12	ft.	B.	&	В	30.00
12	to	14	ft.	В.	&	В	39.00

strobus. 80'-100'

White Pine

Truly a noble native, handsome in its formal youth and typically picturesque in its independent old age. Extremely hardy, most adaptable. Splendid soft textured hedges can be made by shearing annually in May or June.

7	to	8	ft.	B.	&	В	15.00
8	to	9	ft.	B.	&	В	19.50
10	to	12	ft.	В.	&	В	30.00
12	to	14	ft.	B.	8	В	39.00

— fastigiata. 35'-40'

Upright White Pine

Stiffly ascending branches form a narrow tree, clothed with the same soft green mantle of needles as the parent.

5	to	6	ft.	В. &	В	9.00
6	to	7	ft.	В. &	В	12.00
7	to	8	ft.	В. &	В	15.00
8	to	10	ft.	B. &	В	19.50

— nana. 2½'-3'

Dwarf White Pine

Notwithstanding the very compact habit this little fellow is a vigorous healthy bush. Foliage is similar to the type.

2 to 21/2 ft. spread, B. & B..... 10.00

thunbergi. 80'-100'

Japanese Black Pine

Bold in all parts—long rather stiff dark green needles—handsome wide spreading branches, free irregular growth and hardy even to bleak seaside exposure.

2	to	3	ft.	В.	&	В	2.25	2.00
3	to	4	ft.	В.	&	В	3.00	
4	to	5	ft.	B.	&	В	4.50	
5	to	6	ft.	B.	&	В	6.00	
6	to	8	ft.	B.	&	В	9.00	

PLATANUS orientalis. 70'-80'

European Plane Tree

For general use a most adaptable tree with broad leaves that resist insects, dust and smoke. Notwithstanding rapid growth the "Sycamore" attains a fabulous age. The shapely head casts comfortable shade allowing grass to grow freely, so makes a splendid lawn tree, but whether at the seashore or on the city street it "carries on."

8	to	10	ft.	*****				2.40	2.25	2.10
8	to	10	ft.,	1 1/4	to	1 1/2	in	3.30	3.00	2.70
10	to	12	ft.,	11/2	to	13/4	in	4.50	4.20	3.75
10	to	12	ft.,	13/4	to	2	in	6.30	5.70	5.25
12	to	14	ft.	2.	to	2.1/4	in	8 00	7 20	6.75

POLYGONUM auberti. Vine, 40'-50' Chinese Fleece Vine

Vigorous climber that grows amazingly fast. Will effectively cover or screen undesirable objects with a dense mantle of light green leaves, topped in July with an airy webbing of fleecy white flowers. Prefers open sunlight.

-11	Pots		7!	5
	POIS		1 4	U

F. & F. NURSERIES	56
	Each Ten Hundred
POPULUS nigra italica. 60'-80'	Lombardy Poplar
Familiar as the exclamation point of	
graceful spires of restless light gr	
useful for grouping, screening and	
6 to 8 ft	1.00 .90 1.35 1.20
8 to 10 ft POTENTILLA fruticosa. 3'-4'	1.35 1.20 Shrubby Cinquefoil
Cheerful yellow single flowers bejev	
bush all summer even during the	hottest dryest season.
1½ to 2 ft	.50 .45
2 to 3 ft	.70 .60
tridentata. 6"	Wineleaf Cinquefoil
A tiny shrublet that manages to pro flowers in May and June but its o	
rich deep green coloring of the fo	
3" Pots	.50 .40
PRUNUS cerasifera pissardi. 10'-12'	Purple Leaf Plum
Annual pruning of old wood will	
purple coloring of the peach like	leaves. Pink flowers.
4 to 5 ft	1.00 .90
5 to 7 ft	1.25
glandulosa. 4'-5' Dou Every willowy branch becomes a fa	ble Flowering Almond
in very early spring. A time-test	ted domestic favorite
1½ to 2 ft	.70 .65 .60
2 to 2½ ft	.85 .75
2½ to 3 ft	1.00 .90
maritima. 8'-10'	Beach Plum
Frail dainty white blossoms lightly s serve to accentuate the bare errations.	
never seem so happy as when ir seashore home. Beach plum jelly?	large drifts at their
1½ to 2 ft	.50 .45 .65 .60
2 to 3 ft	.65 .60 .80 .75
serrulata Amanogawa. 20'-25'	Upright Cherry
A distinct form with a Lombardy P	oplar style of growth.
Semi-double pink flowers gracefully	hang in dense clusters.
4 to 5 ft	2.00 1.80 3.00 2.70
	tumn Flowering Cherry
The semi-double pink flowers rarel surprise of Cherry blossoms in fall	as well as in April.
3 to 4 ft	
4 to 5 ft	2.00
5 to 6 ft	3.00 6.00
— Beni-Higan. 30'-40'	Higan Cherry
4 to 5 ft	2.00 1.80
5 to 6 ft	3.00 2.70
6 to 8 ft. B. & B	6.00
Fugenzo (Kofugen) 30'	Double Pink
One of the latest to bloom; the unusur flowers expand with the coppery you	
mony. Probably one of the most pop	
5 to 6 ft	3.00

	Each Ten Hundred
— Kwanzan. 30'	Double Pink
Large very double deep pink flow	vers, almost red in bud.
and bronze young growth coupled	d with its rapid growth
justify the highest rating to this g	ood form. Well shaped.
4 to 5 ft	2.00 1.80
	3.00 2.70
- Mount Fuji (Shirotae). 30'	Double White
Undoubtedly the finest double wh	nite. Large and pure in
color the flowers blanket the well	formed tree like snow.
4 to 5 ft	
5 to 6 ft	3.00 2.70 6.00
- Naden (Takasago). 30'-40'	Siebold Cherry
Very showy when literally smoth	ered in pale pink semi-
double blossoms arranged in s	
3 to 4 ft	
5 to 6 ft.	
- Shirofugen. 30'	Double Blush Pink
Pink in bud, the very large double	e flowers become white,
then gradually assume a blush as	they mature. Vigorous.
4 to 5 ft	2.00 1.80 3.00
5 to 6 ft	
8 to 10 ft. B. & B	12.00
— Yoshino (Yedoensis), 40'-50'	
	Single Blush Pink
Because of its conspicuous position in Washington, D. C., this species	a is widely known and
also it is the "advance award"	of the gorgeous display
also it is the "advance guard" of during cherry blossom season.	The single pink flowers
become purple tinged before falling	g. Excellent shade tree.
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	3.00
subhirtella pendula. 12'-15'	Weeping Japan Cherry
Is it possible to adequately descri	Weeping Japan Cherry ibe those gossamer pink
Is it possible to adequately description fountains that come from fairyland	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet
Is it possible to adequately descri- fountains that come from fairyland they are sturdy trees that need l	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a
Is it possible to adequately descri- fountains that come from fairyland they are sturdy trees that need I well-drained place in the sun	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular
Is it possible to adequately descri- fountains that come from fairyland they are sturdy trees that need l well-drained place in the sun. tall stemmed kind, with pendulou	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only.
Is it possible to adequately descri- fountains that come from fairyland they are sturdy trees that need l well-drained place in the sun. tall stemmed kind, with pendulou	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only.
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need to well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need to well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need I well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro-
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry the those gossamer pink de each spring? And yet little attention beyond a These are the popular as branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ct. Similar pink flowers.
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need twell-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry the those gossamer pink de each spring? And yet little attention beyond a These are the popular as branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ct. Similar pink flowers. 3.50 3.00
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need to well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B 3 year head B. & B — (GRAFTED LOW) And these have branches right found the second place a more informal natural effects at the second place a more informal natural effects at the second place a more informal natural effects at the second place a more informal natural effects at the second place at the second plac	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ict. Similar pink flowers. 3.50 3.00 5.00 4.50
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need to well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ct. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need to well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ct. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need to well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ct. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 whele Fl. Weeping Cherry
Is it possible to adequately description fountains that come from fairyland they are sturdy trees that need to well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry tibe those gossamer pink d each spring? And yet little attention beyond a These are the popular ts branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- tct. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 whele Fl. Weeping Cherry Teeping Cherry with the
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need I well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ict. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 whole FI. Weeping Cherry Veeping Cherry with the of branches each thickly imit is truly magnificent.
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need it well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ict. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 while FI. Weeping Cherry Weeping Cherry with the of branches each thickly it is truly magnificent. 3.75 3.30
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need I well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ict. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 while FI. Weeping Cherry Weeping Cherry with the of branches each thickly it is truly magnificent. 3.75 3.30
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need it well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ict. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 while FI. Weeping Cherry Weeping Cherry with the of branches each thickly it is truly magnificent. 3.75 3.30
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ict. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 whole FI. Weeping Cherry Veeping Cherry with the of branches each thickly it is truly magnificent. 3.75 3.30 5.25 Nanking Cherry ompletely surrounded by
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need it well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B 3 year head B. & B ——(GRAFTED LOW) And these have branches right fauce a more informal natural effects at the state of the street of	Weeping Japan Cherry ibe those gossamer pink d each spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 3.30 5.25 Weeping Cherry from the ground to pro- ict. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 while FI. Weeping Cherry Weeping Cherry with the of branches each thickly is truly magnificent. 3.75 3.30 5.25 Nanking Cherry ompletely surrounded by the give way to an ex-
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need it well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B	Weeping Japan Cherry ibbe those gossamer pink deach spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 5.25 Weeping Cherry from the ground to pro- ct. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 whole FI. Weeping Cherry Jeeping Cherry with the of branches each thickly is truly magnificent. 3.75 3.30 5.25 Nanking Cherry ompletely surrounded by ch give way to an exerries, relished by birds.
Is it possible to adequately descrifountains that come from fairyland they are sturdy trees that need it well-drained place in the sun. tall stemmed kind, with pendulou 2 year head B. & B 3 year head B. & B ——(GRAFTED LOW) And these have branches right fauce a more informal natural effects at the state of the street of	Weeping Japan Cherry ibbe those gossamer pink deach spring? And yet little attention beyond a These are the popular is branches at top only. 3.75 5.25 Weeping Cherry from the ground to pro- ct. Similar pink flowers. 3.50 3.00 5.00 4.50 6.75 9.00 whole FI. Weeping Cherry Jeeping Cherry with the of branches each thickly is truly magnificent. 3.75 3.30 5.25 Nanking Cherry ompletely surrounded by ch give way to an exerries, relished by birds.

PRUNUS--Continued

Each Ten Hundred

triloba plena. 7'-8'

Double Flowering Plum

Larger and still more gorgeous than cousin "Almond." The bright pink double flowers thickly stud each branch.

3 to 4 ft. .

1.00 .90

PSEUDOTSUGA douglasi. 70'-80'

Douglas Fir

EVERGREEN. Handsome and symmetrical from the seed bed to the towering forest monarch, this Rocky Mountain form has variable gray green foliage with soft texture.

5	to	6	ft.	В.	&	В	6.75
6	to	8	ft.	В.	&	В	10.00
8	to	10	ft.	В.	&	В	15.00
10	to	12	ft.	B.	&	B	21.00

PTEROSTYRAX hispida. 40'-50'

Epaulette Tree

A rarely seen but beautiful Chinese tree which forms an open head with slender spreading branches. The five inch oval leaves are deeply veined but the crowning glory of the tree is the large graceful fringy panicles of fragrant white flowers which hang from the side branches. Should be trained to a single stem while young. Most unusual.

4 to 5 ft.

В. & В...... 3.7

PYRACANTHA coccinea lalandi. 15'-18' Laland Firethorn

EVERGREEN. But here we have quite a different character. Strong slender branches rising from the ground develop stubby side growths upon which are hung the numerous orange red berries. Altho a handsome "specimen" shrub it is seen to best advantage when trained against a wall allowing the deep green foliage to act as a back ground for the berries. Southerly exposure is preferred.

1 1/2	to	2	ft.	Potgrown	 3.00	2.70
2	to	3	ft.	Potarown	 4.00	3.60

PYRUS calleryana. 25'-30'

Callery Pear

Altho used as understock for grafting fruiting pears this species develops into a handsome tree. Broad oval smooth leaves remain rich green until late fall. Small white flowers and little round fruits are interesting too.

2	to	3	ft.	***************************************	.60	.50
3	to	4	ft		75	65



In the far North stands a Pine tree, lone

Upon a wintry height:

It sleeps; around it snows have thrown

A covering of white.

It dreams forever of a Palm That, far i' the morning land, Stands silent in a most sad

calm

Mist of the burning sand.

....,,

HEINE.

-Q-

Each Ten Hundred

QUERCUS alba. 100'

White Oak

The monarch! Of tremendous spread, rugged and slow in growth but a permanent fixture. Insists upon spring planting — careful handling — preferably in small sizes.

6	to	8	ft.		3.75
8	to	10	ft.	***************************************	4.80
8	to	10	ft.,	11/4 to 11/2 in	5.25

coccinea. 80'-90'

Scarlet Oak

The brilliant scarlet of late autumn is characteristic of this handsome round topped tree. Has somewhat smaller and more deeply cut leaves than Red Oak. Spring planting.

8	to	10	ft.					4.00	
8	to	10	ft.,	11/4	to	11/2	in	5.25	
10	to	12	ft.,	11/2	to	13/4	in	6.75	6.30
12	to	14	ft.,	13/4	to	2	in	8.70	7.80
12	to	14	ft.,	2	to	21/2	in	11.00	9.75
14	to	16	f+	2.1/2	to	3	in	14 25	13.50

macrocarpa. 80'

Mossycup Oak

Although in the White Oak family a vigorous grower of typical picturesque outline and interesting corky branches.

8	to	10	ft.,	1 1/4	to	1 1/2	in	4.80
10	to	12	ft.,	1 1/2	to	13/4	in	6.00
10	to	12	ft.,	13/4	to	2	in	7.50
12	to	14	ft.,	2	to	21/2	in	9.00
12	to	14	ft	21/2	to	3	in	12.00

palustris. 70'-80'

Pin Oak

Most adaptable of the family this handsome fellow is used extensively for avenues where the trim pyramidal head accentuates distance. Deeply cut shiny foliage turns rich crimson in autumn transforming its swamp homeland where the old patriarchs rear their rugged irregular heads on a tall straight trunk devoid of lower branches.

8	to	10	ft.,	11/4	to	11/2	in	3.30	3.00
10	to	11	ft.,	11/2	to	13/4	in	4.80	4.50
11	to	12	ft.,	13/4	to	2	in	6.30	5.70
12	to	14	ft.,	2	to	21/2	in	8.00	7.20
14	to	16	ft.,	21/2	to	3	in	11.00	9.75
14	to	16	ft.,	3	to	31/2	in	13.50	12.00
16	to	18	ft.,	31/2	to	4	in	18.00	16.50
18	to	20	ft.,	4 *	to	5	in	27.00	24.00
18	to	20	ft	5	to	6	in	36.00	

robur. 120'

English Oak

rubra (borealis). 70'-80'

Red Oak

Typically oak-like this majestic tree soon acquires size and an ageless look. Beginning in spring on fuzzy tender pink clusters the glossy green leaves become stained and blotched with warm crimson red in autumn and hang on till spring. Wide spreading branches—irregular outline

8	to	10	ft.,	1 1/4	to	1 1/2	in	4.80	4.50
10	to	12	ft.,	11/2	to	13/4	in	6.75	6.30
10	to	12	ft.,	13/4	to	2	in	8.70	7.80
12	to	14	ft.,	2	to	21/2	in	11.00	9.75
14	to	16	ft.,	21/2	to	3	in	14.25	13.50
14	to	16	ft.,	3	to	31/2	in	18.75	17.25
16	to	18	ft.,	31/2	to	4	in	24.00	

16 to 18 ft., 3½ to 4 in..... 24.00 18 to 20 ft., 4 to 5 in..... 30.00

-R-

	Each	Ten H	undred
RHAMNUS caroliniana. 20'-25'	Caro	lina Bud	kthorn
Handsome deep green leaves make	r splendi	id backa	round.
Red berries change to black. A	good do	minant	shrub.
1½ to 2 ft.	.45	.40	
2 to 3 ft	.55	.50	
cathartica. 10'-12'	Com	non Buc	lethown
Good background shrub with gli	.45	.40	erries.
2 to 3 ft,	.55	.50	
2 (0 0 11	.00	.00	
frangula. 8'-10'	Glo	ssy Buc	kthorn
For its shiny attractive foliage alon			
as background and the berries tu	rn from	red to	black.
1½ to 2 ft	.45	.40	
2 to 3 ft	.55 .65	.50	.45
3 to 4 ft	.65	.60	.50
7110707071177071 1 11 11 11 11 11 11 11 11 11 11 11 11		701 1 1	
	Daphne		
EVERGREEN. The lovely pure p	ink littl	e fairy	bells
brighten the shapely compact bush	in June	. Leave	es are
dull green, thick and about one of	ind one	nall to	inree
inches long. Of all the dwarf var most reliable with us. Should be u	red muc	h more	fraely
		3.00	neery.
12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B	4.50	3.90	
1½ to 2 ft. spread, B. & B	6.00	5.40	
2 to 2½ ft. spread, B. & B	7.50	6.75	
2 to 2½ ft. spread, B. & B 2½ to 3 ft. spread, B. & B 4 to 5 ft. specimens, B. & B.	10.00		
4 to 5 ft. specimens, B. & B.	24.00		
canadense. 3'-4'		RI	nodora
	the chan		
Shy as most woodland subjects are of poetical fame is seldom seen. Ten			
borne on bare twigs brightening it			
1½ to 2 ft. B. & B	2.70	buday	
carolinianum. 5'-6' (Nursery Grown) C			
EVERGREEN. In an open sunny pla	ace the	charming	g pink
May bells are more colorful and the	e whole	plant is	more
bushy, although half shade is quite so	atistactor	y on aci	id soil.
15 to 16 in. b. & b	2.70	2.40	2.25
15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	5.75	1.80	4.50
2½ to 3 ft. B. & B	6.30	5.70	4.50
2, a 2,	0.00	0.70	
catawbiense. 8'-10' (Nur. Grown) C	atawba	Rhodode	endron
EVERGREEN. It is natural to assum	e the po	arent of	many
hybrids should possess excellent q	ualities,	and it	does.
Few native shrubs make such a go			
great masses of rosy-purple flower	rs in Mo	ay and	June.
Asid -sil is of	-1 l 1		
Acid soil is of course necessary and	d broken	2 10	ideal.
Acid soil is of course necessary and 1 to 1½ ft. B. & B	d broken	2.10 3.00	ideal.
Acid soil is of course necessary and 1 to 1½ ft. B. & B	d broken	2.10 3.00 4.50	ideal.
1 to 1½ ft. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 2½ to 3 ft B. & B	d broken 2.40 3.30 4.80 6.75	2.10 3.00 4.50 6.30	idedi.
1 to 1½ ft. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 2½ to 3 ft B. & B	d broken 2.40 3.30 4.80 6.75	2.10 3.00 4.50 6.30	idedi.
1 to 1½ ft. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 2½ to 3 ft B. & B	d broken 2.40 3.30 4.80	2.10 3.00 4.50 6.30	ideal.

Teucrium is a splendid hardy substitute for Boxwood edging—and speaking of edgings—do look at the surprising number of interesting dwarf Iris.

RHODODENDRON—Continued

Each Ten Hundred

maximum. 12'.15' (Nursery Grown) Rosebay Rhododendron EVERGREEN. Essentially a shade plant, the "Great Laurel" forms the backbone of most wood plantings, where the leathery six inch leaves are of even greater land-scape value than the pale pink flowers. Late May and June is "laurel season" but if happily placed in acid soil, preferably in masses, the rich foliage effect is pleasing and dignified the year round. Keep roots cool—moist.

-		-		- 1			+		
15	to	18	in.	B.	&	В	2.25	2.10	1.80
11/2	to	. 2	ft.	B.	&	В	3.00	2.70	2.40
2	to	21/2	ft.	B.	&	В	3.75	3.30	3.00
21/2	to	3	ft.	B.	&	В	4.80	4.50	3.90
3	to	31/2	ft.	B.	&	В	6.00	5.40	4.80
31/2	to	4	ft.	B.	&	В	7.70	7.20	
4	to	5	ft.	B.	&	В	10.00	9.00	
5	to	6	ft.	B.	&	В	13.50	12.00	

myrtifolium. 3'-4'

Myrtle Rhododendron

EVERGREEN. A neat compact shrub always well clothed with smooth leaves about one to two inches long, generally covered with brownish scales underneath. The clusters of light rosy pink funnel shaped flowers open in May.

12	to	15	in.	spread,	В.	&	B	3.75
15	to	18	in.	spread,	В.	&	В	5.25
3	to	31/2	ft.	specimen	S.	B.	& B.	18.00

racemosum. 1'-2'

Mayflower Rhododendron

EVERGREEN. Quite variable but with us a delightful shrublet that is almost prostrate making a little pad of rich shiny green leaves about an inch long. When the racemes of pale pink flowers appear in May it looks almost like a glorified Trailing Arbutus. Nice rock plant.

9 to 12 in. spread, B. & B..... 3.60

wilsoni. 4'-5'

Wilson Rhododendron

EVERGREEN. According to the collector, E. H. Wilson, this is one of the most beautiful of Chinese Rhododendrons, and even though the flesh pink flowers are not remarkable with us, it is distinctly valuable for foliage.

12	to	15	in.	spread,	B.	&	В	3.30	3.00
15	to	18	in.	spread,	B.	&	В	4.50	3.90
11/2	to	2	ft.	spread,	В.	&	В	6.00	5.40
Sne	cim	ene !	21/2 1	ft sprea	ď	R	& B	15.00	



F. & F. NURSERIES 62
RHODODENDRON—Continued Each Ten Hundred NAMED HYBRIDS. The grafted named varieties flower much more freely than any others. Individual flowers are larger, more brilliantly colored than Catawba and are produced in enormous bunches held erect above the canopy of splendid foliage. Although acid soil is necessary these grafted hybrids do quite well in open sunlight but prefer light shade.
Letters indicate sizes in stock. album elegans. 10'-12' E. F. G. H. J. Grows quickly into tall narrow bush; white flushed pink.
Everestianum. 5'-6' Prettily frilled lilac-pink flowers, compact, reliable. maximum roseum. 8'-10' Deeper pink and more profuse than type. Same foliage. roseum elegans. 8'-10' A. B. C. D. E. F. G. H. The most reliable and vigorous of all hybrids. Bright rose- pink flowers in great clusters almost hide handsome foliage. roseum superbum. Lovely soft rose: vigorous habit. D. E. F. Prices for varieties named above.
A. 12 to 15 in. B. & B
Amphion. 6'-8'. Large white eye, pink edges. C. D. Caractacus. 6'-8'. Gorgeous rich crimson. C. D. E.
catawbiense album. 6'-8'. Pure white. B. C. D. E. F. G. H. Charles Bagley. 7'-8'. Brilliant cherry-red. D. E. F. G. Cunningham's White. 5'-6'. Early white. A. B. C. Delicatissimum. 6'-8'. Tender pink. D. E. F. G. H. Dr. H. C. Dresselhuis. 6'-8'. Good lively red. A. B. C. D. E. F. G. E. S. Rand. 6'-8'. Large rich crimson, darker eye. C. D. E. H. H. Hunnewell. 7'-8'. Dark crimson, rich tone. C. D. Ignatius Sargent. 6'-8'. Vigorous, bright rosy red. A. B. C. D. Lady Armstrong. 6'-8'. Light pink spotted with green. H. Mrs. C. S. Sargent. 6'-8'. Glowing pink. A. B. C. D. E. F. G. Old Port. 6'-8'. Unique, reddish violet. C. D. E. F. Parson's rubrum. 6'-8'. Deep purplish red. F. G. Purpureum elegans. 6'-8'. Purple opening to lavender. F. G. H. A. 12 to 15 in. B. & B 3.00 2.70
B. 15 to 18 in. B. & B
Boule de Niege. 4'-5' Extremely hardy, this dwarf form retains its irregular mounded outline, well furnished with light green leaves and liberally dotted with large clusters of white flowers. 12 to 15 in. spread, B. & B 3.75 15 to 18 in. spread, B. & B 5.25 1½ to 2 ft. spread, B. & B 6.75

 $1\frac{1}{2}$ to 2 ft. spread, B. & B.... 6.75 2 to $2\frac{1}{2}$ ft. spread, B. & B.... 9.00

	Each	Ten H	undred
RHODOTYPOS kerrioides. 5'-6'		Je	etbead
A compact well furnished shrub stud with four-petal flowers that are as i			
shiny bead-like fruits are jet black,	persist	ing all v	winter.
1½ to 2 ft	.45	.40	.35
2 to 3 ft	.60	.50	.40
3 to 4 ft	.70	.60	.50
RHUS canadensis. 4'-5'		agrant S	
Clusters of yellow shiny flowers prec grape-like bunches of coral-red gl			
June. The aromatic foliage turns			
scarlet in autumn. Vine-like habit			
1½ to 2 ft	.65	.60	.54
2 to 3 ft	.75	.65	
cotinus. 12'-15'		Smok	e Tree
Until the filmy purplish cloud of fru	uit clust	er becon	nes so
noticeable in July we are apt to over	rlook the	e fine qu	alities
of this handsome shrub. The clean			
stained pink while young, then ma purple tones in fall. As a specimen	few shr	ubs can	w and
its bold rugged outline which is acc			
branches become gnarled with grea			
2 to 3 ft	.85	.75	.66
3 to 4 ft	1.00	.90 1.20	.75 1.00
4 to 5 ft	2.00	1.80	1.65
6 to 7 ft	2.75	2.40	1.00
ROSA F. J. Grootendorst. 4'-5'		otendors	
Although small, the red flowers are season; bushy habit is useful for hed			
2 to 3 ft.	.60	oleliaia i	onage.
3 to 4 ft	.75		
4 to 5 ft	.90		
hugonis. 6'-8'		Hugoni	s Rose
In early May each arching branch			
night a beautiful rope of clear yellow			
the fernlike foliage alone justifies $1\frac{1}{2}$ to 2 ft.	its use	in the J	order. .48
2 to 3 ft	.75	.66	.40
lucida (virginiana). 2'-6'		Virginio	
Has large shining leaves and goodly	r numbe	_	
flowers lasting into July. A good			
1½ to 2 ft	.50	.45	.40
2 to 3 ft	.60	.55	.50
rouletti. 6"		Roule	t Rose
The perfect miniature rose with lov	rely pin	k double	e flow-
ers and characteristic rose foliage a	ll in per		
rubrifolia. 5'-6'		Redled	f Rose
An erect densely branched shrub v	with sme	all purpl	ish-red
foliage and pink flowers. Purple s 2 year	tems for .50	winter .45	effect.
rugosa. 5'-6'	Re	d Rugos	a Rose
Handsome as a massed shrub with	rich gr	een glos	sy foli-
age and surprisingly large single	crepe-l	ike deep	o pink
flowers that scent the air with frag	rance.	The lare	ge yel-
low and red hips are decorative, too 1½ to 2 ft.	. For se		osure.
1½ to 2 ft	.70	.60	
2 to 0 10			

For Continued Each Ten Hundred
NOSA—Continued
- rugosa alba. 4'-5' White Rugosa Rose
Fragrant white flowers are produced almost all summer. 1½ to 2 ft
1½ to 2 ft
3 to 4 ft
— Max Graf. 4'-5' Hybrid Rugosa Rose
Excellent as a ground cover when the long growth forms a
rich green blanket of rugosa-like leaves bejewelled in June
with shiny pink flowers. Rambles happily on a slope.
2 to 3 ft
3 to 4 ft
setigera. 10'-12' Prairie Rose
Long arching branches will cover the ground to make a
great broad bush. Large single pink flowers in July.
Fine for covering wide rocky slopes, where few succeed.
o rear, a to a an initial init
wichuriana. Vine. 8'-10' Memorial Rose Most useful as a ground cover on sunny slopes where the
small glossy green leaves effectively hide the long stringy
vines, which root where they touch the ground. Single
white flowers brighten the picture in July. Red fruits.
3 year, 1½ to 3 ft
s
SALIX babylonica. 30'-40' Babylon Weeping Willow
Long stringy branches droop vertically to the ground, and with the narrow light green leaves create a soft velvety
texture. Grows rapidly especially when close to water.
6 to 8 ft
10 to 12 ft 3.75 3.30
elegantissima. 60'-70' Thurlow Willow
More massive than the Bablyon Willow but not so grace-
ful. The yellow-green shoots arch down from widespread
gnarled boughs, creating pictorial effects,—soft texture.
100 100
6 to 8 ft 1.80 1.65
6 to 8 ft
6 to 8 ft. 1.80 1.65 8 to 10 ft. 2.40 2.25 pentandra. 30'-40' Laurel Willow Well named for the rich green shiny foliage serves to make this an ideal quick background, at seashore or inland. 4 to 6 ft. 1.00 purpurea nana. 3'-4' Dwarf Blueleaf Willow An amazingly tough little fellow from the arctic, with intricate branching habit that is perfectly adapted to hedg- ing—even edging—gray-green foliage—purplish bark. 1½ to 2 ft40 .36 .30 2 to 2½ ft50 .45 vitellina. 25'-30' Golden Willow Young drooping branches are quite brilliant yellow—a grand winter subject. Annual pruning increases color. 6 to 8 ft. 1.80 1.65
6 to 8 ft
6 to 8 ft. 1.80 1.65 8 to 10 ft. 2.40 2.25 pentandra. 30'-40' Laurel Willow Well named for the rich green shiny foliage serves to make this an ideal quick background, at seashore or inland. 4 to 6 ft. 1.00 purpurea nana. 3'-4' Dwarf Blueleaf Willow An amazingly tough little fellow from the arctic, with intricate branching habit that is perfectly adapted to hedg- ing—even edging—gray-green foliage—purplish bark. 1½ to 2 ft
6 to 8 ft. 1.80 1.65 8 to 10 ft. 2.40 2.25 pentandra. 30'-40' Laurel Willow Well named for the rich green shiny foliage serves to make this an ideal quick background, at seashore or inland. 4 to 6 ft. 1.00 purpurea nana. 3'-4' Dwarf Blueleaf Willow An amazingly tough little fellow from the arctic, with intricate branching habit that is perfectly adapted to hedg- ing—even edging—gray-green foliage—purplish bark. 1½ to 2 ft40 .36 .30 2 to 2½ ft50 .45 vitellina. 25'-30' Golden Willow Young drooping branches are quite brilliant yellow—a grand winter subject. Annual pruning increases color. 6 to 8 ft. 1.80 1.65 8 to 10 ft. 2.40 2.25 SAMBUCUS canadensis. American Elder Thrives in low wet spots where the great bunches of creamy flowers are spectacular and may we mention Elderberry wine, made from the opulent bunches of berries. 2 to 3 ft40 .35 .30 3 to 4 ft50 .45
6 to 8 ft

Each Ten Hundred

SCHIZOPHRAGMA hydrangeoides. 25'-30' Hydrangea Vine

For permanence this self-clinging vine is most desirable. The round leaves are about four inches across and shingle a wall beautifully. Quite similar to the climbing Hydrangea this can be identified by the single petaled bracts among the more numerous true flowers.

SCIADOPITYS verticillata. 20'-25'

Umbrella Pine

EVERGREEN. So called because the thick four inch leaves are arranged in whorls similar to the ribs of an umbrella. These dark green glossy needles handsomely clothe the branches which make a dense pyramidal head. Growing very slowly it can be safely used in low plantings. Drainage is essential for this unique beautiful conifer. B. & B..... 54.00

10 ft. specimen

SOPHORA japonica. 60'-70'

Chinese Scholar Tree

Improves with age as the tortuous branches assume interesting shapes, and the crop of greenish yellow peashaped flowers increases. Really a fine tree that should be used for avenue or specimen purposes. Adaptable.

3	to	4	ft.	 2.00	1.80
4	to	5	ft.	 3.00	2.70
5	to	6	ft.	 4.00	3.60
6	to	7	ft.	 4.80	4.50

viciifolia. 5'-6'

Vetch Leaf Sophora

Clusters of porcelain blue or pale violet pea blossoms appear in June to decorate this shrub. Dry sunny spot. to 1½ ft.

SORBĀRIĀ arborea glabrata. 12'-15'

Tree Spirea

All too rarely is this bold handsome August blooming shrub seen. The feathery bunches of flowers are often two feet long, gracefully held aloft or extended at ends of arching branches. Large compound leaves add to the tropical effect.

3	to	4	ft.	***************************************	1.00	.90
4	to	5	ft.		1.50	1.35
5	+0	6	- f+		1.80	1.65

5'-6' sorbifolia.

Ural False Spirea

Quickly spreads by suckers to make a handsome clump well clothed with refined ash-like foliage, topped in August by creamy panicles of fuzzy flowers. Easily grown.

2	to	3	ft.		.50	.45
3	to	4	ft.	***************************************	.65	.60
Λ	+0	5	4+		75	

SORBUS aucuparia. 25'-30'

European Mountain Ash

Ideal for the small lawn, the Rowan tree is extremely popular in Europe, where the great clusters of orange-red fruits figure in song and story, but here they serve the more practical purpose of food for robins. Good drainage.

11010	Pr	actic.	AI P	arpor	o Or	1000	101	1001110	. 000		G
4	to	6	ft.					1.8	30 1	.50	1.35
6	to	8	ft.					2.4	10 2	2.25	
8	to	9	ft.					3.3	30 3	3.00	
								4.2		3.75	
10	to	12	ft.,	11/2	in.			5.2	25		

decorg. 20'-25'

Showy Mountain Ash

Certainly worthwhile for the lovely big red fruits, which sometimes are a half inch in diameter. Hardy and rare.

to 5 ft.

12 to 15

1½ to 2

prunifolia. 7'-8'

to 3

to 4

to 3

trichocarpa. 5'-6'

1½ to 2 to 3

van houttei.

to 4

to 5

3

thunbergi. 4'-5'

SPIRAEA bumalda Anthony Water Flat topped heads of rose pin summer. Compact useful shru

15 to 18 in.

ft.

The erect branches are in May the profusion of tiny double w in clusters along the upper s green foliage turns orange an to 3 ft.

ft.

Even finer than "arguta" this fe bank of snow in April when e white flowerlets. Orange an 1½ to 2 ft.

Quite similar but coarser than about three weeks before this

ft.

ft.

ft.

6'-8' Generally "overdone" but ne June, when the arching bran snowy garlands which defy

in.

ft.

ft.

ft.

			66
	Each	Ten Hu	ndred
er. 3'	1	Waterer S	pirea
k flow		e produce	
ab for	"facing	a" tall bo	order.
	.35	.30	.27
	.48	.42	.36
	.55	.50	.45
	.65	.30 .42 .50 .60	.54
		Bridal W	
y grac	efully c	arched over	er by
		that are l	
		andsome	
d fina		rlet in aut	tumn.
	.50	.45 .54	
	.60	.54	.48
	Th	nunberg S	pirea
athery	light g	reen shruk	o is a
very t	wig bed	ars its quo	ota of
nd sca	rlet au	tumn colo	oring.
	.40	.35	
	.50	.45	.40
		Korean S	nirea
77	TT44-		_
noat b	Houtte	which flo preading	huch
	.40 .50	.35 .45	.30
	.70	.65	.60
	.90	.00	.00
		Houtte S	
		ry beautif	
nches	are tro	ansformed	into
descri	otion.	Fortunatel	y no
aea bi	ii spac	e it must o" its gr	nave
idily (or nor	o ns gr	JWIII.

40

special soil or location is need and please don't prune form 1½ to 2 ft. 30

2	to	3	ft.	•••••	.40	.35	
3	to	4	ft.	***************************************	.50	.45	
4	to	5	ft.	***************************************	.65	.60	

STAPHYLEA colchica. 10'-12' Colchis Bladdernut

Interesting because of its pale green inflated seed pods but not showy. In June the upright clusters of yellowish white flowers can be traced by their delicate fragrance.

2 to	3	ft	80	.70
3 to	4	ft	1.00	.90
4 to	5	ft	1.25	1.00
5 to	6	ft	1.50	1.35

Cutleaf Stephanandra STEPHÄNÄNDRÄ flexuosa. 5'-6'

Graceful arching branches well clothed with finely cut bright green leaves changing to reddish purple in

o o c c c c c c		2.4	0,01	920110	000	02	1101101	~	abolai	777707.	
11/2	to	2	ft.				.40		.35	.30	
2	to	3	ft.	************			.50		.45		
2	+0	1	£1				60		55		

The individual groups of evergreens—trees shrubs, listed on pages 124-127, according to size and shape may help you select for a specific purpose.

Each Ten Hundred

STEWARTIA pentagyna. 12'-15'

Mountain Stewartia

Throughout June surprisingly handsome white bowl-shaped flowers three inches across, continue to open on the young branches. The centre of each flower is accentuated by a mass of golden yellow anthers. The cinnamon brown boark and interesting branching habit commend it for winter effect too. Little known and rarely used this handsome fellow will warm the heart of any plant lover.

2	to	3	ft.	B.	&	В	2.50	2.25
3	to	4	ft.	B.	&	В	3.50	3.00
4	to	5	ft.	B.	&	B	4.20	3.60
5	to	6	ft.	B.	8	В	6.00	

pseudo-camellia. 25'-30'

Japanese Stewartia

Why has this lovely thing been overlooked or neglected? The erect growing branches of young plants quickly indicate a more erect tree, but this is just as desirable as its Mountain relative. Cup shaped white flowers are slightly smaller but the foliage is just as handsome, and when older the reddish bark peels off in large flakes.

4	to	5	ft.	B.	&	В	4.50	
5	to	6	ft.	B.	&	В	6.00	5.40
6	to	8	ft.	B.	&	В	7.50	6.75
8	to	9	ft	B	2	R	10.00	

STRANVAESIA davidiana. 12'-15'

Chinese Stranvaesia

EVERGREEN. Handsome indeed where the loose bunches of orange scarlet berries shine out against the rich deep green broad leaves. Given a sheltered spot it will well repay one.

2	to	3	ft.	В. &	В	2.25	1.80
3	to	4	ft.	Β. δ	В	3.75	3.30
4	to	5	ft.	В. &	В	5.25	4.80

— undulata. 8'-10'

Low Stranvaesia

EVERGREEN. Quite similar to the type but has slightly smaller more wavy leaves and the berries are orange.

3	to	4	ft.	B.	&	В	3.30	3.00
A	4-		12	D	2	D	5.25	

STYRAX japonica. 18'-20'

Japanese Snowbell

To say merely "a beautiful tree" is almost a travesty on this comparatively unknown subject. In July the wide spreading branches are closely strung with nodding pure white bells, an exceedingly handsome picture. Specimens or lawn plants are more effective than in mass.

2	to	3	ft.		.60	.54	.48
3	to	4	ft.		.90	.80	
4	to	6	ft.		1.65	1.50	
6	to	8	ft.	***************************************	2.40	2.10	
8	to	10	ft.		3.30	3.00	
10	to	12	ft.		4.80		

obassia. 25'-30'

Fragrant Snowbell

Strikingly large round handsome leaves partially hide the well shaped white flowers but the fragrance causes one to look up and find the loose bunches along the branches. Rarely seen but splendid, appreciated when known.

6	to	8	ft.	B. &	В	6.00
10	to	12	ft.	specimens.	B. & B.	13.50

S

S

								Each	1	Ten	Hu	ndred
SYM	PHO	RIC.	ARI	POS	chenau	lti. 3	3'-4'	Ch	ena	ult C	oral	berry
	hybri	id.	Alv	vays	ement o neat dsome	and ·	well fu	ırnishe	d i	n app	pea	rance
				the b	ounches	s of c	coral r	ed frui	ts,	which	pe 1	ersist.
	1 1/2			ft.						.30		.27
	2		3 4	ft. ft.						.50		.36
	cemo											berry
	the w	rillo	wy	bran	ne larg sches in opiest	Sep	tember	, wide	ly u	sed f	or i	nside
	1 1/2			ft.						.30		.27
		to		ft.				.45		.40		.36
	3	to	4	ft.				.55	5	.50		.45
	lgari		4'-5									berry
]	Like i	the ct c	Sno loes	wber wel	ry is n l even	ot fas in c	stidious a dry :	as to shady	soil pla	ce w	loc her	ation, e the
					erries							
4	Some				ggling							
	11/2									.30		.27
		to	3	ft.				.40		.36		.33
	3	to	4	ft.			· · · · · · · · · · · · · · · · · · ·	.50	,	.45		.40
			_		ata. 2					rquoi		
					vell gro							
					erries c							
					in auti vers ar							
					mches							
	3	to	4	ft.				1.35		1.20	-	1.00
	4	to	5	ft.				2.00		1.80		1.65
		to	6	ft.				3.00		2.70		2.40
	6	to	8	ft.				3.50)	3.00		
					12′-15					Chine		
					branch ers. T							
					than							
	11/2		2	ft.				.55		.50		.45
		to	3	ft.				.70		.65		.60
	3	to	4	ft.				.90		.80		.75
	saug							-		Chine		
					riety v							
					Grow and							
·	11/2											.45
		to	3	ft.				.70		.65		.60
		to	4		***************************************			.90		.80		.75
per	sica.	8'	-10'							Persi	an	Lilac
Ι	Doubt	less	wi	ll alv	vays b	e pop	ular fo	r its fr	agr	ant p	ale	lilac
f	lowe	rs T	whi	ch a	re loo	sely	arrang	ged on	th	in b	and	ches.
	11/2		2							.55		
			3					.75		.70		
	3	to	4:	ft.	•••••			1.00		.90		
											-	-

A broad mat of the lovely blue Plumbago is a thrilling picture—and it is so easy to grow too.

SY

YRINGA—Continued	Each	Ten Hu	ndred
vulgaris. 12'-15'	Commo	n Purple	Lilac
A great old commoner, the mere me			
fails to recall the delicious fragrance			
ciation with man from early days, h			
tion. The lovely flowers will smile given a sunny spot with sweet soil.			
1½ to 2 ft.	.40	.36	.33
2 to 3 ft	.60	.54	.42
3 to 4 ft.	.75	.65	.60
— αlbα. 12'-15'	Commo	n White	Lilac
Is the white form more fragrant? Just			
1½ to 2 ft	.45	.40	.36
2 to 3 ft	.65	.60	.54
3 to 4 ft	.80	.75	.65
Named Hybrids. 8'-15'		Hybrid	Lilac
Alphonse Lavalle. Med. sized, double	flowers	, lilac.	A. B.
Charles Joly. Double bright purple-cr	imson.		В.
Diderot. Single dark red.			В. С.
Ed. Andre. Double rose pink.			В. С.
Emil Gentil. Bright cobalt blue and red	ally dou	ble. B.	C. D.
Jean Mace. Very large double purple	-blue.	A. B.	C. D.
Katherine Havemeyer. Large double	mauve.	A. B.	C. D.
Ludwig Spaeth. Large single narrow	purple o	clusters.	A. B.
Michael Buchner. Double, pinkish flov	vers.	A. B.	C. D.
Paul Thirion. Double. Lovely claret ro	se-red b	ouds. A.	В. С.
President Fallieres. Great trusses dou	ble rosy	lilac.	В. С.
President Grevy. Soft blue-violet doub	ole flowe	ers. A. B.	C. D.
President Poincaire. Double violet.		В.	C. D.
Reamur. Single dark satiny carmine.			C.D.
Rubra de Marly. Single bluish lavend	der.		C. D.
A. 1½ to 2 ft	.85	.75	
B. 2 to 3 ft	1.20	1.05	
C. 3 to 4 ft	1.80	1.65	
D. 4 to 5 ft	2.40		



- T -

Each Ten Hundred

TAXUS baccata compacta. 10'-12' Compact English Yew

ALL EVERGREEN. Shaped like an enormous black-green egg standing on broad end. Stiff ascending branches.

15 to 18 in. B. & B....... 2.25 5 to 6 ft. B. & B....... 12.00

- ovata. 12'-15'

Oval Yew

Comparatively new and a worthwhile kind. Quite upright and narrow in youth but develops into a narrow compact oval shaped column of deep green. A splendid form.

15 to 18 in. B. & B....... 2.00 1.80 3 to 4 ft. B. & B....... 6.75

— repandens. 2'-3'

Spreading English Yew

Winter coloring is particularly rich when the long curved leaves constitute the darkest green spot in the landscape. Spreading horizontal branches form a most useful bush for low plantings or large rock work; makes handsome edging.

12 to 15 in. spread, B. & B..... 2.25 2.00

canadensis. 3'-4'

Canada Yew

Under the dense shade of Pines and Hemlocks on a moist cool slope, this "ground Hemlock" is the ideal ground cover. Altho extremely hardy must not be exposed to winter sun.

12 to 15 in. spread, B. & B..... 2.25 2.00 15 to 18 in. spread, B. & B..... 3.00 2.70 1½ to 2 ft. spread, B. & B..... 3.75 3.30 2 to 2½ ft. spread, B. & B..... 5.25

- stricta. 2'-21/2'

Dwarf Hedge Yew

Added to its inherent hardiness the compact bushy character of this newcomer makes it a thoroughly dependable evergreen hedge plant. Withstands severe clipping, retains a dark green color throughout the year.

12 to 15 in. B. & B....... 2.25 2.00 15 to 18 in. B. & B....... 3.00 2.70 2½ to 3 ft. B. & B....... 6.75

cuspidata. 12'-15'

Japanese Yew

Vigorous, hardy, most dependable and practically naturalized gives promise of becoming as venerable here as the English Yew in its homeland. Unless pruned occasionally will attain tremendous spread with an open centre. Splendid dark green leaves are often bejeweled with brilliant crimson fruits in autumn, a "christmasy" effect. No better evergreen hedge plant. Bushy plants.

errect.	140 T	perret	everg	een	neage	piani.	Dusity	piants.
12 to	15	in. s	pread,	B. 8	В	1.80	1.65	1.50
15 to	18	in. s	pread,	В. δ	ъ В	2.25	2.10	1.80
1½ to	2	ft. s	pread,	В. δ	В	3.30	3.00	2.70
2 to	21/2	ft. s	pread,	В. δ	B	4.50	4.20	3.75
$2\frac{1}{2}$ to	3	ft. s	pread,	В. δ	В	6.00	5.40	4.80
3 to	31/2	ft. s	pread,	В. б	В	8.40	7.70	
$3\frac{1}{2}$ to						11.00	10.00	
4 to	5	ft. s	pread,	В. 8	В	16.50		

24.00

- Anderson form. 12'-15'

Anderson Yew

Grow	7S 6	even	more	e freely	bu'	t needs	the knife.	A fine	hedge.
15	to	18	in.	spread,	B.	& B	2.25	2.10	1.80
1 1/2	to	2.	ft	spread	B	& B	3.30	3.00	2 70

2 to 2½ ft. spread, B. & B.... 4.50 4.20 2½ to 3 ft. spread, B. & B. ... 6.00 5.40 3 to 3½ ft. spread, B. & B.... 8.40 7.70

ft. spread, B. & B.....

TAXUS cuspidata—Continued.

Each Ten Hundred

- capitata. 20'-25'

Tree Form Japan Yew

This is really the typical Japanese Yew from which the spreading bush form has sprung. Handsome indeed are the broad well filled pyramids so effectively used in formal gardens or a lawn specimen, and even as tub plants. Perfectly adapted for the taller hedge. Very striking with young growth in spring. Sheared or natural.

11/2	to	2	ft.	B.	&	В	2.40	2.25	1.95
2	to	21/2	ft.	В.	&	В	3.30	3.00	2.70
21/2	to	3	ft.	В.	&	В	4.50	4.20	
3	to	31/2	ft.	B.	&	В	6.00	5.40	
31/2	to	4	ft.	B.	&	В	8.40		
4	to	5	ft.	В.	&	В	11.00	10.00	
5	to	6	ft.	В.	&	В	15.00	13.50	
6	to	7	ft.	В.	&	В	19.50	18.00	
7	to	8	ft.	B.	&	В	24.00		

— compact form. 6'-8'

Compact Japanese Yew

Because of its distinct very compact habit we selected this variety and have propagated only the best. Grows slowly and without any pruning remains a well filled bush of rich dark green. Will eventually be demanded.

1 1/2	to	2	ft.	spread,	В.	8	В	5.25
2	to	21/2	ft.	spread,	B.	&	В	7.50
21/2	to	3	ft.	spread,	В.	&	В	12.00

- densa. 4'-5'

Dense Japanese Yew

From the Arnold Arboretum—a dwarf very compact type with many ascending branches forming a rounded bush.

9 to 12 in. B. & B....... 2.25 2.10

— nana (brevifolia). 5'-6'

Dwarf Japanese Yew

Conservative and careful, it takes time for this member to assume proportions becoming the dignity of such an aristocrat. Irregularly spreading in growth it will merge with rock garden planting or is excellent for permanent low effects. Intense blackish green leaves are enhanced by the coldest winter. Various shapes available.

6	to	9	in.	spread,	В.	S	В	1.20	1.10	1.00
9	to	12	in.	spread,	В.	δ	B	1.80	1.65	1.50
12	to	15	in.	spread,	В.	&	В	2.70	2.40	2.25
15	to	18	in.	spread,	В.	&	В	3.75	3.30	3.00
11/2	to	2	ft.	spread,	В.	&	В	4.80	4.50	4.20
2	to	21/2	ft.	spread,	В.	&	В	6.75	6.30	
21/2	to	3	ft.	spread,	В.	&	В	10.00	9.00	
3	to	31/2	ft.	spread,	B.	&	B	13.50		

- Upright form. 4'-5'

Dwarf Upright Yew

After many years we can offer this very slow growing gem. It has the thick blackish green foliage of "nana" but the branches grow erect to form a rugged little cone.

12	to	15	in.	В.	&	В	3.75	3.30
15	to	18	in.	B.	&	В	4.80	4.50
1 1/2	to	2	ft.	В.	&	В	6.00	

- nigra. 6'-8'

Black Japanese Yew

Compact bushes are slowly formed by many ascending branches clothed with the blackest green leaves.

				spread,				3.25	3.00
10	1O	10	111.	spreau,	D.	CX	D	0.40	5,00
11/2	to	2	ft.	spread,	B.	&	В	4.50	4.00
2	to	21/2	ft.	spread,	В.	&	В	6.75	6.00
21/2	to	3	ft.	spread,	В.	&	В	7.50	6.75

TAXUS cuspidata—Continued	Each	Ten H	undred
— sieboldi. 12'-15'			d Yew
A vigorous bushy "cuspidata" that	develops		
in a few years. Quickly forms a st			
15 to 18 in. B. & B	2.40	2.25	1.95
1½ to 2 ft. B. & B	3.30	3.00	2.70
2 to 2½ ft. B. & B 2½ to 3 ft. B. & B	4.80 6.75	4.50 6.30	
2½ to 3 ft. B. & B 3 to 3½ ft. B. & B	10.00	9.00	
3½ to 4 ft. B. & B	13.50	0.00	
media. 12'-15'		Hybrid	l Yew
Quite similar but more vigorous ar			
Doubtless one of the handsomest supplying the deep green note. Form			
12 to 15 in. spread, B. & B	1.80	1.65	1.50
15 to 18 in. spread, B. & B	2.40	2.25	1.95
1½ to 2 ft. spread, B. & B	3.30 4.80	3.00	2.70
2 to 2½ ft. spread, B. & B 2½ to 3 ft. spread, B. & B	6.75	4.50 6.30	
3 to 3½ ft. spread, B. & B	10.00	9.00	
browni. 5'-6'		Brown	s Yew
The broad upright bushy charact	ter is fi	irst clas	ss for
hedging—needs but little pruning	to keep	it in	shape
—good color all winter. A favor			
12 to 15 in. B. & B 15 to 18 in. B. & B	1.80 2.40	1.65 2.25	1.50
15 to 18 in. B. & B 1½ to 2 ft. B. & B	3.30	3.00	2.70
2 to 2½ ft. B. & B	4.80	4.50	4.20
2½ to 3 ft. B. & B	6.75	6.30	
hatfieldi. 12'-15'		Hatfield	Yew
Forms a compact perfectly furnished			
offers many possibilities especially			
Probably the most desirable up:	2.25	1.95	1.80
15 to 18 in. B. & B 1½ to 2 ft. B. & B	3.00	2.70	2.25
2 to 2½ ft. B. & B	4.50	4.20	3.75
2½ to 3 ft. B. & B	6.00	5.40	
3 to 3½ ft. B. & B	9.00		
3½ to 4 ft. B. & B	12.00		
— hicksi. 10'-12'		Hicks	Yew
A hardy substitute for the columna	ar Irish Y	Yew. U	pright
branches are clothed with typica Planted closely you have a ready	l dark	green le	
12 to 15 in. B. & B	1.20	1.10	1.00
15 to 18 in. B. & B	1.80	1.65	1.50
1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	2.50	2.25	2.00
2 to 2½ ft. B. & B 2½ to 3 ft. B. & B	3.75 5.25	3.50 4.80	3.25 4.50
3 to 3½ ft. B. & B	8.00	7.20	6.75
3½ to 4 ft. B. & B	10.00	9.00	
wellesleyana. 8'-10'	W	/ellesley	Yew
Another child of Hatfield's that pron	nises to b	e outsta	nding
as a real hardy substitute for Iris	sh Yew.	The c	losely

packed branches all grow upward to make, in youth at least, a well shaped fat column well furnished with thick rich green leaves. This will surely remain popular.

В. & В.....

В. & В.....

В. & В.....

В. & В.....

2.00

2.75

4.00

6.00

1.80

2.50

1.65

2.25

12

15

to

to 18 in.

to

11/2 to

15 in.

2 ft.

21/2 ft.

FINISHED YEW HEDGES

Prompted by a number of requests we have been growing some Yew hedges of various shapes and sizes and now offer these well clipped compact hedges. Inspection invited.

TAXUS cuspidata

Japanese Yew

560 Lineal feet. Clipped round.

18 to 21 inches tall, 18 to 21 inches broad.... 3.75 per foot

TAXUS cuspidata sieboldi

Siebold Yew

65 Lineal feet. Clipped square. Flat top and sides. 28 inches tall by 24 inches broad

7.50 per lineal foot

TAXUS cuspidata capitata

Tree Form Japan Yew

150 Lineal feet. Formal pyramid. Clipped to a point. 3 to 31/2 feet tall by 18 to 20 inches at base. 6.75 per foot

TAXUS cuspidata Clipped cubes

Topiary Yew

Ideal for formal gardens or finishing the end of hedges.

11/2	to	2	ft.	x	11/2	ft.	В.	E	В	7.50	each
2	to	21/2	ft.	x	2	ft.	B.	&	В	10.00	each
21/2	to	3	ft.	x	2	ft.	B.	&	В	13.50	each
3	to	31/2	ft.	x	21/2	ft.	В.	&	В	18.00	each

Each Ten Hundred

TEUCRIUM chamaedrys. 15"-18"

Germander

EVERGREEN. Interesting rock garden shrub with glossy deep green leaves and rose-purple flowers in loose spikes. successfully used to substitute Boxwood edging.

Out he successionly used to substitu	uic Don	wood	caging.
21/4" Pots	.25	.20	.15
2 year fieldgrown	.30	.24	.18

Alpines and rock plants are listed alphabetically in the perennial chart—a really notable collection.

THUYA. ALL EVERGREEN

occidentalis. 30'-35'

American Arborvitae

Certainly a most prolific species giving rise to many handsome widely differing forms. Too often is this "Tree of Life" prejudged in its infancy, for surely does it assume its natural place among the patriarchs of the tree world. Generally useful for hedging or formal work, its well clothed pyramidal outline can be sheared severely without hurt. Brown inside foliage can be vigorously shaken out in early spring. Most Arborvitaes prefer a moist place.

11/2	to	2	ft.	В.	8	В	1.35	1.20	1.05
2	to	21/2	ft.	B.	&	В	1.80	1.65	1.35
21/2	to	3	ft.	B.	&	В	2.25	2.10	1.80
8	to	10	ft.	B.	&	В	10.00		
10	to	12	ft.	B.	3	В	13.50		
12	to	14	ft.	В.	&	B	15.00		

— douglasi aurea. 15'-20'

Douglas Golden Arborvitae

Bronzy yellow foliage clothes the well shaped pyramid. Very hardy and quick growing. Quite attractive in spring.

3	to	4 100	ft.	В.	&	В	3.00
4	to	5	ft.	B.	&	В	4.00
5	to	6	ft.	B.	&	В	5.25
	to			B.	&	В	6.75
7	to	8	ft.	В.	&	B	9.00
8	to	10	ft.	B.	&	В	12.00

F. & F. NURSERIES Each Ten Hundred THUYA occidentalis—Continued 15'-20' Goldtip Arborvitae elegantissima. Fleshy lustrous green leaf-branches are in spring conspicuously tipped with gold but retain their vivid green throughout the winter. A well formed broad based pyramid. This is one of the finest of the varieties. B. & B..... 5 ft. B. & B..... 6 ft. - globosa. 3'-4' Globe Arborvitge A little ball of light green just made for formal designs. 12 to 15 in. B. & B...... 1.20 1.05 B. & B..... 18 1.50 1.35 to in. В. & В..... 1.80 11/2 to 2 ft. 2.00 - Little Gem. 2'-3' Little Gem Arborvitae Apparently has been overlooked for whenever seen this appropriately named little fellow rarely fails to excite admiration and desire to possess. Hugging the ground all through life it slowly spreads and expands in billowy humps creating an age old effect. For edging, a low informal hedge, or any low planting, fitting and permanent. 12 in. spread, B. & B.... 15 in. spread, B. & B.... 18 in. spread, B. & B.... 2 ft. spread, B. & B.... 2½ ft. spread, B. & B.... 1.05 1.80 1.50 1.35 2.40 2.25 to 2.10 11/2 to 3.30 2.70 4.50 4.20 to -lutea. 12'-15' Geo. Peabody Arborvitae Conspicuous at all times with bright yellow foliage throughout the well shaped pointed column. Helped by trimming. ft. В. & В..... 6.75 B. & B..... 7 8 ft. 9.00 to ft. В. & В..... 8 10 12.00 В. & В..... ft. to 13.50 - nigra. 30' Dark American Arborvitae Selected for its remarkably dark green foliage which retains its color far better than the type. Typical growth. В. & В..... ft. - pumila. 3'-4' Dwarf Arborvitae In juvenile stage practically a globe but eventually becomes a notably round topped bush. Very dependable. 15 to 18 in. B. & B..... 1.50 1.35 11/2 to 2 ft. B. & B..... 2.00 1.80 1.65 to 21/2 ft. В. & В..... 2.70 2.40 pyramidalis. 25'-30' Pyramidal Arborvitae In a narrow column clothed with lively green foliage that B & B

retains its color throughout winter. Useful alike in formal or informal planting for the spire-like shafts or as a hedge. 1.20 1.65

1/4	tO	4	IL.	D.	CX	D	1.00	1.00
2	to	21/2	ft.	B.	&	B	2.00	1.80
21/2	to	3	ft.	B.	&	В	2.40	2.25
3	to	4	ft.	B.	&	В	3.00	
4	to	5	ft.	B.	&	В	4.00	
5	to	6	ft.	В.	&	B	5.25	
6	to	7	ft.	B.	&	В	6.75	6.00
7	to	8	ft.	B.	&	В	8.40	7.70
8	to	10	ft.	B.	&	В	11.00	10.00
10	to	12	ft.	B.	&	В	13.50	

rosenthali. 8'-10'

Rosenthal Arborvitae

Decidedly worthy of wider use, as it grows slowly and its knobby rugged appearance improves with age, maturing as a "weathered" column of dark green.

ft. 2½ to 3 В. & В.....

THUYA occidentalis—Continued

Each Ten Hundred

— vervaeneana. 10'-12'

Vervaen Arborvitae

Another broad pyramid of exceptional vigor and hardiness. The foliage varies from green to yellow and bronze.

5 to 6 ft. B, & B....... 5.25

— wareana. 12'-15'

Exceedingly hardy, this dense growing form makes a splendid hedge although as a spot plant its rugged broad pyramid is worthy of consideration. Improves with age.

orientalis (BIOTA). 25'-30' Oriental Arborvitae

Flat fan like branches pressed together "on end" form at first an oval shape column brilliantly clothed in emerald green foliage. Develops into a bushy pyramidal tree. 1½ to 2 ft. B. & B........ 1.35 1.20 1.05 2 to $2\frac{1}{2}$ ft. B. & B....... 1.80 1.65 1.35

— αureα conspicua (BIOTA).
 10'-12' Goldspire Arborvitae
 Gayly dressed in bright yellow foliage that deepens to glowing old gold and warm brown in winter. Columnar.
 3 to 4 ft. B. & B........ 4.50

— aurea nana. 4'-5'

From the "bed plant" to old age the same compact neat egg-shape mass is retained, changing from the brilliant yellow high lights of spring to warm reddish brown tones, topped with gold in winter. Popular for edging.

12 to 15 in. B. & B....... 1.80 15 to 18 in. B. & B...... 2.40 1½ to 2 ft. B. & B...... 3.00

— elegantissima (BIOTA). 10'-12' Yellow Column Arborvitae
In outline a broad swelling column, quite compact and well
furnished. Few if any conifers can compare favorably to
this handsome bush for warm rich coloring throughout the
year. Spring covers the surface with sparkling yellow tips
ripened by the summer sun to golden brown, and winter
brings out the rich reddish bronze coat flecked with
yellow brilliants, with vivid green inside.

yellow brilliants, with vivid green inside. $2\frac{1}{2}$ to 3 ft. B. & B....... 3.00 3 to 4 ft. B. & B....... 4.50 4 to 5 ft. B. & B....... 6.00

plicata atrovirens (lobbi). 35'-40' Giant Arborvitae
Lustrous green fleshy leaves clothe the branchlets assuming warm bronze tones in winter. Given a sunny reason-

ing warm bronze tones in winter. Given a sunny reasonably moist spot will quickly develop into a splendid dignified irregular tree. Quite unlike any other Arborvitae.

B. & B....... 2.00 B. & B...... 2.40 B. & B...... 3.00 21/2 ft. 1.80 to 2½ to 3 / ft. 2.25 2.10 В. & В..... 2.70 to 4 ft. В. & В..... to 5 ft. 4.00 В. & В..... to 6 ft. 5.25 B. & В..... to 8 ft. 6.75

standishi. 12'-15'

Rather sorrowful but provides a welcome "break" with its open branches, irregular pyramidal habit and coarse growth. The south side tones to a warm bronze in winter.

B. & B...... 2.40 B. & B..... 3.00 3 ft. 2.10 to 2.70 4 2.40 to ft. B. & B...... B. & B..... 5 ft. 4.00 3.60 4 to 6 ft. 5.40 to 7 В. & В..... ft. 6.75 to

7 to 8 ft. B. & B....... 9.00 8 to 10 ft. B. & B....... 12.00

10 to 12 ft. B. & B....... 13.50

Each Ten Hundred

TILIA americana. 80'-90'

American Linden

In a fairly moist location this native Basswood will, once started, quickly develop into a large limbed round topped tree, handsome in its dress of great heart shaped leaves, conspicuous in June when the fragrant flowers attract bees.

12	to	14	ft.,	2	to	21/2	in	5.25	4.80
12	to	14	ft.,	21/2	to	3	in	6.75	6.00
14	to	16	ft.,	3	to	31/2	in	9.00	8.10
16	to	1.8	f+	31/2	+0	Λ	in	12.00	

cordata. 70'-80'

Littleleaf European Linden

Generally conceded the best form for street planting as the dark green leaves remain good until late autumn. The compact low branched head is particularly fitted to lawn purposes where the branches make a natural canopy.

purp	0505	VV I.	1616	(IIC	. 21	anci	ies make	· u	maranan	carropy.
10	to	11	ft.,	11/2	to	13/4	in	4.50	4.00	3.60
11	to	12	ft.,	13/4	to	2	in	5.40	5.00	4.50
12	to	14	ft.,	2	to	21/2	in	6.75	6.00	5.40
12	to	14	ft.,	$2\frac{1}{2}$	to	3	in	9.00	8.10	
12	to	14	ft.,	3	to	31/2	in	12.00		
14	to	16	ft.,	31/2	to	4	in	13.50		

euchlora. 70'-80'

Crimean Linden

Shiny yellow branchlets, distinctive—good clean foliage.

	2 2					,		3	
8	to	10	ft.,	1 1/4	to	11/2	in	3.75	3.30
10	to	12	ft.,	1 1/2	to	13/4	in	5.25	4.80
10	to	12	ft.,	13/4	to	2	in	6.75	6.30
12	to	14	ft.,	2	to	21/2	in	9.00	
12	to	14	ft.,	21/2	to	3	in	12.00	

platyphyllos (grandiflora). 80'-100' Bigleaf European Linden

Maybe not as popular as the small leaved brother but a robust handsome fellow that has made famous the stately avenues of Europe. Both types are often formally clipped.

aver.	lues	OI	Luioj	00.	DOUL	rAF	es are	Orten	TOTTILGITY	cupped.
10	to	11	ft.,	1 1/2	to	13/4	in	4.00	3.60	3.30
11	to	12	ft.,	13/4	to	2	in	5.2	5 4.80	4.20
12	to	14	ft.,	2	to	21/2	in	6.7	6.00	5.40
12	to	14	ft.,	21/2	to	3	in	9.00	8.10	7.50
14	to	16	ft.,	3	to	31/2	in	12.0	0 11.00	
14	to	16	ft.,	31/2	to	4	in	13.5	0	

- pyramidalis. 40'-50'

Pyramidal Linden

For narrow avenues or even an accent tree this would be a good choice as the clean branches all grow upward.

8	to	10	ft.,	11/2	to	13/4	in	7.50
10	to	12	ft.,	13/4	to	2	in	10.00

tomentosa. (argentea) 50'-60'

Silver Linden

Few trees could be more handsome than this striking species. The heart-shaped leaves are green above and silvery white beneath. Grows into a compact specimen, in June surrounded by bees gathering honey from the sweetly fragrant greenish yellow flowers.

	2			2		2		
8	to	10	ft.,	11/2	to	13/4	in	5.25
10	to	12	ft.,	13/4	to	2	in	6.75
10	to	12	ft.,	2	to	21/2	in	9.00
12	to	14	ft	21/2	to	3	in	12.00



Each Ten Hundred

TSUGA canadensis. 70'-80'

Canada Hemlock

EVERGREEN. Grace, dignity and beauty have conspired successfully to make this American a living example of magnificent stateliness. With plenty of space the tree claims right to its noble forest stature, but is willing to be clipped into hedges—splendid walls of close textured green. Half shade or a north slope is preferred but sun is alright too.

2	to	21/2	ft. B.	&	В	2.40	2.25	1.95
21/2	to	3	ft. B.	&	В	3.00	2.70	2.40
3	to	4	ft. B.	&	В	4.50	4.20	3.75
4	to	5	ft. B.	&	В	6.00	5.40	
5	to	6	ft. B.	&	В	8.40		
6	to	7	ft. B.	&	В	12.00		
7	to	8	ft. B.	&	В	15.00		
10	to	12	ft. specimer	ıs,	B. & B.	36.00		
12	to	14	ft. specimen	ns,	B. & B.	48.00		
14	to	16	ft. specimer	ıs,	B. & B.	60.00		

- fremdi. 15'-20'

Fremd Hemlock

Slowly but surely this aristocrat develops into a most handsome specimen, broadly pyramidal in outline. Rich foliage is crowded on branchlets completely clothing whole

2	to	21/2	ft.	В.	&	В	8.00
21/2	to	3	ft.	В.	3	В	10.00
3	to	31/2	ft.	В.	&	В	12.00

- pendula. 6'-8'

Sargent Weeping Hemlock

EVERGREEN. Makes a tremendous mound of wavy outline many times broader than high, always well clothed and neat. Like all good things it develops slowly but becomes a real possession in your "personal effects."

21/2	to	3	ft.	spread,	В.	8	B	10.00	9.00
3	to	31/2	ft.	spread,	В.	&	В	12.00	11.00
31/2	to	4	ft.	spread,	В.	&	В	15.00	13.50
4	to	5	ft.	spread,	В.	&	В	19.50	18.00
5	to	6	ft.	spread,	В.	&	В	24.00	21.00
6	to	7	ft.	spread,	В.	&	В	30.00	27.00

diversifolia. 40'-50'

Japanese Hemlock

With us a very slow grower with short blunt yew-like leaves evenly dispersed on reddish branchlets. Side branches are short and horizontal forming a graceful pyramid of rich dark glossy green foliage. Quite hardy.

11/2	to	2	ft.	В.	&	В	4.00	
2	to	21/2	ft.	B.	&	В	5.25	
21/2	to	3	ft.	В.	&	В	6.75	6.00



- U -

Each Ten Hundred

ULMUS americana. 100'

American Elm

Almost wherever you go the lofty arching branches silently pronounce a benediction on the traveller. No tree it would seem can be more majestic than our dear old American Elm, a tower of strength, grace and beauty.

12	to	14	ft.,	2	to	21/2	in	4.80	4.50
12	to	14	ft.,	21/2	to	3	in	6.00	5.40
14	to	16	ft.,	3	to	31/2	in	8.40	7.50
16	to	18	ft	31/2	to	4	in	12.00	
								16.50	

- molini. 80'-100'

Moline Elm

Unexpected in the Elm family, nevertheless a most useful and handsome member is this vigorous youngster of broad conical outline clad in splendid large leaves. Ideal for narrow streets, or even for tall screening purposes.

8	to	10	ft.,	1 1/4	to	11/2	in	2.70	2.40
10	to	12	ft.,	11/2	to	13/4	in	3.75	3.30
10	to	12	ft.,	13/4	to	2	in	4.50	
12	to	14	ft.,	2	to	21/2	in	5.40	4.80
14	to	16	ft.,	21/2	to	3	in	7.50	6.75
16	to	18	ft.,	3	to	31/2	in	10.00	
16	to	18	ft.,	31/2	to	4	in	13.50	
18	to	2.0	ft .	4	to	5	in	18.00	

- vase shaped. 80'-100'

Vase Elm

Selected to emphasize the graceful lines of the vase shape top, and it has handsome foliage to boot. Where uniform shape is desired these budded trees must be used.

14 to 16 ft., 2½ to 3 in..... 7.50

__ v __

VACCINUM corymbosum. 6'-8'

Highbush Blueberry

Apart from the delicious "huckleberries," here is a handsome shrub of many uses. In sour swampy places brilliant coloring of the foliage is an annual pageant and even the clusters of waxy white bell flowers are remarkable.

2	to	3	ft.	В.	&	В	2.40	2.25
3	to	4	ft.	В.	&	В	3.60	3.30
4	to	5	ft.	В.	&	В	5.25	4.80

VIBURNUM acerifolium. 5'-6'

Mapleleaf Viburnum

Altho not striking, the heads of white May flowers result in bunches of glittering black berries that in autumn stand out against the gorgeous pink to purple foliage. Naturally a shade lover, even in dense woods great masses abound.

		,		 		
11/2	to	2	ft.	 60	.54	
2	to	3	ft.	 75	.70	.60

americanum. 10'-12' American Cranberry Bush

./0 ./0 .00

11/2	to	2	ft.		.45	.40	.36
2	to	3	ft.		.60	.54	.48
3	to	4	ft.	***************************************	.75	.65	.60
4	to	5	ft		90	80	

carlesi. 4'-5'

Fragrant Viburnum

Waxy pink, deliciously fragrant flowers appear in little round clusters as the leaves are unfolding. Not easily grown it is wise to select well drained sunny spot where you can keep it moist in the summer. Broader than tall.

79	SPRIN	GFIELD,	N. J.
VIBURNUM—Continued	Each	Ten Hu	
cassinoides. 6'-8'		11.00	herod
Color starts in June with the large clupreceding green berries which in tu	usters of	white the	wers,
finally blue black. Leathery leave			
crimson and purple in autumn.	Prefers	a moist	spot.
1½ to 2 ft	.60	.54	
2 to 3 ft	.75 1.00	.70 .90	
3 to 4 ft	1.50	.90	
dentatum. 10'-12'	2.00	Arrow	Wood
Has creamy white flowers in May a	nd hlack		
Purple and red shades are typical f	or autun	nn dress,	seen
to best advantage when massed in	half sha	dy moist	spot.
1½ to 2 ft	.40	.36	
2 to 3 ft	.50 .70	.45 .65	
3 to 4 ft	.90	.80	
		1 771	
dilatatum. 8'-10'		den Vibu	
Here again time is needed to bring acter of this shrub. Handsome ro			
clusters of creamy flowers and glitter			
winter are a few of its assets. N	o pruni	ng neces	sary.
1½ to 2 ft	.60	.54	
2 to 3 ft	.80 1.00	.70 .90	
3 10 4 11	1.00	.90	
lantana. 12'-15'	w	ayfaring	Tree
Becomes most attractive when the ho			
red and the fruits change from crims	on to blo	ck in au	tumn.
Apparently at home in a lime soil. U			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65 .90	.60 .80	.50
4 10 0 11	.00	.00	
lentago. 20'-25'		Nanny	berry
Almost a tree eventually, having clea			
becomes rich purple and crimson in f decorative all winter too. Extremely l			
1½ to 2 ft	.50	.45	.40
2 to 3 ft.	.65	.60	.55
3 to 4 ft	.80	.75	
amulus manus 1/0/	D		l l.
		ranberry	
Forms a dense globular affair pact foliage but rarely blooms, a stunni	na plan	t for ed	aina.
6 to 9 in	.50	.45	.40
9 to 12 in	.70	.65	.60
12 to 15 in	.80		
if-li 10' 15'		Dlamb	W
prunifolium. 12'-15'	(fmnimb	Black	
A sturdy clean cut shrub with few still maze of horizontal branches. Attrac			
flowers give place to large bunches	of pink	fruits tu	rning
to black. Decidedly best in masse	s when	the intr	icate
branches form one vast clump bear smallish leaves, purple in fall. E	-		
23/ . 0 6	.75	with ce	.65
1½ to 2 ft	1.00	.90	.85
3 to 4 ft.	1.50	1.35	1.20
4 to 5 ft	2.00	1.80	
5 to 6 ft	2.50		

.36

.48

.45

.60

.40

.54

VIBURNUM—Continued Each Ten Hundred
rhytidophyllum. 8'-10' Leatherleaf Viburnum
EVERGREEN. Rough deeply veined Rhododendron-like leaves six to eight inches long quickly distinguish this bold southerner. If the brilliant red berries are to mature a sheltered half shady spot is needed.
4 to 5 ft. B. & B 6.00 5 to 6 ft. B. & B 7.50
rufidulum. 8'-10' Southern Blackhaw
Even more rugged looking than V. prunifolium which it resembles. Thick leathery foliage with varnish like surface colors beautifully in fall to rich purple and maroon. Creamy flowers—black berries. Assuredly a grand thing. 2 to 3 ft
sieboldi. 8'-10' Siebold Viburnum
Tree-like, few stemmed shrub with handsome dark green lustrous foliage, creamy flowers and berries that start out green changing to pink to black. Certainly a "dominant." 2 to 3 ft
tomentosum. 8'-10' Doublefile Viburnum
The Beau-Brummel of the family whose neatness is of little note beside the handsome spectacle afforded by a well grown specimen in full bloom. The flat topped clusters of pure white flowers are thickly strung along the top of the horizontal branches so as to resemble a fall of snow. The purple foliage color is distinctive too. By all means indispensable. Red berries occasionally produced. 11/2 to 2 ft
2 to 3 ft
— plicatum. 7'-8' Japanese Snowball
In June the familiar white three inch "Snowballs" are
generously studded over a well clothed shrub; no fruits.
1½ to 2 ft
3 to 4 ft
wrighti. 8'-10' Wright Viburnum
Somewhat like dilatatum with the same brilliant scarlet fruit. When mature a strikingly handsome subject.
1½ to 2 ft
2 to 3 ft
VINCA minor. 4"-6" EVERGREEN. Accepted as THE ground cover, its close blanket of dark green foliage is well known. Shade is best but a sunny spot is alright too, if not too dry and hot. Well established. Ten H'dr'd Th's'nd 3" Pots
Each Ten Hundred
VITEX macrophylla. 5'-6' Bigleaf Chaste Tree
A dainty shrub with branching spikes of very attractive lavender blue flowers in September beautifully offset by the star shaped gray green leaves. Must have sun.

1½ to 2 ft. 2 to 3 ft.

- W -

Each Ten Hundred

WEIGELA amabilis. 7'-8' Rose Weigela Old but still good the trumpet shaped flowers are rosy pink outside and pale inside—a lovely profusion in May and June. Vigorous and easily grown.

3 to 4 ft.50

Eva Rathke. 4'-5' Red Flowering Weigela Almost continuously throughout the summer the short
 branches
 are
 covered
 with
 reddish
 carmine
 blossoms.

 1½ to
 2
 ft.
 .45
 .40
 .36

 2
 to
 3
 ft.
 .55
 .50
 .45

Feerie, 6'-8' Feerie Weigela If you plant only one take this which opens a little earlier than Venusta, even more profuse, and a shade lighter.

.50 .45 ft.60

rosea. 6'-8' Pink Weigela After the long term of admirable service should be retired in favor of its lovely daughters. Just as vigorous as any. .36 1½ to 2 ft.40 3 ft.45 .40 to ft.60

WISTERIA multijuga. 25'-30'

Properly trained the three foot sprays of purple flowers can never be forgotten. Even in May the fragrance is noteworthy. All wisterias need support for climbing. 3 year, GRAFTS B. & B...... 1.50

- alba. 25'-30' White Longcluster Wisteria Clusters of white flowers are just as long in this variety. 1.50 4.50

rosea. Rosy Longcluster Wisteria Similar in every way to type except in color which is a good pink. These are fine heavy flowering specimens. 36.00

sinensis. 30'-40' Chinese Wisteria Shorter and therefore more compact sprays of the beautiful lavender-pea blossoms open a little before "Longcluster." That same delectable scent thrills the senses. 3 year, GRAFTS Pots 1.35

-x-

XANTHOCERAS sorbifolia. 10'

Chinese Buckeye

Everything about this forgotten shrub is handsome and interesting yet after seventy years it is practically unknown! The broad round bush is generally made up of a few main branches, well divided into smaller laterals which bear the compound dark green glossy foliage. During the latter part of May and early June the striking upright clusters of white flowers, resembling a glorified penstemon, appear. Only those at the top of these nine inch clusters are fertile so that the brown horse chestnut like seeds are sparingly produced. Prefers sun. $1\frac{1}{2}$ to 2 ft. B. & B....... 3.00

_ Z _

ZANTHORHIZA apiifolia. (simplicissima) 2'-21/2' Yellow Root

For under planting with leggy shrubs no better selection could be made. Either in sun or shade, moist or dry places it will quickly spread to form a light ground cover and

open its brownish purple flowers. Dislikes lime. .30 .24 9 to 12 in.



Herbaceous Perennials

For many years we have carefully developed a real Perennial department, testing not only novelties, but old varieties, to be sure they will do well with us. Some things prefer certain conditions not possible here, so we contract with specialists who produce the best in those few items, enabling us to offer a collection that, for most garden purposes, is complete.

Quality is not always indicated by size—some perennials naturally produce small crowns but quality plants must have **good roots.** No storage or prewrapped plants here—every order is freshly dug to insure continuous and vigorous growth.

Our guarantee insures against any error—your stock will be true-to-name.

To fully describe each plant in this limited space was impractical, so this reference chart was designed to help you determine—what, where, and how to use perennials. The chart itself is self-explanatory, and you will notice the "flower spectrum" has been used to indicate color—intermediate colors and shades are signified by careful placement of marking in the color columns.

Because it is impractical to make changes on the plate, additional items are enumerated on a separate page (105). Whenever items listed in the chart are dropped you will be notified. Although such necessary changes may cause some inconvenience, we have been persuaded to continue the use of the chart.

A separate listing of **Ferns** (page 106) and **Herbs** (page 107) seemed more convenient, and to conserve space the quantity prices are computed on a percentage basis as specified in the chart heading.



Ea.		.30	.30	.30	.30	.35	.35	.35	.35	.30	.30	.25	.35	.35	.35	.25	.35	.30	.30	.35	.30	.30	.25	.25	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Fern like foliage	Excellent cut flower	Choice rock plant	For back of border	Free flowering	Uncommon native gem	The hardiest variety	Like a wee Daphne	Attractive carpeter	The best for color	Rampant ground cover	Glistening foliage	Rare dainty beauty	Unusual bulbous species	Tasty in salads	Very attractive foliage	Quaint for Rock Garden	Good for screening	Soft pastel shade	Popular in Rock Gardens	Tiny golden buttons	Free flowering	Splendid border plant	Now called Brunnera
SEASON	May June Juny August Sept.											-1													
COLOR	White Blue Magenta White Pink Pink Porange Yellow Orange Yellow						0																		0
HEIGHT (FEET)	One Two Three Four Five Six Over Soil	<	<	<			<			Y	<	<			∀		<	<	4						∀
	Location: Full Sun Normal Full shade	Pink Yarrow	Ball of Snow	Woolly Yarrow	Azure Monksbood	Sparks Monkshood	Golden Sun	Spanish Stonecress	Warley Stonecress	Brockbank Bugle	Geneva Bugle	Carpet Bugle	Ladies' Mantle	Golden Allium	Lily Leek	Chive	Twisted Allium	Tibetian Allium	Hollybock	Lemon Alyssum	Golden Tuft	Double Gold Tuft	Bugloss	Bugloss	See Brunnera
NAME	Soil: A—Average D—Dry M—Moist	ACHILLEA millefolium roseum.	ptarmica Boule de Neige.	tomentosa.	ACONITUM fischeri.	napellus Spark's Variety	ACTINIA herbacea.	AETHIONEMA iberidium.	Warley Rose.	AJUGA brockbanki.	genevensis.	reptans.	ALCHEMILLA alpina.	ALLIUM flavum minor.	Moly.	schoenoprasum.	senescens glaucum.	Thibet,	ALTHAEA rosea.	ALYSSUM saxatile citrinum.	-compactum.	-flore pleno.	ANCHUSA italica Dropmore.	-Opal.	myosotidiflora.

Ēα.		.50	.30	.30	.30	.30	.30	.30	.30	.30	.50	.35	.30	.30	.30	09.	.35	.30	.30	.30	.30	.30	.30	.30	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Silky tuffets, choice	Early flowering low	Large early flowering	Large double flowers	Very early single	Charming semi-double	Large double flowers	Lovely in leaf and fruit	For shade Rock Gardens	A rare choice gem	Medicinal herb	Like frosted silver	Carpeter, Herb Garden	For cutting	Rare and unusual	The true species	Graceful and beautiful	Vigorous easy grower	Sun or shade	Very free and lasting	Charming ivory dwarf	Wonderful color range	A striking contrast	Invaluable border plant
SEASON	ItinA May June July sugust Sept. Sept.	-1																							
-	White	0	1	0	0	0	0	1	0	•	1	•	0	0	0	0	0	0	0	0	0	0	0	0	
	Hed Orange Yellow																				L			F	
OR	Pink			I	H			L			F	Į		Į				Į	Į			Į			
COLOR	Magenta White	-		-	-	-	-			L	L	L		L				L	1			L		_	
	Purple															į		Į	Į						
	White	L	-						-			_		_		L	L	L	L						
-	lios	0	1	<	K	4	4	4	0	5	4	S	0	4	4	A	A	A	A	4	4	<	\triangleleft	A	4
1	OVET	F								4		<													
(FEET)	xi2																								
	Five	L																							
H	Three	-	-				-			-	-		H	_	_						F				
HEIGHT	OWT	┝			Н	П	П		-	-	-		-	-	f			ľ	T	-				T	
H.	ono															r									
	Location: Full Sun Normal Full shade	Rock Jasmine	18. Hupeb Anemone	Japanese Anemone .	Japanese Anemone	Japanese Anemone	Japanese Anemone	Japanese Anemone	Pasque Flower	Snowdrop Anemone	Spring Anemone	Angelica	Pussytoes	Camomile	Perry': Camomile	Blue Lily Grass	Alpine Columbine	Colorado Columbine	Holen Columbine	American Columbine	Golden Columbine	White Fan Columbine	Long spurred Hybrid	Long spurred Hybrid	Long spurred Hybrid
NAME	Soil: A—Average D—Dry M—Moist	ANDROSACE Chumbyi.	ANEMONE hupehensis splendens.	japonica Kriemhilde.	Queen Charlotte.	-September Charm.	-September Queen.	Whirlwind.	pulsatilla.	sylvestris.	vernalis.	ANGELICA Archangelica.	ANTENNARIA dioica.	ANTHEMIS nobilis.	tinctoria Perry's variety	APHYLLANTHES monspeliensis.	AQUILEGIA alpina.	caerulea.	-helenge.	canadensis.	chrysantha grandiflora.	flabellata nana alba.	hybrida Dobbies Strain.	Crimson Star.	Pearson's separate shades

Ea.		.35	.45	.25	.30	.30	.35	.30	.30	.30	.30	.50	.40	.30	.30	.35	.30	.30	.30	.30	.30	.50	.50	.30	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Extra long spurs	Pygmy for Rock Gardens	A sheet of white	Useful cut flower	A true choice Alpine	A charming plant	A cascade of snow	Emerald tussocks	Golden counterpart	Wormwood tea. Absinthe	For vinegar and salads	Silvery lacy foliage	Popular dried cut flower	Brilliant showy	Hay scented, for cordials	Lively and showy	Sparkling daisies easy	Semi-double buttons	Best red Aster	Contrasting yellow eye	The best Aster	Clear soft pink	Compact and neat	Bright and vivid
SEASON	May May June July August Sept.																								
COLOR	White Blue Purple Magenta White Pink Aed Orange Yellow White																								
HEIGHT (FEET)	One Three Tive Six Six Soil Soil			<			<		<		A	<		A			<	<	~	<	<	<	\forall		X
	Location: Crull Sun Normal Full shade	L. spurred Columbine	Pyrenees Columbine	White Rock Cress	Double Rock Cress	Kellerer Rock Cress '	Rose Rock Cress	Mountain Sandwort	Moss Sandwort	Goldmoss Sandwort	Wormwood	Tarragon	Mountain Fringe	Ghost Plant	Butterfly Weed	Woodruff	Michaelmas Daisy	Rock Aster	Michaelmas Daisy	Michaelmas Daisy	Dwarf Hybrid	Frikarts Aster	Michaelmas Daisy	Dwarf Hybrid	Michaelmas Daisy
NAME	Soll: A.—Average D.—Dry M.—Moist	AQUILEGIA longissima.	pyrenaica.	ARABIS albida.	flore pleno.	kellereri.	Rosa Bella.	ARENARIA montana.	verna caespitosa.	aurea.	ARTEMISIA absinthium.	dracunculus.	frigida.	Silver King.	ASCLEPIAS tuberosa.	ASPERULA odorata.	ASTER Alderman Vokes.	alpinus.	Blue Gem.	Charles E. Wilson.	Countess of Dudley.	frikarti.	Harrington's Pink.	Lady Henry Maddocks.	Little Boy Blue.

Eα.		.35	.35	.30	.30	.35	.30	.30	.30	.30	.30	.50	.50	.50	.30	.35	.30	.30	30	30	.30	.30	.35	.30	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Companion to Boy Blue	The finest white	Bushy free flowering	Large free flowering	Improved showy variety	Tall shaggy	Very low, showy	Well named, pleasing	Showy large flowers	Dainty cut flowers	Ideal for mixing	Showy and vigorous	Delicate, pleasing	Sheets of bloom	Lively rich shades	Bushy, showy spikes	Orange spotted red	Aster like, enormous	Back of border	Dainty mass of bloom	Pretty little Herb	Large, hanging bells	Long blooming season	Ideal for edging
NC	August Sept. October				Ī			I	I		ī							Ī	I	Ī					
SEASON	lnjk lnue Way					ľ							ľ								ļ				
_	Exposure April	0		0	0	0		0	0		0		0	0					0				0		0
-	91idW																								
	Orange	\vdash	_				_											F							
-	Red												ľ	7						Ī					
COLOR	Myite Mink	H			H		-			-			L	L		Ŀ			ľ	ı					
8	Magenta							ì				ì				F									
	Blue Purple					L		_	_		_	-					F				=			ſ	
	White	\vdash					ì									L						I	i		
	lio2	<	\triangleleft	\leq	⋖	\triangleleft	<	⋖	\leq	<	\triangleleft	\geq	2	2	<	\triangleleft	⋖	\langle	\triangleleft	\forall	\triangleleft	⋖	<	\langle	<
(L)	Six	-		_				_																	
(FEET)	Five						F												i	ī				Ī	
	Four						Ī												Ī						
HEIGHT	owT eerdT	H		Н			I	-		-	I	٢		T		H		F	•						
H	ouo		i					ſ	I			i			ī	4						f		I	
	Location: Full Sun Normad Full shade	Michaelmas Daisy	Michaelmas Daisy	Dwarf Hybrid	Michaelmas Daisy	India Aster	Michaelmas Daisy	Dwarf Hybrid	Dwarf Hybrid	Dwarf Hybrid	Yellow Aster	Hybrid Astilbe	Hybrid Astilbe	Hybrid Astilbe	Aubretia	Hybrid Rock Cress	Blue Indigo	Blackberry Lily	White Boltonia	D. Pinkray Boltonia	Siberian Bugloss	Alpine Savory	Bearded Bellflower	Carpathian Bellflower	Carpathian Bellflower
NAME	Soil: AAverage DDry MMoist	ASTER Little Pink Lady.	· Mount Everest.	Nancy.	Queen Mary.	subcaeruleus Wartburg Star.	Skyland Queen.	Snowsprite.	Venus.	Victor.	ASTERAGO luteus.	ASTILBE arendsi Gladstone.	Gloriα.	-Peach Blossom.	AUBRIETIA deltoidea.	New Hybrids.	BAPTISIA australis.	BELAMCANDA chinensis.	BOLTONIA asteroides.	latisquama nana.	BRUNNERA macrophylla.	CALAMINTHA alpina.	CAMPANULA barbata.	carpatica.	-White Star.

Eα.		30	30	30	30	30	50	200	40	30	35	.35	30	50	40	30	30	000	30	25	.25	.25	.25	.25	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	A real gem	Dwarf compact showy	Huge showy flowers	Best as biennial	Well known biennials	Very desirable	Camelia like flowers	Huge open chalices	A real little gem	Ever blooming	Dainty and choice	Wiry stems, lovely	The true form	Shrubby late blooming .	Vigorous, for cutting	Thistle like flowers	Ideal for walls	Best as biennial	Pompon tall	Mounds of bloom	Pink cushions	Free, single bushy	Mounds of white	Beautiful free flowering
SEASON	May May June July August Sept. Sept.																								
	Exposure	0	0	1	1	0	1	0	0	0	0	0	1	0	0	C	1	0	0	0	0	1	0	0	•
	Yellow White	1																							
	Red																								
OR	Pink					ī	_																i		
COLOR	Magenta White														-										
	Purple	\vdash		П	-			-	-				-		-					-	-		-		
	Вјие		L	L	I	I				Ī	Ī			I		Ì									
-	Soil Soil	-		4	4	4	A	A	4	4	4	4	A	4	_		4		4	4	4	A	A	X	X
	Over		1	1	1	1	_	1	1	1	1		1	1	1		1		1	1	1	1		_	
(FEET)	xiZ																								
	Four	\vdash	-	-	_	-	_	-	-		-	-	-	-	-			-				-	-		
HEIGHT	Three				Ī	ī	ī																Ī		
HEI	One				I															ļ	F	H	1	I	
-	940	Н								L						H	H							i	
	Location: Full Sun Normal Full shade	Alpine Bellflower	Danesblood	Large leaf Bellflower	Single Canterbury Bells	Cup and Saucer	Double Peach leaf	Double Peach leaf	Peach leaf Bellflower	Dalmatian Bellflower	Serbian Bellflower	Dwarf Bellflower	Olympic Harebell	Top Bellflower	Blue Spirea	Cornflower	Ruthenian Cornflower	Snow-in-Summer	Wallflower	Garden Hybrid	Azaleamum	Azalcamum	Korean Hybrid	False Arctic Daisy	Arctic Hybrid
NAME	Soil: A—Average D—Dry M—Moist	CAMPANULA garganica.	glomerata acaulis.	latifolia macrantha.	medium.	calycanthema.	persicifolia Humosa.	Moerheimi.	-Telham Beauty.	portenschlagiana.	poscharskyana.	pusilla.	rotundifolia olympica.	turbinata.	CARYOPTERIS incana.	CENTAUREA montana.	ruthenica.	CERASTIUM tomentosum.	CHEIRANTHUS allioni.	CHRYSANTHEMUM Adelaide.	Amelia Bronze.	Amelia Pink.	Apollo.	arcticum.	Astrid.

Eα.		.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.50	.30	.30	.25	.25	.25	.25	.25	.25	.25	.25	.50	.30	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Early large yellow	Double oxblood	Tall pompon	Chamois yellow	Single spreading	Single early	Large rich color	Best white pompon	Large single	Single, a favorite	Frilled and shaggy new	Large semi-double	Double for cutting	Large shaggy	Shaggy, deep pink	Pompon clear color	Medium free flowering	Large shaggy flowers	Single, charming	Brilliant sparkling	Large shaggy white	New, cut flower	Grand ground cover	Lovely woodland plant
SEASON	May June Juny August Sept. October																								
-	Yellow Exposure	0	0	0	0		0		1	0			0	0								0			•
	Hed Orange				i					Ļ	F					Ī	L		į	İ	I			L	
COLOR	White Pink										L		Ī	ī	L										
S	Magenta Magenta									-															
	Blue																								
	Soil	⋖	<	<	<	<	<	<	<	<	<	<	<	\forall	A	\forall	<	X	A	\forall	<	\forall	<	<	<
ET)	Six	F																							
(FEET)	Five																								
HEIGHT	Three						I					-			F	7				F	ſ	7	ī		ī
H	owT		l		I	ı	l	H	H		l	I	ı			•	ľ			ı				ş	
	Location: Full Sun Normal Full shade	ng Garden Hybrid	Korean Hybrid	Garden Hybrid	Korean Hybrid	Korean Hybrid	Garden Hybrid	Garden Hybrid	Garden Hybrid	Garden Hybrid	Korean Hybrid	Shasta Daisy	Shasta Daisy	Shasta Daisy	Garden Hybrid	Garden Hybrid	Korean Hybrid	Garden Hybrid	Garden Hybrid	Korean Hybrid	Korean Hybrid	Garden Hybrid	September Daisy	Golden Star	Bugbane
NAME	Soil: A—Average D—Dry M—Moist	CHRYSANTHEMUM Bar. Cumming	Caliph.	Captain Cook.	Ceres.	Daphne.	Donald Wells.	Frances Whittlesey.	Irene.	Joan Piper.	Louise Schling.	Maximum Chiffon.	-Diener's Strain.	-White Swan.	Murillo.	October Girl.	Pygmy Gold.	R. Marion Hatton.	Ruth Cumming.	Sappho.	Saturn.	Tasiva.	CHRYSOBOLTONIA pulcherrima.	CHRYSOGONUM virginianum.	CIMICIFUGA racemosa.

Ēα.		1.00	.40	.75	.35	.25	.40	.35	.35	1.00	1.00	.75	.30	.30	5	30	.30	09.	.30	.30	.30	.30	.30	.30	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Arching wands, true	Popular fragrant, clumps	Wonderful rare form	An easý dwarf	Popular cut flower	Unusual ground cover	Sheets of gold	Fall walls in shade	Fragrant, hardy gem	Mottled ivy leaves	The easiest variety	Everblooming dwarf	Ideal for cutting	Everblooming cut flower	Dainty low form	A grand strain	Selected clumps	Free branching habit	Persistent gray mats	Purest salmon pink	Evergreen ground cover	Double, everblooming	Choice spiny tufts	Wonderful color range
SEASON	Exposure April May June July August Sept. Cept.																								
COLOR	White Blue Purple Wagenia White Pink Red Orange Yellow White																								
HEIGHT (FEET)	Ono Two Thee Tour Six Soil Tool		2	2			2		<	A		Σ	<								V				
	Location: Full Sun Normal Full shade	Japanese Bugbane	Lily of the Valley	Dble. Lily of Valley	Dwarf Coreopsis	Big Coreopsis	Bunchberry	Crown Vetch	Fumitory	Alpine Sow Bread	Neapolitan Cyclamen	Lady Slipper	otto. Larkspur	Larkspur	Larkspur	Slender Larkspur	Hybrid Larkspur	Hybrid Larkspur	Formosum Larkspur	Dwarf Cheddar Pink	Hybrid Pink	Maiden Pink	Hybrid Pink	Ice Pink	S. Grass Pink
NAME	Soil: Average D—Dry M—Moist	CIMICIFUGA simplex.	CONVALLARIA majalis.	-flore plena.	COREOPSIS auriculata nana.	lanceolata grandiflora.	CORNUS canadensis.	CORONILLA cappadocica.	CORYDALIS lutea.	CYCLAMEN europaeum.	neapolitanum.	CYPRIPEDIUM pubescens.	DELPHINIUM Belladonna B. Grotto.	-Clivedon Beauty.	Bellamosum Improved.	chinense azureum.	Gold Medal Hybrids.	Hybrids Springfield Strain.	Lamartine.	DIANTHUS arvernensis.	Beatrix.	deltoides Brilliant.	Furst Bismark.	neglectus.	plumarius Highland Hybrids.

Ea.		.30	.30	.30	.30	.30	.50	35	2 5	30	30	.30	30	35	50	0.5	35	30	30	30	30	.75	.50	.50	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Clove scented, double	Low gray tufts	New English Hybrid	Dainty woodlander	Always in flower	Old garden favorite	Permanent garden plant	Sturdy bushy habit	Tall graceful spikes	Ideal for shade	Wonderful strain	Dancing cyclamen flowers	Earliest of Daisies	Tall, golden suns	Silver foliage, choice	Spiny green tufts	Green spreading mats	Uncommon, easy plant	Vigorous, showy	Steel blue, cutting	Evergreen ground cover	Attractive ground cover	Beautiful foliage plant	Delightful cut flower
SEASON	May June July August Sept. Sept.																								
COLOR	Exbosne Aprile Madeula While Bine Purple Purple Purple Purple Purple Purple Purple		0																0						
HEIGHT (FEET)	ono owT oenTT tooT six over six				2	A	2			V	Y	A	\ 	A	A	<		A				2	Y		
	Location: O Full Sun Normal Pull shade	Hybrid Pink	Roy's Pink	Hybrid Pink	Dutchman's Breeches	Fringed Bleeding Heart	Bleeding Heart	Gasplant	Pink Gasplant	White Foxglove	Foxglove	Hybrid Foxglove	Shooting Star	Leopardbane	Leopardbane	Gold Androsace	Whitlow Grass	Siberian Whitlow	Siberian Dragonhead	Purple Coneflower	Globe Thistle	Trailing Arbutus	m. Barrenwort	Barrenwort	ide. Oregon Fleabane
NAME	Soil: A—Average A—Average M—Moist	DIANTHUS Mrs. Sinkins.	roysii.	winteri Mrs. Wormald.	DICENTRA cucullaria	eximia.	spectabilis.	DICTAMNUS albus.	-ruber.	DIGITALIS alba.	ambigua Isabellina.	Shirley.	DODECATHEON meadia.	DORONICUM caucasicum.	excelsum.	DOUGLASIA vitaliana.	DRABA bruniifolia.	siberica.	DRACOCEPHALUM ruyschiana.	ECHINACEA purpurea.	ECHINOPS ritro.	EPIGAEA repens.	EPIMEDIUM macranthum niveum	-rubrum.	ERIGERON speciosus mesa grand

Εα.		.35	.35	.50	.30	.30	.30	.30	.30	.30	.30	.35	.35	.75	06.	.75	.50	.50	5.0	25.	35	30	.50	.30	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Gray fern foliage	Sparkling neat gem	Silver fern foliage	Favorite cut flower	Medicinal, cutting	Like Baby's Breath	Attractive gold bracts	For edging border	Grand cut flower	Dwarf compact form	The best golden	Brilliant, for cutting	Prostrate shrub	Quaint flat leaves	Spiny, sheets of gold	Of famed Gentian Blue	Trailing, tube-like flowers	Most satisfactory Gentian	Interesting Rock beauty	Delicate soft pink	Continuous bloomer	Brilliant flame color	Old favorite, cutting	Strong free flowering
SEASON	April May June July August Sept. Sept.																								
	Exposure	0	0	0	1	0	0	0	0	0	0	0	0	O	Ö	0	0	0	0	0	1	0	0	0	0
	White																								
	Orange	L	-					L	L			L			L								F		
	Вед	H	-	-	-	-		-				-	H	-	-		-					۲			T
R	Pink	П	T						-						-						T		i		
COLOR	White																								
Ö	Magenta																								
	Purple	L		_				_			_	_	_	_					7						
	White	-	-	-		_		_	Н	-	_	_	-	-			L	Ŀ	L			_			
	lioZ		0		<	4	4	(4	0	0	0	0				4	A	4	4	4	4	<	4	<
	Over	-	-	-		_	1	1	1	-			-	-	-				_			_			
ET)	xi2	H	-	-	-				-	-	-	-	-		-										
(FE	Five																								
HEIGHT (FEET)	Four																								
IG	Three	L					ľ																		
HË	owT	L.		-					-		F			۲			_	Į				F	F		
	040	۲	L		_	=		=					Н			×		_		_	_			_	
	Location Pull Sun Normal Pull shade	Heronsbill	Pink Heronsbill	Heronsbill	Blue Mist Flower	Thoroughwort	Flowering Spurge	Cushion Spurge	Dwarf Blue Stem Grass	Blankei Flower	Blanket Flower	Blanket Flower	Blanket Flower	Creeping Broom	Arrowhead Broom	Prickly Broom	Stemless Gentian	Slender Gentian	Hascomb Gentian	White Cranesbill	Dwarf Cranesbill	Avens	Avens	Double Avens	Double Avens
NAME	Soil: A-Average D-Dry M-Moist	ERODIUM amanum.	chamaedrioides roseum.	chrysanthum.	EUPATORIUM coelestinum.	urticaefolium.	EUPHORBIA corollata.	epithymoides.	FESTUCA glauca.	GAILLARDIA Bremen.	Goblin.	Mr. Sherbrook.	Ruby.	GENISTA prostrata.	sagitalis.	sylvestris pungens.	GENTIANA acaulis.	gracilipes.	Hascombensis.	GERANIUM sanguineum album.	lancastriense.	GEUM borisi.	Fire Opal.	Lady Stratheden.	Mrs. Bradshaw.

Ea.		.35	.30	.30	.40	.30	.35	.30	.40	.30	.30	.30	.30	.30	1.00	1.00	.50	.50	.30	.30	.50	.50	1.00	.50	.50
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Neat little Rock plant	Fine for bouquets	For mixing in vases	Best filler for bouquets	Evergreen trailer	Crowds of tiny buttons	For rear of border	Unusual early form	Popular late flower	A blaze of color	Double button flowers	Evergreen, delicate shade	Strong grower, large flowers	Very attractive foliage	For winter flowers	For sun or shade	Very large, vigorous	Old dwarf, good	Graceful, fragrant	Broad petals, deep color	Rich large flowers	The finest yellow	Recurved petals, fine	Large double flowers
SEASON	May June June July tolored tolored tolored Tedoto																								
-	White	0	0	0	0	0	0	1	0	•	1	0	0	C	0	0	1	1	0	0	1	0	0	0	0
	Vellow	L							t,									Ī	Į	I	I	Į	I		F
	Red	L																							L
COLOR	White	H					H	-	-		-				-										
8	Magenta	H																							
	Purple Blue	H	-		-	+	-	+	+	-	-	-	-	-		-				-					
-	White	-									<u> </u>	_													
-	Soil	2	10		9			V	\	<	0			×	<	<	⋖	\langle	\langle	<	<	\forall	\forall	\forall	\leq
(FEET)	Five xi2	F						L																	
E	Four	\vdash			-			+	H							-								F	
HEIGHT	Two	F	H	H	F		-		F						I	_					F	ľ			
田田	One																								
	Location. Full Sun Normad Full shade	Mouse-ear Gypsophila	Rose Baby's Breath	Baby's Breath	Double Baby's Breath	Creeping Gypsophila	Bodger's Gypsophila	n. Helen's Flower	Hoopes Helenium	Bronze Sneezeweed	Sunrose	Sunrose	Sunrose	Rough Heliopsis	Helebore	Christmas Rose	Hybrid Daylily	Hybrid Daylily	Hybrid Daylily	Lemon Lily	Hybrid Daylily	Hybrid Daylily	Hybrid Daylily	Hybrid Daylily	Tawny Daylily
NAME	Soil: A—A verage D—Dry M—Moist	GYPSOPHILA cerastioides.	Oldhamiana.	paniculata.	Bristol Fairy.	repens.	Bodgeri.	HELENIUM autumnale superbum.	hoopesii.	Riverton Gem.	HELIANTHEMUM aureum.	Mrs. Earle.	Rose Queen.	HELIOPSIS scabra zinniflora.	HELLEBORUS foetida.	niger.	HEMEROCALLIS Cressida.	D. D. Wyman.	Dr. Regel.	flava.	Golden Dream.	Gypsy.	Hyperion.	J. A. Crawford.	Kwanso flore pleno.

HEIGHT (FEET
One OwT Three TwoT
T
1
1
STATE OF THE OWNER, WHEN PERSON NAMED IN

Ea. Fall flowering, yellow & blue Quite dwarf, free flowering 20% discount on five. 40% discount on twenty-five plants to be of one variety. Waxy leaves, huge flowers One of the finest yellows Fine foliage, good variety ragrant large flowers Deep rich blend, huge Beautiful shade, large Fall blooming, grand Unusual, fine coloring Gigantic, velvety red Winner Dykes Medal Analine blue, perfect Still a great favorite Lovely, well named A grand rich color Good ground cover lovely rare beauty REMARKS for border, cutting Jnusual, beautiful A great favorite A blaze of color Sheets of bloom For moist place October Sept. tsuguA SEASON Ainl May IndA 00 0000 Exposure Red Pink COLOR White Magenta Purple Blue White LioS Over HEIGHT (FEET) xiZ Five Oue Snowflake Candytuft Goldvein Iris Location: Full Sun Normal Full shade Serman Iris German Iris German Iris German Iris German Iris Serman Iris German Iris Serman Iris German Iris Serman Iris German Iris German Iris Crested Iris Crested Iris Yunnan Iris German Iris Serman Iris German Iris German Iris Vesper Iris IBERIS sempervirens Snowflake. de Mme Gaudichau NAME germanica Alcazar -Grace Sturtevant -Princess Beatrice -Alta Californica. -Autumn Queen -Ambassadeur. -Autumn King. -Frieda Mohr. -Indian Chief INULA royleana chrysographes. -Blue Velvet. Soil:
A—Average
D—Dry
M—Moist -Pink Satin -Jean Siret. IRIS arenaria. -Pluie d'or -Sensation. -Red Elf Souv -alba.

Ea.		.50	.50	.30	.50	.50	.50	.50	.50	.50	.30	.30	.30	.30	.50	.35	.30	.30	.30	.30	.50	.3r	.50	.35	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Large, glorious white	With yellow throat	After the famous China	Grassy foliage, dainty	Double, gold bands	Huge velvety flowers	Iridescent, lovely	Large showy, double	Delft blue, lovely	Earliest, extremely pretty	Softest sky blue	Fragrant large flowers	Vigorous grower	Our own raising	Rich velvety maroon	Snowcap, greenish falls	Border or streamside	Clear color, likes moisture	Crowds of snowy flowers	Tufty grass-like habit	Large blooms, dry place	Rare and lovely form	Various colors	One of the loveliest
SEASON	May May Juny July August Sept. Sept.																				-1				
OR	Exposure Notange Yellow Volume	0		0			0	Q	0	0	0	0	0					0	0	0	0	0		0	•
COLOR	Over Soil White Purple Magenta Magenta					2	2	2		2					A	A	\ \	W							
HEIGHT (FEET)	One Two Three TuoT Tive Tive Six																								
	Location: Full Sun Normal Full shade	German Iris	German Iris	German Iris	Slender Iris	Japanese Iris	Japanese Iris	Japanese Iris	Japanese Iris	Japanese Iris	Pygmy Iris	Pygmy Iris	Pygmy Iris	Pygmy Iris	Pygmy Iris	Pygmy Iris	Pygmy Iris	Siberian Iris	Siberian Iris	Siberian Iris	Balkan Iris	Japanese Roof Iris	Japanese Roof Iris	Oregon Iris	Spring Iris
NAME	Soil: A—Average D—Dry M—Moist	IRIS germanica Shasta.	-Tokay.	Wedgewood.	gracilipes.	kaempferi Gold Bound.	Mahogany.	-Pink Pearl.	Pyramid.	Queen of the Blues.	pumila atroviolacea.	caerulea.	-cyanea.	—excelsα.	—Gold Finch.	-Puck.	-Schneecuppe.	siberica.	Perry's Blue.	-Snow Queen.	sintenesi.	tectorum.	album.	tenax.	verna.

Ea.		.35	.50	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.75	.30	.30	.35	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Lovely woodlander	Slender spikes, early	Brilliant, showy	Fragrant and beautiful	For linen drawer	Of Swiss romance	Showy spikes, cutting	New fine cut flower	Home raised bulbs	The best garden lily	Bright and graceful	Cut flower for drying	Low carpeter, shade	Quaint paving plant	Dainty evergreen cover	Shrubby plant, bright	Deepest blue, large	Clouds of flowers	Grass-like ground cover	Low, shrubby evergreen	For moist place	Evergreen mats, double	Popular border plants	Well drained soil
SEASON	April May June July August Sept. Sept.					1																			
	Exposure	0	0	0	0	0	•	0	0	0	1	0	0	0	0		0	0	0	C	1	0	O	0	1
	Yellow White	-		H	-	H		F	H		-	-	-		-										
	Orange		L																			F	Ŀ		
H.	Pink	H	-		H	-		+	-		-	H		-	-	ı			-				-		
COLOR	White															Ì				I					
0	Purple	Ͱ	-				-		-	-	-	-					-	F							
	Blue														i			i	Ī		I			Ī	
	Soil White	<								4	A			~	2	-		4	A	A	4	~		A	1
	Over	<		-	-	-	-	1	-	1	7	⋖	X	2	2	2	\triangleleft	_	7	_	4	2		1	<u> </u>
(FEET)	xi2				L																			Ī	
	Five	┞	-			-	-	H	-		-		-	-	-	-	-					-	-	2	
HEIGHT	Тһтее																			I		r		i	
田田	OwT	H	ļ		ľ						ı	I	H			_	-	ſ	ľ	F	Į		ļ		
	00	۲	i		ī														i	i		i	i	i	
	Location: Pull Sun Normal Full shade	Twinleaf	Early Torchlily	Bonfire Torchlily	Lavender	Dwarf Lavender	Common Edelweiss	Cattail Gayfeather	White Gayfeather	um. Wonder Lily	Regal Lily	Coral Lily	Sea-Lavender	Lobeleaf Toadflax	Liverleaf Toadflax	Twin Flower	Golden Flax	Narbonne Flax	Blue Perennial Flax	Snakebeard	Gromwell	Cardinal Flower	Birdsfoot Trefoil	Blue Lupine	White Lupine
NAME	Soll: A.—Average D.—Dry M.—Moist	JEFFERSONIA diphylla.	KNIPHOFIA rufa.	uvaria pfitzeriana.	LAVANDULA vera.	-Munsted Variety.	LEONTOPODIUM alpinum.	LIATRIS pycnostachya.	scariosa alba.	LILIUM philippinense formosanum	regale.	tenuifolium.	LIMONIUM latifolium dumosa.	LINARIA aequitriloba.	hepaticaefolia.	LINNAEA borealis americana.	LINUM flavum.	narbonnense.	perenne.	LIRIOPE graminifolium.	LITHOSPERMUM prostratum.	LOBELIA cardinalis.	LOTUS corniculatus fl. pl.	LUPINUS polyphyllus.	-albiflorus.

Part	NAME		HEIGHT (FEET)		COLOR		SE	SEASON	REMARKS	Ea.
Moerbeim Lubine New Hybrid Catchfly Hardy Amarylis Hardy Amarylis Horbound Mazus Balm Mazus Mazus Balm Mazus	Location. Full Si Norman	n ade	Two Three Four Five Six	White Blue	Magenta Magenta	Orange Yellow White	lingA ypM	July August Sept.	20% 40% o plants	
Catchfly Hardy Amarylis Hardy Amarylis Horbound Mazus Balm Mazus Balm Creeping Mint Apple Mint Apple Mint Apple Mint Norginian Bluebell Norginian Bluebell Bertridge Berry Bertridge Berry Martinge Berry Mar		eim Lupine		4	-	9				.35
Hardy Amaryliss Horde Loose-strife Rose Loose-strife Masus Masus Balm Marus Balm Creeping Mint Apple Mint Spearmint Virginian Bluebell Partridge Berry Beckelum Why Catnip Catnip Catnip Catnip Evening Sundrops Naveluori Marus Marus Apple		Hybrid		∀					Sensational new strain	.50
Hardy Amaryllis Rose Loose-strife Hoarboand Mazus Balm Mazus Balm Creeping Mint Applied Birchell Virginian Bluebell Partridge Berry Berbalm Dury, Catnip Catnip Catnip Whitecup Whit		fly		<					Striking, cut flower	.35
Rose Loose-itrife Hoarbound Mazus Mazus Balta Balta Creeping Mint Apple Mint Spearmint Virginian Bluebell Partition Bluebell Partition Duarf Wirevine Catnip Catnip White-Sundrops White-Sundrops Wastelwort Wastelwort Wastelwort A A A A A A A A A A A A A		Amaryllis		X					Plant between low shrubs	1.00
Hoarbound Mazus Balan Balan Creeping Mint Apple Mint Apple Mint Apple Mint Creeping Mint Apple Mint Apple Mint Spearmint Virginian Bluebell A A Carlet Barry M Carliet Carling	Loose-strife		5					Strong bushy grower	.30	
Mazus Balm Pennyal Replace Mint Cc. Virginian Bluebell Apple Mint Spearmint Cc. Virginian Bluebell Apple Scarlet Reverse Revelopt Suveet Cecily Catnip Catnip Catnip Catning		puno		0					Herb, for candy	.30
Pennyoyal	Mazus			>					Ground cover, charming	.25
Care Pennyroyal									Lemon scented Herb	.30
Creeping Mint Apple Mint Spearmint Spearmint Spearmint Beebalm Duarf Wisevine Forget-Me-Not Surer Cecity Catnip Whitesup Whitesup Whitesup Navelwort Navelwo		royal		>					Low trailing Mint	.30
Speamint Speamint Speamint Speamint Speamint Beeblin	Creepi	ing Mint		- X		9			Refreshing fragrance	.35
Spearmint M.	Apple	Mint		5		•			The prettiest Mint	.30
Virginian Bluebell Partridge Berry Makebalm Duart Wirevine Roger-Me-Not Suvest Cecily Catnip Giant Catnip Whitecup Whitecup Whitecup Waltecup Navelwort Navelwort Navelwort Navelwort Navelwort Navelwort Navelwort Navelwort	Spearn	nint '		>	1	-			Herb, for cordials	.30
Beebalm Beebalm Berbalm M Berbalm M Borget-Me-Not Sweet Cecily Catnip Catnip Cint Catnip W Bitecup W Bitecup W Navelwort N Navelwort N N Navelwort N N N N N N N N N N N N N N N N N N N		nian Bluebell		A					Fine for naturalizing	.30
Beebalm				>						.30
Dwarf Wirevine		lm		>				F	Herb, showy for border	.30
Suver Cecity Suver Cecity Gathip Gathip Whitesup Evening Sundrops Navelwort Navelwort		f Wirevine		- X						.50
Sucest Cecily		t-Me-Not		\ \ \					Everblooming, moist place	.30
Catnip		Cecily		A					Myrrh for fragrance	.40
Tis. Whitecup M M O O O O O O O O O O O O O O O O O	Catni	p							Cover for walls, banks	.30
ris. Whitecup Mile Sundrops D C C C C C C C C C C C C C C C C C C	Giant	Catnip							Erect form, cutting	.30
White Sandrops Evening Sandrops Navelwort		ecup		×					Low mats aye in bloom	.30
Evening Sundrops Naveluort		e Sundrops							Scented large flowers	.30
Navelwort		ng Sundrops		<					Bright, long season	.30
		wort							Like Forget-me-not, shade	.35

Ēα.		.35	.35	.75	.30	.30	.20	.50	.50	.50	.50	.50	1.00	.50	1.00	1.00	.30	.35	.35	35	.35	.35	.35	.30	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Flowers like Grape Hyacinth	Foliage striped gold	Herb, rare and interesting	Herb, flavoring meats	Herb used for seasoning	Evergreen ground cover	Large globular flesh white	Popular early rose pink	Midseason semi-rose, fragran	White flecked crimson early	Midseason tall, good variety	Deepest crimson midseason	Late tall variety good	Fine silvery blush cream	Midseason, huge rose pink	Jolly lively pastel shades	Plant anytime from pots	Light salmon, lovely variety	Still most popular Poppy	Large double, spreading	Delightful satiny flowers	Lemon scented, tender	Graceful, for cutting	Everblooming, low habit
SEASON	April May June July August Sept. October																								
	White Exposure	0	0	0	0	0		1	0	0	•	0	0	0	0	0	0	0	0	0	0	0	0	•	•
	Vellow						L																		
	Ped	-	-	-								ī	ī				۱	ī			L				-
OR	Pink												Ì	I	I	I			Ī	I				I	
COLOR	Magenta White	\vdash	-				-			H	L								L			L			
ľ	Purple		F		Г		-	-		-															
	Blue	L	L																						F
-	White						-															_			
-	Over	<	4	10	4	1<	\geq	\langle	X	⋖	4	<	\langle		<	⋖	\triangleleft	X	<	\forall	\leq	\leq	9	\forall	9
(FEET)	xiS				-	\vdash							-												
	Five													r											
HEIGHT	Three	\vdash	-	-	-	-	-		H						•			-		-					
EIG	OWT							Н								ı	F						F	•	
H	өиО					I			i	i	i			i	i	i		i		i			i	7	
	Location: Full Sun Normal Full shade	Snakesbeard	Snakesbeard	Truc Dittany	Sweet Marjoram	Pot Marjoram	Japanese Spurge	Peony	Peony	Peony	Peony	Peony	Peony	Peony	Peony	Peony	Iceland Poppy	. Oriental Poppy	Oriental Poppy	Oriental Poppy	Oriental Poppy	Oriental Poppy	Scented Geranium	y. Pink Beard Tongue	Arends Pblox
NAME	Soil: D—Dry M—Moist	OPHIOPOGON jaburan.	vaniegata.	ORIGANUM dictamnus.	majorana.	onites.	PACHYSANDRA terminalis.	PAEONIA Baroness Schroeder.	Edulis superba.	Eugene Verdier	Festiva maxima.	Karl Rosenfield.	Martin Cahuzac.	Sarah Bernhardt.	Solange.	Therese.	PAPAVER nudicaule gartef.	orientale Beauty of Livermere.	-Jeannie Mawson.	Mrs. Perry	-Olympiad.	Perry's White.	PELAGONIUM crispum.	PENTSTEMON barb. Pink Beauty	PHLOX Arendsi Louise.

Eα.		.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.25	.25	.50	.35	.30	.30	.30	.30	.35	.30	.30	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Tall, large, a favorite	h,	Bluest, large florets	Largest flower, deep eye	Medium height lovely color	Improved Deutchland	Pyramidal trusses non fading	Softest clear pink	Beautiful in evening	Still one of the best	Lavender in effect	Fragrant, carpeting plant	Vigorous, sheets of white	Compact evergreen mats	New, glistening lge. flowers	Compact neat grower	Evergreen, neat spiny foliage	Trailing lilac heads	Shiny foliage, long season	Compact, lively color	Rounded flower heads	Long season, delightful	Large flowers, showy	Dwarf form, long season
SEASON	April May June July August Sept. October																								
COLOR	Exbosnie Exposure Multie Bine Punk Multie Punk Multie												0								•				
HEIGHT (FEET)	One Two Three Four Six Over																								
	Location: Full Sun Normal Full shade	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Phlox	Garden Pblox	Blue Phlox	White Moss Pink	Moss Pink	Moss Pink	Nelson's Moss Pink	Rosy Moss Pink	Creeping Pblox	Glossy Phlox	Vivid Dragonhead	Horned Rampion	Balloon Flower	White Balloon Flower	Marie's Balloon Flower
NAME	Soll: A—Average D—Dry M—Moist	PHLOX decussata Attraction.	-B. Comte.	Caroline Vanderiberg.	-Daily Sketch.	Enchantress.	Karl Foerster.	-Leo Schlageter.	—Lilian.	Mrs. Jenkins.	-Rheinlander.	Wanadis.	divaricata.	subulata alba.	-Blue Hills.	Camlaensis.	-Nelsoni.	-Vivid.	stolonifera.	suffruticosa Miss Lingard.	PHYSOSTEGIA virginiana Vivid.	PHYTEUMA scheuczeri.	PLATYCODON grandiflorum.	-album.	Mariesi.

Ea.		.30	.30	.30	.75	.75	.30	.35	.35	.50	.30	.30	.35	.50	.40	.35	.30	.35	.60	.30	.35	.75	.50	.50	.50
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Indispensible for late flowers	Charming feathery leaves	Grand green ground cover	Evergreen shrublet, rare	Small evergreen leaves, rare	Straggly grower, bright	Satiny flowers, neat habit	Trailing stems, everblooming	Glossy green ground cover	Bright, valuable Rock plant	Clouds of gold "Butterflies"	Fragrant, earliest Spring	Some lovely shades	Rich lively shades, large	Earliest, rounded heads	Slender stems, grand thing	Round heads, very showy	Charming wee rock plant	Light shades, very free	_	Huge blossoms, easy	Bright, low, cool corner	Old garden favorite	Deep chrome large flowers
SEASON	IridA May June July August Sept. Tep2																								
-	Vellow Exposure	0	1	1	•		0	1	0	•		0					0	•	0			•	•	0	
COLOR	Purple Magenta Pink Purple																								
	Soil White Blue		<	<	<	<	<	<	<	Σ	<	<	Σ		×	M	×	Z	4	∀	∀	<	Ž	~	Σ
HEIGHT (FEET)	Three Four Tive																								
HEIG	owT owT	6	u									Ī		I	Ī				ľ					F	
	Location: O Full Sun Normal Full shade	Blue Leadwort	Jacob's Ladder	Creeping Polemonium	Box Milkwort	Milkwort	ott. Hybrid Cinquefoil	Low Cinquefoil	Divided Cinquefoil	Wineleaf Cinquefoil	Spring Cinquefoil	Waren's Cincquefoil	English Primrose	Blue Primrose	Hybrid Primrose	Kashmir Primrose	Bigleaf Primrose	Himalaya Primrose	Leafy Primrose	Polyantha Primrose	Elliott Polyantba	Siebold's Primrose	Juliana Primrose	Hose-in-Hose Primrose	Hybrid Primrose
NAME	Soil: A.—Average A.—Average D.—Dry M.—Moist	PLUMBAGO larpentae.	POLEMONIUM humile.	reptans.	POLYGALA chamaebuxús.	vayredae.	POTENTILLA nepalensis Willmott	rupestris pygmaea.	tonguei.	tridentata.	verna nana.	Warensi.	PRIMULA acaulis.	-Blue Shades.	-Teicher's Giants.	cachemiriana.	cortusoides.	denticulata alba.	frondosa.	polyanthus Munsted.	—Six Hills.	sieboldi.	Wanda.	veris duplex.	Kleyni.

Ea.		.30	.30	09.	09.	09.	09.	.60	.30	.30	.30	.30	.30	.35	.30	.30	.35	.35	.30	.30	.30	.50	.30	.35	.30
REMARKS	20% discount on five 40% discount on twanty-five plants to be of one variety.	Broad leaves, early flowering	Single, beautiful cutting	Anemone crested large	For cutting, border	One of the best	Lovely soft shade	Crested, large flowers	Fragrant Herb, tender	Many lovely shades	Beautiful for cutting	Attractive Herb, soups	Airy slender spikes	True blue, at a good time	Delightful woodlander	Pretty Herb, flavoring	Woolly silver shrublet, edging	Emerald evergreen, shrublet	Trailing gem, walls, banks	Choice Rock Herb	Herb used for seasoning	Large waxy leaves	Free blooming cut flower	Large flowers, many shades	Ideal for cutting
SEASON	April May June July August Sept. Sept.																								
COLOR	While Blue Magenta While While While While While																								
HEIGHT (FEET)	One Two Three Four Five Six Over Soil	<			<	A	< 	<				A	\							X	A	2			
	Location: Orall Sun Normal Full shade	rea. Cowslip Lungwort	Painted Lady	Double Hybrids	Double Hybrids	Double Hybrids	Double Hybrids	Double Hybrids	Rosemary	Blackeyed Susan	Showy Coneflower	Rue	Azure Salvia	Blue Meadow Sage	Blood Root	Burnet	Lavender Cotton	Green Santolina	ens. Rock Soapwort	Alpine Savory	Winter Savory	Heartleaf Saxifrage	Cancasian Scabiosa	New Hybrids	Fischer's Scabiosa
NAME	Soil: A—Average D—Dry M—Moist	PULMONARIA angustifolia azurea. Cowship Lunguori	PYRETHRUM hybridum.	Buckeye.	Doris.	-Lord Roseberry.	Queen Mary.	Sylvia.	ROSMARINUS officinalis.	RUDBECKIA hirta hybrids.	speciosa.	RUTA graveolens.	SALVIA azurea grandiflora.	pitcheri.	SANGUINARIA canadensis.	SANGUISORBA canadensis.	SANTOLINA incana.	viridis.	SAPONARIA ocymoides splendens.	SATUREIA alpina.	montana.	SAXIFRAGA cordifolia.	SCABIOSA caucasica.	-House Hybrids.	fischeri.

Eα.		.25	.25	.25	.25	.25	.30	.30	.35	.25	.35	.30	.25	.60	.25	09.	.35	.30	.30	_	.30	.30	.30	.50	.35
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	For dry hot places	Tight green carpeter	Useful ground cover	Tiny carpeter, paving	Gray, spreading, neat	Like frosted silver grit	Attractive green foliage	Neat habit, gray leaves	Green ground cover, shade	Best flowering variety	Gray waxy leaves, showy	Cover, bronze in winter	Quaint, rare, beautiful	Many attractive species	Glazed leaves, evergreen	Tightest green moss	Dainty, choice rock plant	Valuable for late flowers	Charming, beautiful soft color	Herb used in salads	Green hummocks, good	Very showy evergreen tufts	Choice, neat tufty habit	Showy long stems, cutting
SEASON	April May June July August Sept.																								
	Exposure	0	0	0	Ö	0	0	0	0	0	0	0	0	0	0		0	0	0	Q	0	0	0	0	•
	White														F										
	Orange	H	L						-																
	Вед	-																							
OR	Pink											Ī,													
COLOR	White			L	▋	┖	▋		L						Ŀ	L		L				▋	ŗ		_
0	Purple Magenta	-		_					_								_					_	L	-	_
	Blue	-				-	-		-																-
	White																								
	lio2							<	\triangleleft	K	\triangleleft	0	K	2	Ć	Z			4	A	<		K	0	<
E	Over																								
(FEET	xi2	L		_					_										-						_
1 1	Four	\vdash	-	-		-		-	-																
HE	Тһтее	-																			T				_
HEIGHT	owT																								
	One	1	r						_			ፄ	F		I	E			E	I	ፄ				=
	Location: Full Sun Normal Full shade	Goldmoss	Dwarf Goldmoss	White Stonecrop	English Stonecrop	Grayleaf Stonecrop	Leafy Stonecrop	Orange Stonecrop	Nevi Stonecrop	Stringy Stonecrop	Siebold Stonecrop	Showy Stonecrop	False Stonecrop	Japanese Columbine	r. Houseleek	Oconee-Bells	Moss Campion	Alpine Catchfly	Schafta Catchfly	Wherry Catchfly	Skirret	White Thrift	Thrift	Dwarf Thrift	False Thrift
NAME	Soil: A-Average D-Dry M-Moist	SEDUM acre.	minus.	album.	anglicum minus.	anopetalum.	dasyphyllum.	kamtschaticum.	nevi (true).	sarmentosum.	sieboldi.	spectabile Brilliant.	spurium.	SEMIAQUILEGIA adoxoides	SEMPERVIVUM Asst. Named Var	SHORTIA galacifolia.	SILENE acaulis.	glpestris.	schafta.	Wherryi.	SIUM siscrum.	STATICE armeria alba.	laucheana.	Six Hills Hybrid.	pseudo-armeria Bees Ruby

Ea.		.30	.35	.30	.30	.30	.30	.35	.30	.30	.30	.30	.30	.25	.25	.30	30	50	30	.35	.35	.30	.30	.60	09.
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Large showy flowers, cutting	Everblooming, choice plant	Attractive ferny Herb	Ideal dwarf hedge	Beautiful foliage plant	Airy fluffy flowers, cutting	Light airy and graceful	Attractive foliage, Herb	Herb Gard., Rock Gard., walls	Green, Caraway scent	Choice, very neat habit	Small erect shrublet	For carpeting, Herb or Rock	Blaze of color, evergreen	Silvery, low carpeter	Evergreen, edging plant	Uncommon, quaint, pretty	Early, pretty woodlander	Very effective border	Long season, free flowering	Valuable, late summer	Spreading mats, hardy	Dazzling, brilliant, tender	Like striped rock candy
SEASON	April May June July Sept. Sept. October															-									
	White Exposure	0	•	0	1	0	•	•	0	0	0	0	0	0	0	9	0	•		0	0	0	0	0	0
	Yellow		Ī	I		Ī																			
	Red		Ŀ												Į					L					
H.	Pink	-						-	F	F	F	T	ľ		L	F	F								
COLOR	White								L	Ŀ	L			I		L	Ē		I						
O	Purple Magenta				1		_	ļ									-							-	_
,	Blue							L																	
	White						_		_	_	_		_	0	_	0		_	_	1	1			0	_
	Over	\leq	X	X	4	2	2	2										>	>	Z	2	\langle	\langle		
(FEET)	xi2																								
	Four	L		_				F	_	_														-	
HEIGHT	Three	\vdash				ī	ľ	i									-	F							
HEIG	owT												r							r					
	ouO	Н	L			L	L	_				I	L	I	I	ľ	-	_		L					
	Location: Full Sun Normal Full shade	Stoke's Aster	Celandine Poppy	Tansy	Chamaedrys Germander	Maidenbair Meadourue	Columbine Meadowrue	Yunnan Meadowrue	Silver Thyme	Lemon Scented Thyme	Herb Scented Thyme	Marshall Thyme	Shining Thyme	White Thyme	Scarlet Thyme	Woolly Thyme	Common Thyme	Toad Lily	Snow Trillium	Globe Flower	Globe Flower	. Double Tunic Flower	Canada Verbena	Peru Verbena	Pretty Verbena
NAME	Soil: A—Average D—Dry M—Moist	STOKESIA lilacina grandiflora.	STYLOPHORUM diphyllum.	TANACETUM crispum.	TEUCRIUM chamaedrys.	THALICTRUM adiantifolium.	aquilegifolium.	dipterocarpum.	THYMUS argenteus.	citriodorus aureus.	herba barona.	Marshalli.	nitidus.	serpyllum albus.	coccineus.	lanuginosus.	vulgaris.	TRICYRTIS hirta.	TRILLIUM grandiflorum.	TROLLIUS europaeus.	ledebori Golden Queen.	TUNICA saxifraga flore pleno.	VERBENA canadensis.	peruviana.	pulchella maonetti.

Eα.		.35	30	.30	.30	.40	.30	.30	.30	.30	.35	.30	.30	.30	.20		.30	.35	.30	.30	.35	.30	.30	.30	.30
REMARKS	20% discount on five. 40% discount on twenty-five plants to be of one variety.	Low fuzzy growth	Rampant green carpeter	Handsome foliage	Gray foliage, neat habit	Valuable, late border plant	Spreading habit, good	For paving, cool position	Low growth, pretty flowers	Evergreen carpeter, showy	Richest blue, very low	Mats of green foliage	Charming free form	Pretty golden foliage	Evergreen ground cover	Evergreen, refreshing change	Finest variety, Ige. flowers	Rare, reddish buttons	Lovely shade, edging	Still about the best	Fully double, hardy	Very sweet and lovely	Always in flower	Full sun and sandy soil	Very large flowers
SEASON	April May June July August Sept. Sept.																								
H	White Exposure	0	•	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0	•
	Orange																		ľ						
H.	Pink																								
COLOR	Magenta White											L				I									
0	Purple																			ľ	ī		F		ı
	White Blue									I	I				L			I					L	I	
	lioz	<	2	<		<	<	<	4				4		S	>	Σ	<	<	<	<	∢		0	\langle
E	Over																						I		
(FEET)	Five	H	-		+	-						_					-								
	Four																								
HEIGHT	Two		-		\vdash			-		-	-		-	-			-		-		-	H		-	
H	əuO	4		I						ľ	ľ				ľ	1	ľ		I	ľ	ľ	•	ľ	Ŧ	▆
	Location: Pull Sun Normal Full shade	Armenian Speedwell	Bird's-eye	Gentian Speedwell	Woolly Speedwell	Clump Speedwell	Stem Speedwell	Creeping Speedwell	Spike Speedwell	Blue. Hungarian Speedwell	Dwarf Rock Speedwell	Hungarian Speedwell	Royal Blue Speedwell	Trehan Speedwell	Periwinkle	White Periwinkle	Bowles' Periwinkle	Double Periwinkle	Apricot Viola	Jersey Gem Viola	Sweet Violet	Sweet Violet	Birdsfoot Violet	Birdsfoot Violet	Hybrid Viola
NAME	Soll: A.—Average D.—Dry M.—Moist	VERONICA armenia.	filiformis.	gentianoides	incana.	longifolia subsessilis.	pedunculata.	repens.	spicata.	teucrium dubia Heavenly Bl	— —nana.	rosea.	Royal Blue.	trehani.	VINCA minor.	-alba.	Bowles Variety.	rubra flore plena.	VIOLA cornuta Apricot.	Jersey Gem.	odorata Double Russian.	rosina.	pedata bicolor.	lineariloba.	Purple Glory.

ADDITIONAL PERENNIALS

TIDDITIONTIA TEREBUTATA
Each Ten Hundred
White Baneberry White flowers, followed by white berries. Shade. Useful
in the native garden
AJUGA reptans alba. 6"-8" White Carpet Bugle
Ground cover. A sheet of white May-June. Shade or sun.
Good foliage. Easily grown 30 .24 .18 ANTHEMIS Moonlight. 2'-2½' Hybrid Camomile Pale yellow daisies for cutting. Compact grower. June-
Pale vellow daisies for cutting. Compact grower, June-
October. Sun. Fernlike foliage35 .28 .21
ASARIM europaeum 4".6" European Ginger
Evergreen ground cover for shade35 .28 .21
ASTER Blue Eyes. 3' Michaelmas Daisy
Deep lavender blue, semi-double. September. Sun. Certainly a worthy addition
Rive Cown 4' Michaelmas Daiers
Fine late blue, large blossoms40 .32 .24
Mt. Rainier. 3'-4' Michaelmas Daisy
Pure white. Excellent for cutting50 .40 .30
Perfectly hardy. Showy pink flowers. Shade, leafmold,
and moisture preferred. SeptOct50 .40 .30
BOCCONIA cordata. 6'-8' Plume Poppy
Creamy plumes for cutting. Rampant but ornamental.
August. Sun
CHIOGENES hispidula. 1"-3" Creeping Snowberry
Choice ground cover. Acid soil and shade, White berries. Small evergreen foliage
DALIBARDA repens. 3"-4" Dalibarda
White flowers all summer. Foliage like the violet. A
good hardy native
DELPHINIUM Pacific Giant Hybrids. 4'-6' Hybrid Larkspur
Splendid range of shades60 .48 .36
Very useful for edging
ECHINACEA The King. 3'-3½' Purple Coneflower
Deep crimson. Great improvement, for cutting. July-
August. Sun
ERODIUM guttatum. 4"-6" Heronsbill
White flowers with chocolate blotch. Rock garden. June-
October. Sun
Steel blue flowers in round heads, mottled foliage. June.
Sun. Good in arrangements30 .24 .18
FUCHSIA magellanica. Hardy Fuchsia
Numerous scarlet and purple flowers cover the bush.
Needs protection. Sun
GYPSOPHILA Flamingo. 2'-3' Double Pink Baby's Breath Clouds of pale pink flowers. Sun60 .48 .36
HELIOPSIS incomparabilis Summer Gold. 3'-31/2' Heliopsis
Golden semi-double. Cutting. June-October. Sun. In-
dispensable border plant
LIGULARIA clivorum. 3' Giant Groundsel Has four inch heads of orange-yellow flowers and large
attractive leaves. July-Oct. Sun40 .32
PENTSTEMON Garnet. 2½'-3' Pentstemon
Rich garnet colored bell shaped flowers from June to frost. Excellent for cutting
DACEREII IOI Cutting

Each Ten Hundred

PHLOX Mia Ruys. 12"-18"	Garden Phlox					
Huge white trusses. Dwarf	.35 .28 .21					
Huge white trusses. Dwarf PRIMULA polyanthus Flame. 9"-12"	Polyantha Primrose					
New flame colored variety from Half-shade.	England. May-June50 .40 .30					
PYRETHRUM Robinson's Hybrids. 18"-2	24" Painted Lady					
Pink-red-white. The finest single hy Sept. Attractive foliage	.40 .32 .24					
RUELLIA ciliosa. 9"-12"	Ruellia					
Bluish chalice shaped flowers all Lovely rock plant.	summer. June-October.					
STOKESIA Blue Moon, 15"-18"	Stokes Aster					
Huge layender blue flowers. Jun	e-September. Sun. A					
beautiful addition for the border. TRADESCANTIA Lilac Time. 18"-24" Lilac blue, flowers all summer.	.45 .36 .27					
Lilac blue flowers all summer	Sun or shade Good					
for naturalizing.	.50 .40 .30					
verbascum Harkness Hybrids. 5'-6' Stately yellow spikes. Showy. Ju	Mullein					
Stately yellow spikes. Showy. Ju	ly-October. Sun. Use-					
ful border plant. VIOLĀ Ārkwright's Ruby. 6"-8"	.40 .52 .24 Violα					
Rich crimson pansy flowers. May-S	September. Half shade.					
A real beauty.	.30 .24 .18					
Maggie Mott. 6"-8"	Viola					
Large pure pale blue. May-Septem	nber. A most persistent					
bloomer, each flower a gem odorata semperflorens. 4"-6"	Sweet Violet					
Perpetual flowering Violet. Very s Light shade preferred	sweet. May-November.					
Light shade preferred	.40 .32 .24					
HARDY FERNS						
HARDI FERN	S					
ADIANTUM pedatum.	Maidenhair					
ADIANTUM pedatum. Airy, graceful, shade.	Maidenhair .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade.	Maidenhair .35 .30 .24 Ebony Spleenwort					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12".	Maidenhair .35 .30 .24 Ebony Spleenwort .35 .30 .24 Maidenhair Spleenwort					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs.	Maidenhair .35 .30 .24 Ebony Spleenwort .35 .30 .24 Maidenhair Spleenwort					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina.	Maidenhair .35 .30 .24 Ebony Spleenwort .35 .30 .24 Maidenhair Spleenwort					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner.	Maidenhair .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina.	Maidenhair .35 .30 .24 Ebony Spleenwort .35 .30 .24 Maidenhair Spleenwort					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum.	Maidenhair .35 .30 .24 Ebony Spleenwort .35 .30 .24 Maidenhair Spleenwort .35 .30 .24 Lady Fern .35 .30 .24 Goring Spleenwort .50 .45 Mottled Spleenwort					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice.	Maidenhair					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum.	Maidenhair .35 .30 .24 Ebony Spleenwort .35 .30 .24 Lady Fern .35 .30 .24 Lady Fern .50 .45 Mottled Spleenwort .50 .45 Mottled Spleenwort .50 .45 Walking Fern Maidenhair Spleenwort .50 .45 Walking Fern Walking Fern					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller.	Maidenhair .35 .30 .24 Ebony					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus.	Maidenhair .35 .30 .24 Ebony Spleenwort .35 .30 .24 Lady Fern .35 .30 .24 Coring Spleenwort .50 .45 Mottled Spleenwort .50 .45 Walking Fern .35 .30 .24 Coldie's Woodfern					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds.	Maidenhair .35 .30 .24 Ebony Spleenwort .35 .30 .24 Lady Fern .35 .30 .24 Coring Spleenwort .50 .45 Mottled Spleenwort .50 .45 Walking Fern .35 .30 .24 Goldie's Woodfern					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana.	Maidenhair .35 .30 .24 Ebony Spleenwort .30 .24 Maidenhair Spleenwort .35 .30 .24 Lady Fern .35 .30 .24 Goring Spleenwort .50 .45 Mottled Spleenwort .50 .45 Walking Fern .35 .30 .24 Goldie's Woodfern .50 .30 .30 Cinnamon Fern .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds. OSMUNDA cinnamonea. Vigorous grower. regalis.	Maidenhair .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds. OSMUNDA cinnamonea. Vigorous grower. regalis. Pale green, pretty large fern.	Maidenhair .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds. OSMUNDA cinnamonea. Vigorous grower. regalis. Pale green, pretty large fern. POLYPODIUM virginianum.	Maidenhair .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds. OSMUNDA cinnamonea. Vigorous grower. regalis. Pale green, pretty large fern. POLYPODIUM virginianum. For rocks, cliffs, walls.	Maidenhair .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds. OSMUNDA cinnamonea. Vigorous grower. regalis. Pale green, pretty large fern. POLYPODIUM virginianum.	Maidenhair .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds. OSMUNDA cinnamonea. Vigorous grower. regalis. Pale green, pretty large fern. POLYPODIUM virginianum. For rocks, cliffs, walls.	Maidenhair .35					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. —pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds. OSMUNDA cinnamonea. Vigorous grower. regalis. Pale green, pretty large fern. POLYPODIUM virginianum. For rocks, cliffs, walls. POLYSTICHUM acrostichoides. Evergreen ground cover.	Maidenhair .35 .30 .24					
ADIANTUM pedatum. Airy, graceful, shade. ASPLENIUM platyneuron. Erect fronds up to 12". trichomanes. Small, dainty for cliffs. ATHYRIUM felix femina. Grand for shady corner. goringianum. Soft deep green, rare. — pictum. Mottled foliage, choice. CAMPTOSORUS rhizophyllus. Quaint little cliff dweller. DRYOPTERIS goldiana. 3' Deep green fronds. OSMUNDA cinnamonea. Vigorous grower. regalis. Pale green, pretty large fern. POLYPODIUM virginianum. For rocks, cliffs, walls. POLYSTICHUM acrostichoides. Evergreen ground cover.	Maidenhair .35 .30 .24					



HERB GARDENS

The rapidly growing interest in Herbs is more than a fad, it is a return to substantial appreciation of original rather than synthetic fragrance and flavor. While many items such as Sage, are used in vast quantities, other lesser known kinds, are eagerly sought by the connoisseur and epicure.

Restricted importation may prove instrumental in establishing this domestic phase of gardening so rich in tradition and usage. Apart from the medicinal or household uses of these old fashioned plants there is an undeniable attraction in growing your own Herb collection. A little Herb Garden can and should be a most practical and interesting section of your grounds.

Our plants are easily grown and once established last many years. The few annual herbs are omitted from this list. If you are not an enthusiast now you will be after trying some of the subtle flavoring suggested.



HERB PLANTS-Perennial

Ec	ich T	en Hur	ndred
Balm	.30	.24	.18
— Melissa officinalis. Delightfully lemonated cellent for cooling drinks or for flavorand stews. Balm tea is an old fast colds. Can be used fresh or dried.	ring so	ups, so	ruces
Beebalm	.30	.24	.18
— Monarda didyma. A showy member for the larger garden. Beloved by hur let flowers on 2' plants in July-August	nming l		
Betony (Big)	.30	.24	.18
— Stachys grandiflora. Ornamental rath culinary sense. Broad leaves and purp July. 18" high.	er than blish spi	useful ikes in	in a June-
Betony (Woolly)	.30	.24	.18
— Stachys lantana. The woolly "Lamb' ioned gardens makes an admirable e as a purgative.			
Burnet	.30	.24	.18
— Sanguisorba officinalis. Imparts a reflavor to salads without the cucumbe pretty ferny leaves can be used fresh	er come	eback.	mber The
Camomile	.30	.24	.18
— Anthemis nobilis. The turfing dais: Makes a low emerald green mat with ers which are made into tea and use	white	daisy	land. flow-
Cat Mint	.30	.24	.18
 Nepeta mussini. Decorative gray-gree foliage produce clouds of small lavende all summer long. Good in α hot dry p 	er flowe		
Chives	.25	.20	.15
— Allium schoenoprasum. The popular of salad plant. The fresh leaves can chopped in cream cheese, wherever is wanted. A good edging plant.	be use	ed all	year,
Costmary	.30	.24	.18
— Chrysanthemum balsamita. A handson aromatic foliage and heads of small rampant grower for the larger garden	yellow		
Creeping Mint	.35	.28	
— Mentha requieni. A choice low plan paving stones where it will scent to fragrance when trodden on. Too sme	he air	with 1	minty
Dittany	.75	.60	.45
— Origanum Dictamnus. The true Dittany ancients used it to cure all ills. Attract leaves and pink hop like flowers. Ter	ive rou		
Elecampane	.30	.24	
- Inula helenium. A tall rather coars	e plant	with	large
leaves and yellow daisy flowers. Roo	ts used	medicii	nally.

Each Ten Hundred Germander30 24 - Teucrium chamaedrys. For small box-like hedges, edging or knot gardens this is the plant supreme. Can be trimmed and kept low. Evergreen, but best cut back every spring. Hoarhound24 .18 .30 -Marrubium vulgare. Makes a low spreading plant with gray woolly leaves which can be dried and made into tea as a remedy for bronchial troubles. Seeds are used in cough drops and candy. Hyssop30 .24 - Hyssopus officinalis. A beautiful aromatic plant worthy of a place in any garden. Blue flowers on erect little bushes. Can be trimmed as a hedge or for knot gardens. Lavender24 .18 .30 — Lavandula vera. The true English Lavender makes a neat gray leaved shrub to about 24" with spires of fragrant lavender flowers from which Lavender water and sachets are made. Heavy plants-.50 each. .24 Lavender dwarf30 .18 - Lavandula vera Munsted variety. A dwarf counterpart of the type. Much in favor as a low hedge plant. Stays compact so needs little shearing. Lavender cotton35 .28 - Santolina incana. A woolly gray shrublet which forms a low spreading mass of silver, but can be trimmed to make delightful low hedges. The foliage is aromatic. Lavender Cotton Green35 .28 .21 — Santolina viridis. Like the last named in habit but a beautiful shade of green. Both evergreen but best cut to ground each spring. .30 .24 .18 Marjoram Pot -Origanum onites. A more rugged plant than Sweet Marjoram, green in leaf with pretty pink flowers. Used a lot in seasoning. Very easy in rather poor soil. .18 Marjoram Sweet30 Origanum marjorana. For seasoning soups, sausages and stuffing poultry, this is superb. The neat little grayish plants are very ornamental in the herb garden, and the herbage is easily dried for winter use. .30 .24 .18 Peppermint — Mentha piperita. A well known Mint useful in flavor-ing. Leaves and tender tops are grand infused in cool

drinks. Peppermint oil and menthol are obtained from

the plant.

Each Ten Hundred Roman Wormwood24 .18 - Artemisia pontica. Forms a gray mass of finely cut foliage with spreading roots. Can be trimmed. Aromatic. Sometimes used as a tonic. .30 .24 .18 Rosemary 2½" pots - Rosemarinus officinalis. For remembrance and used to season Duck dressing, orange sauce, with mayonnaise for cold fish or with string beans. It is the hostess who will be remembered. Ours is an erect growing form, make ideal pot plants. Rosemary is not quite hardy in this section. 6" pots-1.00 each. Rue30 .24 -Ruta graveolens. A very attractive pungent shrublet with gray leaves and pretty yellow flowers 18"-24". Used for flavoring soups, salads and vegetables. Has a bitter flavor so should be used sparingly. Medicinal. -Salvia officinalis. The best known seasoning for poultry, sausage and meats. A woody perennial. Height 18"-24". Sage tea is an old remedy for colds, nervousness and baldness. Heavy plants—.60 each. Savory (Winter)30 .24 - Satureia montana. A useful plant for edging in the herb garden but more useful as a seasoning in meats, soups and vegetable dishes. Scented Geraniums .35 .28 — Pelagonium. We carry a collection of these fragrant leaved plants. They can be grown as pot plants or planted in the garden but should be brought inside during our winters. .35 .28 -Cassia marilandica. A woody plant with yellow pea shaped flowers. Medicinal. Skirret .30 24 -Sium sisarum. White flowers are borne in umbels. The leaves can be used in salads. Southernwood..... .35 .28 - Artemisia abrotanum. Makes a 3' aromatic bush, bold with feathery foliage, nice to pinch as you pass. Try it for nervous headaches or moths. Spearmint30 .24 .18 - Mentha spicata. The fresh green leaves are used for flavoring Juleps and cool drinks, also for certain meat sauces, particularly Lamb. Try a few sprigs when cook-

ing green peas or new potatoes.

Each Ten Hundre	ed
Sweet Cecily	24
— Myrrhis odorata. Myrrh of the Bible. An aromatic fer like plant with white flowers. Delightfully fragrant an useful as a ground cover in shade, particularly when bulbs are planted.	nd
Sweetflag	18
— Acorus calamus. Grows naturally in swampy places be does well under garden conditions. Long sword-like leave and interesting poker heads. The dried root used as a drug	ut es
Sweet Violet	
— Viola odorata. Fragrant and lovely for nosegays, finge bowls and corsages. The flowers are candied and use in cakes and confections.	
Sweet Woodruff	21
— Asperula odorata. Waldmeister. A pretty white flowere plant useful as a ground cover in shade. Has a fragrand of new mown hay and is delightful in punch.	d
Tansy	8
— Tanacetum crispum. A particularly beautiful form of th Common Tansy with emerald green fern-like foliage. Tans tea is used as oldfashioned remedy for purifying th blood and stomach ills.	У
<i>Tarragon</i>	n
— Artemisia dracunculus. The base for all Estragon sauces Delicious on lobster, roast chicken, broiled mackerel, to basting roast lamb, for making Tarragon vinegar. Finel- chopped it is added to tartar sauce. Fresh shoots can be cooked with string beans or used in salads.	s. or y
TI (C:)	0
Thyme (Citron)	
Thuma (Common)	
Thyme (Common) English	8
— Thymus vulgaris. We have both English and French Like Marjoram and Sage the Thymes are useful for a large variety of seasoning purposes. Used either frest or dried. They are also in demand for perfumes and medicinal teas. French—.40 each.	1.
Thyme various	
-We carry a number of varieties which are both usefu in the kitchen or garden. Please see Perennial Chart.	1
Wild Ginger	1
- Asarum canadense. A low woodland plant with kidney	
shaped leaves. Makes a good ground cover. The roots are used medicinally and for spices.	
Wormwood	3
— Artemisia absinthinum. A large silvery plant with aromatic odor and exceedingly bitter taste. Used in manufacture of Absinth.	-

LAWN GRASS SEED

Here are the things that will keep the sparkling look of Spring in your lawn . . .

SCOTT'S REGULAR MIXTURE

For sunny lawns. Produces bright green turf for deep rooting perennial grasses. Contains creeping bent for finer texture and thicker growth. Can be sown thinner than ordinary seed because the chaff is removed.

1	lb.	***************************************	\$.65	10 lbs.	***************************************	\$ 5.75
3	lbs.	***************************************	1.85	25 lbs.	•••••	13.75
5	lhe		2.95	50 lbs		24 75

SCOTT'S SHADE MIXTURE

For lawns receiving less than half a day of sunshine. Special perennial grasses which produce fine thick turf under trees and between houses. Pure seed with chaff removed.

1	lb.	•••••	\$.75	10 lbs.	•••••	\$ 6.75
3	lbs.	***************************************	2.15	25 lbs.	***************************************	16.25
5	lhs		3.50	50 lbs		30.00

SCOTT'S WHITE DUTCH CLOVER

½ lb. bag	•••••	\$.75	1	lb.	bag	***************************************	1.35
	Larger	a	mounts	1	per	lb. 1.1	.0	

SCOTT'S PURE CREEPING BENT

1	lb.	can	\$	1.65	5	lb.	bag		7.75
3	lb.	bag	***************************************	4.70	10	lb.	bag	•••••	15.00
			25 lb. 1	haa			36.25	5	

SCOTT'S TURF BUILDER—FOOD FOR GRASS

A special preparation for giving new grass a better start and renewing the color and vigor of old grass. It supplies all the necesary food elements and is composed of only the cleanest ingredients. Ten pounds does a better job of feeding grass than thirty pounds of ordinary fertilizer.

10	lbs.	\$1.25	50	lbs.	***************************************	\$3.75
25	lbs.	2.25	100	lbs.		6.50

HOW MUCH? Per 1,000 square feet

		wns		old wns
Regular mixture	5	lbs.	3	lbs.
Shade Mixture	5	lbs.	3	lbs.
Turf Builder	20	The	10	1ha



EMPIRE PEAT SOIL SPONGE

Invariably the addition of peat moss or similar organic material will improve the physical condition of soil. Careful tests of many products resulted in the selection of this soil sponge. Its advantages are many—it binds sandy soils—loosens clay soils and is extremely useful as a mulch or top dressing. Furthermore, it increases soil bacteria and releases the necessary nitrogen essential to plant growth—stimulates root growth—provides drainage and prevents water logging, but conserves moisture. Being well seasoned and correctly ground it is ready for immediate use.

New Lawns

Prepare the land carefully by cultivating deeply. Break up all lumps, remove all sticks, stones and other foreign matter. Broadcast soil sponge over the entire area to a depth of one-half inch. Slightly heavier application for poor land. Work the peat well into the top 3 inches of cultivated soil, rake smooth, and your soil is then ready for seeding.

Established Lawns

Mow entire lawn fairly close. Rake both ways vigorously with bamboo or fine steel rake to remove all dead grass and foreign matter. Spread soil sponge to a depth of 1/4 inch and brush into the soil so that it penetrates down to the roots. Roll and water. Where the spots are very barren mix equal amounts of peat and topsoil with Scott's grass seed, roll and water.

Shrub and Flower Borders

Apply soil sponge 1 to 2 inches thick depending on soil conditions, and work thoroughly into the soil immediately surrounding the plants, to a depth of 4 to 6 inches. For new plantings several shovelsful thoroughly incorporated with the soil in each hole will prove very beneficial.

Bushel	\$.50
Bale or Box	5.00
Yard	8.50

A bale will cover 500 square feet to a thickness of $\frac{1}{2}$ inch. One cubic yard will cover 1,200 square feet to a thickness of approximately $\frac{1}{4}$ inch.

One cubic yard of cow manure will fertilize 25 trees OR 50 shrubs of average nursery size.

Fertilizing Small Areas

100 lbs. per acre equals approximately 1 lb. per 436 sq. ft. 300 lbs. per acre equals approximately 1 lb. per 145 sq. ft. 500 lbs. per acre equals approximately 1 lb. per 87 sq. ft. 1000 lbs. per acre equals approximately 1 lb. per 44 sq. ft.



Complete instructions in every package.

5	lb.	carton	\$.45	25 lb. bag	\$1.50
10	lb.	carton	***************************************	.85	50 lb. bag	2.50
			100 lb. bgg			

Plant Combinations

Most of the pleasing effects created in the garden are made by arranging complimentary things in such order as to supplement their individual beauty. It seems best to have one item dominant and plant with the whole picture in mind. For example, low spreading subjects should be planted in large numbers as ground cover, from which can spring up definite spikes or mounds of another color. Sometimes succession of flowers or berries, or perhaps mingling of colored bark will supply the missing interest in your garden, sure it is, that careful thought with some fun-giving practice will produce many a thrill. Don't stint with materials or try too many ideas in a small area. Here are a few suggestions:

PERENNIAL BORDER

SPRING

Dicentra spectabilis—Mertensia Anchusa italica—Yellow Iris Pink Columbine, Blue Iris—For -Forget-me-not-Pink Coral bells Iberis—Iris caerulea—Alyssum Veronica incana—Iris kaempferi white Veronica incona—Iris kaempteri white Iris caerulea—Euphorbia epithymoides Iberis Little Gem—Veronica Heavenly Blue—Potentilla verna nana Delphinium chinense album—Eirgeron speciosus Heuchera sanguinea—Aquilegia caerulea—Iris germanica purple Paeonia festiva maxima—Dianthus latifolius atrococcineus Yellow Tulips—Apricot Violas—Trollius—Tawny Wall Flowers Phlox Miss Lingard—Campanula persicifolia caerulea Phlox Miss Lingard—Aquilegia chrysantha—Heuchera sanguinea Hemerocallis flava—Ranticia qustralis Phlox Miss Lingard—Aquilegia chrysantha—Heucher, Hemerocallis flava—Baptisia australis Anthemis tinctoria kelwayi—Delphinium Bellamosum Rosa hugonis—Aquilegia caerulea Mertensia—Trillium—Plox divaricata Delphinium chinense—Aquilegia chrysantha Dicentra spectabilis—White Iris—Iberis Alyssum—Euphorbia polychroma—Iris pumila Hemerocallis flava—Iris sibirica SUMMER

Cimicifuga racemosa—Asclepias Omerhaga didyma—Phlox Mrs. Jenkins Oriental Poppy Mrs. Perry—Anchusa Dropmore—Gypsophila Bristol Fairy Dionthus plumarius White—Viola Jersey Gem Lillies—Papaver Mrs. Perry Linum perenne—Cerastium tomentosum—Papaver Mrs. Perry Coreopsis lanceolata—Delphinium Shasta Daisy—Anthemis kelwayi—Delphinium belladonna Snasra Daisy—Anthemis kinctoria kelwayi
Anchusa italica—Anthemis kinctoria kelwayi
Artemisia Silver King—Lycoris squamigera
Phlox paniculata—Lilium speciosum—Veronica subsessilis
Hemerocallis flava—Campanula glomerata
Campanula persicifolia—Heuchera
Lilium candidum—Delphiniums
Juhbis enterdenia White Actibbs Lychnis chalcedanica—White Astilbes
Thermopsis—Thalictrum—Campanula persicifolia Scabiosa caucasica—Campanula carpatica Trollius—Anchusa myosotidifora
Trollius—Myosotis palustris
Campanula persicifolia—Delphinium Belladonna
Gypsophila paniculata—Monarda didyma
Heuchera Rosamonde—Chrysantheum White Swan Hemerocallis—Delphinium Shasta Daisy—Scabiosa caucasica Gypsophila paniculata—Lychnis chalcedonica Statice latifolia—Eryngium

AUTUMN Thalictrum dipterocarpum—Anemone japonica Alice Blue Platycodon—Pink Lycoris—Blue-gray Columbine foliage Limonium—Veronica subsessilis—Lilium speciosum Aster Barr's Pink—Anemone Whirlwind Chrysanthemum Amelia-Aster frikarti-Cimicifuga simplex—Aconitum wilsoni Aster frikarti—Japanese Anemones—Salvia farinacea Eupatorium fraseri-Helenium Riverton Gem Aster Climax—Helenium Riverton Gem
Thalictrum dipt.—Veronica subsessilis—A
Anemone japonica—Aconitum autumnale Anemone japonica Anemore Japonica—Aconitum autumnale
Buddleia—Anemone japonica
Aster frikarti—Chrysanthemum Sappho
Helenium autumnale—Delphiniums
Salvia pitcheri—Helenium pumilum
Chrysanthemum arcticum—Eupatorium coelestinum
Aster Harrington's Pink—Aster frikarti—Artemisia Silver King

Plant Combinations

ROCK GARDENS

Arabis alpina—Pulmonaria azurea
Iris pumila caerulea—Viola lutea
Linum perenne—Androsace lanuginosa
Phlox subulata Nelsoni—Viola Jersey Gem
Iris gracilipes—Heuchera
Aubrietia Lavender—Viola lutea
Aubrietia Lavender—Alyssum citrinum
Dianthus neglectus—Campanula muralis
Dianthus deltoides—Veronica rupestris
Geranium lancastriense in front of Iris gracilipes
Saxifraga macnabiana—Androsace lanuginosa
Cheiranthus Allioni—Viola cornuta
Yellow Helianthemum—Veronica rupestris
Campanula carpatica—Oenothera missouriensis
Geum sibiricum—Phlox subulata Wilsoni
Gypsophila repens—Campanula muralis
Anemone pulsatilla—Arabis—Doronicum
Arabis—Iris pumila varieties
Campanula carpatica alba—Heuchera
Alyssum saxatile compactum—Anchusa myosotidiflora
Arabis alpina—Viola Jersey Gem
Cerastium tomentosum—Heuchera sanguinea Rosamonde
Arenaria montana—Aquilegia flabellata
Papaver nudicaule—Phlox subulata G. F. Wilson
Geranium sanguineum—Aquilegia hybrida alba
Nierembergia rivularis—Plumbago larpentae
Arabis alpina fl. pl.—Aubrietia

GROUPINGS

Azalea vaseyi—White Tulips edged pink—Phlox divaricata Betula populifolia—Rosa nitida—Myrica carolinensis Viburnum prunifolium—Juniper virginiana—Rosa blanda Magnolia—Dutch hyacinths (red) Magnolia stellata against Taxus—underplanted with Bloodroot Forsythia suspensa—Arabis alpina Prunus subhirtella pendula—Grape hyacinths Iris pumila—Spiraea thunbergi—Red Flowering Peach Spiraea thunbergi—Tulips soft lavender Buddleia Charming—Thermopsis—Statice Bee's Ruby—Linum perenne Cercis canadensis—Crocus (white) Pinus strobus—Rhododendron carolinianum Juniperus virginiana—Cotoneaster horizontalis Halesia—Azalea nudiflora—Mertensia Crataegus—Taxus cuspidata Pieris japonica—Phlox G. F. Wilson Leiophyllum buxifolium—Ajuga reptans Cornus florida—Vinca minor—Daffodils Amelanchier canadensis—Phlox subulata Rosa carolina—Cephalanthus occidentalis Tsuga canadensis—Ilex verticillata Halesia on a blue drift of Vinca Bowles variety

SHRUB PLANTING

Amelanchier canadensis—Azalea vaseyi—Viola Jersey Gem Hypericum moserianum—Buddleia Amelanchier canadensis—Daphne cneorum Forsythia intermedia spectabilis—Azalea mucronulata Chionanthus virginica—Lonicera tartarica Cletha alnifolia—Potentilla fruticosa—Viburnum lentago Syringa vulgaris—Symphoricarpos racemosus Symphoricarpos racemosus—Viburnum americanum Berberis thunbergi—Ligustrum regal—Eleagnus angustifolia Cornus stolonifera—Kerria japonica flore-pleno Cornus stolonifera lutea—Vaccinium corymbosum

Most of our native plants, ferns, and the doubtful movers such as Poppies are grown in pots for convenience and safety in planting.

Suitable for the Rock Garden

Evergreens

Arctostaphylos uva-usy,
Azalea marcrantha, 3'
Calluna vulgaris, and vars. 1'-2'
Cham. obt. gracilis compacta, 8'
Chamaecyparis obtuso nana, 2'
Cham. plumosa nana, 2'
Cham. suarrosa nana, 1½'
Cataneaster dammeri, 1'
2' 214' Arctostaphylos uva-ursi, 5"-6" Cotoneaster dammeri, 1'
Cotoneaster microphylla, 2'-2½'
Cotoneaster thymifolia, 1½'-2' Daphne cneorum, 11 Epigaea repens, 6" Euonymus radicans minimus, 3" Gaultheria procumbens, 4"-6" Hedera conglomerata, 1" Hedera minima Hedera minima
Ilex crenata helleri, 1'
Juniperus chinensis sargenti, 1½'
Jun. communis montana, 1½'
Juniperus conferta, 9"-12"
Juniperus conferta, 9"-12"
Juniperus horizontalis, 1'-1½'
Jun. horizontalis Bar Harbor, 1'
Jun. horizontalis douglasi, 1'-1½'
Jun. horizontalis plumosa, 2'
Jun. sopiana tamariscifolia, 1½' Jun. sabina tamariscifolia, 1½' Juniperus squamata, 1' Juniperus squamata variegata, 1' Juniperus squamata variegata, 1 Leiophyllum buxifolium, 1½'
Mitchella repens, 4"
Pachistima canbyi, 3"-4"
Picea exc. clanbrasiliana, 3'-4'
Picea excelsa maxwelli, 1'-2'
Picea excelsa pumila, 1'
Picea excelsa pumila, 1'
Picea excelsa repens, 1'
Picea glauca conica, 3'
Pinus Montana mughus, 2½'-3'
Potentilla tridentata, 8"
Rhodo. arbutifolium, 3'-4'
Rhodol. myrtifolium, 3'-4'
Rhodolendron racemosum, 1' Rhodod, myrtifolium, 3'-4' Rhododendron racemosum, 1' Taxus baccata repandens, 2'-3' Taxus canadensis, 2'-2'/2' Taxus cuspidensa, 2'-3' Taxus cuspidenta nana. 2'-3' Thuja occidentalis Little Gem, 2' Vaccinium vitis-idaea, 6"

Deciduous Shrubs

Betula youngi, 8'-10'
Caryopteris incana, 2'-3'
Cotoneaster adpressa, 1'
Cotoneaster horizontalis, 1½'-2'
Cotoneaster perpusilla, 1½'-2'
Cydonia alpina, 2'
Deutzia gracilis. 3'
Genista pilosa, 3'
Genista sagiitalis, 9"
Hypericum buckleyi, 1'
Hypericum patulum forresti, 6"-8"
Jasminum nudiflorium, 3'
Lonicera thibetica, 3'-4'
Rosa rouletti, 6"
Viburnum opulus nanum, 1'-2'

Herbaceous Perennials

Achillea clavennae, 6" Achillea fomentosa, 9" Aethionema grandiflorum, 1½' Aethionema iberideum, 6" Aethionema Warley Rose, 6" Ajuga brockbanki, 8" Ajuga genevensis, 1" Ajuga reptans, 6" Allium flavum minor, 6" Allium senescens glaucum, 9"
Allium Thibet, 9"
Alyssum saxatile compactum, 1'
Alyssum spinosum, 6" Androsace sarmentosa chumbyl Anemone huphensis, 11/2 Anemone pulsatilla, 1'Anemone pulsatilla alba, 1' Anemone pulsatilla rubra, 1'
Anemone sylvestris, 9''
Anemone vernalis, 3''
Antennaria dioica, 6'' Antennaria aloica, o Aphyllanthes monspeliensis Aquilegia alpina, 1' Aquilegia canadensis, 15" Aquilegia flabellata nana alba, 9" Aquilegia pyrenaica, 6" Arabia albida nana campacta 4" Arabis albida nana compacta, 4" Arabis kellereri, 3" Arabis Reneral, 5
Arabis procurrens, 6"-9"
Arabis Rosa Bella, 6"-9"
Arenaria caespitosa, 1"
Arenaria caespitosa aurea, 1"-2" Arenaria montana, 4" Artemisia frigida, 4" Artemisia trigiaa, a Aster alpinus, 8" Aster alpinus albus, 8" Aster Dwarf Hybrids, 1" Aster Subcaeruleus, 1' Aster Wartburg Star, 1' Aubrietia in variety, 6" Calamintha alpina, 6" Campanula barbata, 8" Campanula carpatica, 6" Campanula carpatica alba, 6" Campanula garganica, 3"
Campanula portenschlagiana, 3"
Campanula poscharskyana, 6"
Campanula pusilla, 3" Campanula rotundifolia, 1 Campanula turbinata, 6" Cerastium tomentosum, 6" Coreopsis auriculata nana, 1' Coronilla cappadocica, 6" Cyclamen europaeum, 4"-6" Cyclamen neapolitanum, 4"-6" Dianthus arvernensis, 4" Dianthus Beatrix, 9" Dianthus deltoides, 8" Dianthus Furst Bismark, 0" Dianthus neglectus, 4" Dianthus superbus nanus, 6" Dicentra cucullaria, 4''-6'' Dicentra formosa, 1' Douglasia vitaliana, 2" Draba bruniifolia, 2" Draba siberica, 4" Dracocephalum ruyschiana. Epimedium macranthum, 12" Erodium chamaedrioides, 2" Erodium chrysanthum, 6" Euonymus radicans minimus, 1" Ferns, Hardy (See page 117) Festuca glauca, 1' Gentiana acaulis, 1" Gentiana hascombensis, 9" Gentiana septemfida, 9" Gentiana lagodechiana, 8" Geranium sanguineum album, 9" Geranium sang. lancastriense, 4" Geum borisi, 1" Gypsophila cerastioides, 3" Gypsophila repens, 4"

Rock Garden

Helianthemum in variety, 8"
Hepatica triloba, 4"-6"
Heuchera in variety, 1½'
Hieracium bombycinum, 6"
Hosta plantaginea minor, 10"
Hosta plantaginea minor, 10"
Hypericum cacerulea, 3"-4"
Hypericum olympicum, 6"-9"
Hypericum repens, 6"
Iberis saxafilis, 2"
Iberis sempervirens, 10"
Iberis sempervirens, Little Gem, 6"
Iberis sempervirens, Snowflake, 9"
Iris cristata, 4"
Iris gracillipes, 5"
Iris gracillipes, 5"
Iris pumila in variety, 4"-9"
Jeffersonia diphylla, 12"
Lavandula vera, Munsted, 1'
Leontopodium alpinum, 6"
Linaria aequitriloba, 1"
Linnaea borealis. 3"
Linum flavum, 9"
Linum perenne, 1'
Liriope graminifolia, 9"
Lithospermum prostratum, 6"
Lotus corniculatus, 4"
Mazus rugosus, 4"
Menthella requieni, ½'
Mitchella requieni, ½'
Myosotis scorpioides, 10"
Nierembergia rivularis, 2"
OEnothera speciosa, 1½'
Omphalodes verna, 6"
Papaver alpinum, 4"
Phlox subulata in variety, 4"-6"
Phyteuma scheuchzeri. 1'
Plumbago larpentae, 9"
Polemonium humile, 1'
Polygala vayredeae, 6"
Polygala vayredeae, 6"
Polygala rayestris pygmaea, 4"

Potentilla tonguei, 6"
Potentilla verna nana, 4"
Primula acaulis, 3"
Primula acrollis, 3"
Primula cortusoides, 6"
Primula frondosa, 4"
Primula sieboldi, 8"
Primula sieboldi, 8"
Primula sieboldi, 8"
Primula veris, assorted, 6"-10"
Rosa rouletti, 6"
Santolina viridis, 8"-12"
Saponaria ocymoides splendens, 1'
Sedum in variety, 1"-9"
Semiaquilegia adoxoides, 12"
Sempervivum in variety, 4"-9"
Shortia galacifolia, 8"-12"
Silene alpestris, 5"
Silene acaulis, 2"
Silene wherryi, 6"
Silene wherryi, 6"
Statice armeria in variety, 6"-15"
Statice Six Hills Hybrid, 6"
Teucrium chamaedrys, 1½'
Thymus citriodorus aureus, 4"
Thymus citriodorus aureus, 4"
Thymus caxifroga, 6"
Verbena peruviana, 4"
Veronica armeria, 4"
Veronica gentionoides, 8"
Veronica gentionoides, 8"
Veronica feucrium rupe rosea, 4"
Veronica teucrium rupe rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica pedunculata, 4"-6"
Veronica teucrium rup. rosea, 4"
Veronica teucrium rup. rosea, 4"
Veronica feucrium rup. Purple Queen, 5"
Viola gracilis, 5"
Viola odorata, 6"
Viola pedata, 4"

Shaded Situations

Decidious Trees and Shrubs

Acanthopanax pentaphyllum, 8'
Amelanchier canadensis, 12'-15'
Amelanchier stolonifera, 4'-5'
Aronia arbutifolia, 6'-8'
Aronia melanocarpa, 8'-10'
Azalea arborescens, 10'-12'
Azalea vaseyi, 5'-6'
Azalea viscosa, 4'-5'
Benzoin aestivalis, 10'-12'
Calycanthus floridus, 4'-5'
Cephalanthus accidentalis, 5'-6'
Cercis canadensis, 12'-15'
Chionanthus virginica, 15'-18'
Cornus alternifolia, 15'-18'
Cornus andifolia, 4'-5'
Cornus florida, 15'-25'
Cornus florida, 15'-25'
Cornus florida, 15'-20'
Cornus stolonifera, 8'-10'
Diervilla trifida, 3'-4'
Halesia tetraptera, 12'-15'
Hamamelis verinnian, 15'-20'
Hamamelis virgininan, 15'-20'
Hamamed quercifolia, 3'-4'

Hydrangea arb. grandiflora, 4'
Ligustrum ibota regelianum, 5'
Lonicera fragrantissima, 6'-8'
Lonicera morrowi, 7'-8'
Lonicera totarica, 9'-10'
Oxydendrum arboreum, 25'-30'
Philadelphus, 9'-10'
Physocarpus, 3'-4'
Rhodotypos kerrioides, 4'-5'
Symphoricarpos chenaulti, 4'-5'
Symphoricarpos rocemosus. 4'-5'
Symphoricarpos vulgare. 4'-5'
Viburnum acerifolium, 4'-5'
Viburnum dentafum 10'-12'
Viburnum molle. 10'-12'
Viburnum prunifolium. 12'-15'
Zanthoriza apiifolia, 2'-3'

Evergreens

Azalea amoena, 21/3'-3'
Azalea hinodegiri. 3'-4'
Buxus semper. suffruticosa, 6'
Epigaea repens. 4"-6"
Euonymus radicans coloratus. 3"
Gaultheria procumbens. 4"-6"
Ilex crenata microphylla, 6'-8'
Ilex glabra, 5'-6'
Ilex opoca, 25'-30'
Juniperus communis, 21/2'-3'
Kalmia latifolia, 5'-7'

Shaded Situations

Leucothoe catesbaei, 3'-4' Mahonia aquifolium, 4'-5'
Mitchella repens, 3''-4'
Pachysandra terminalis, 6''-8'' Pieris floribunda, 3'-4' Pieris japonica, 4'-5' Rhodo. catawbiense, 8'-10' Rhododendron hybrids, 3'-8' Rhodo. maximum, 12'-15' Rhodo. maximum, 12'-15' Taxus canadensis, 2'-2½' Taxus cuspidata, 4'-5' Tsuga canadensis, 75'-90'

Herbaceous Perennials

Aconitum (all) Ajuga genevensis Ajuga reptans Anemone japonica Anemone sylvestris Aquilegia Chimaphila maculata Chrysogonum virginianum Cimicifuga Convallaria majalis Cyclamen europaeum Cypripedium pubescens Dicentra cucullaria Dicentra eximia Dicentra spectabilis Digitalis Eupatorium fraseri Ferns in variety Helleborus niger

Hemerocallis Hepatica Heuchera Hosta (all) Iberis sempervirens Iris cristata Iris gracilipes Iris verna Linnaea borealis americana Lithospermum prostratum Lobelia cardinalis Lobelia syphilitica Lychnis chalcedonica Lythrum Menthella requieni Mitchella repens Myosotis scorpiodes Myrrhis odorata Omphalodes verna Physalis Platycodon grandiflorum Polemonium Primula (all listed) Pulmonaria azurea Sedum kamtschaticum Sedum oreganum Sedum sarmentosum Sedum spurium Sedum ternatum Shortia galacifolia Thalictrum Trillium grandiflorum Vinca minor

Binding Steep Banks

Shrubs

Bartubs
Acanthopanax pentaphyllum, 7'-8'
Berberis thunbergi, 4'-5'
Contoneaster horizontalis, 2'-3'
Cotoneaster perpusilla, 1'-2'
Forsythia suspensa, 5'-6'
Lonicera syringantha, 4'-5'
Lonicera tatarica, 9'-10'
Myrica carolinensis, 4'-5'
Rhus conadensis, 4'-5'
Robinia hispida, 6'-8'
Rosa nitida, 12"-18"'

Rosa rugosa, 4'-5' Rosa setigera, 5'-6' Symphoricarpos racemosus, 4'-5' Symphoricarpos vulgare, 4'-5' Zanthoriza apiifolia, 2'-3'

Ampelopsis heterophylla Bignonia radicans Celastrus scandens, 20'-25' Lonicera halleana, 15'-20' Rosa lucida, 5'-6' Roca wichuriana, 15'-20'

Dry Soil

Deciduous Trees Betula populifolia, 30'-40' Phellodendron amurense, 40'-50 Quercus alba, 100'

Evergreen Trees Juniperus virginiana, 30'-50' Pinus resinosa, 80'-100' Pinus strobus, 80'-100' Pinus thunbergi, 80'-100'

Deciduous Shrubs

Deciduous Shrubs
Acanthopanax pentaphyllum
Colutea arborescens, 8'-12'
Cornus paniculata, 10'-12'
Genista tinctoria, 3'-4'
Hypericum prolificum, 21½'-3'
Lespedeza formosum, 5'-6'
Myrica carolinensis, 4'-5'
Prunus maritima, 9'-10'
Rhamnus cathartica, 9'-10'
Rhus canadensis, 4'-5'
Rosa setigera, 10'-12'
Symphoricarpos racemosus

Symphoricarpos racemosus

Vaccinium corymbosum, 5'-6' Viburnum acerifolium, 4'-5' Viburnum lantana, 15'-18'

Evergreen Shrubs

Juniperus sabina, 6'-7'
Maninerus sargenti, 1½'
Juniperus communis, 2'-2½'
Juniperus communis, 2'-2½'
Juniperus horizontalis, 1'-1½'
Juniperus sabina, 6'-7'
Mahonia aquifolium, 4'-5'
Pachysandra terminalis, 8"
Pinus montana mughus, 2½'-3'

Herbaceous Perennials

SUNNY PLACES Achillea ptarmica, The Pearl Achillea tomentosa Anthemis tinctoria Arenaria caespitosa Armeria in variety Asclepias tuberosa

Dry Soil

Baptisia australis Cerastium tomentosum Dianthus caesius Dianthus deltoides Dianthus plumarius Euphorbia corollata Festuca glauca Gypsophila paniculata Helianthemum Helianthus Lavendula vera Linum perenne Lupinus polyphyllus Nepeta mussini Oenothera youngi Pentstemon barbatus Phlox subulata Plumbago larpentae Santolina incana

Santolina viridis Sedum in variety Sempervivum Tunica saxifraga Yucca filamentosa

SHADY PLACES

Ajuga genevensis Ajuga reptans Aquilegia canadensis Aquilegia chrysantha Aster alpinus Convallaria majalis Heuchera sanguinea Iberis sempervirens Liatris pycnostrachya Platycodon grandiflorum Sedum spectabile

Marshy Places

Deciduous Trees

Deciations Trees
Acer rubrum, 50'-75'
Betula nigra, 50'-60'
Larix leptolepis, 50'-60'
Liquidambar styraciflua, 50'-60'
Quercus palustris, 75'-90'
Quercus phellos, 75'-90'
Salix babylonica, 50'-60'
Taxadium distichum, 100' Taxodium distichum, 100' Tilia americana, 80'-90' Ulmus americana, 80'-100'

Shrubs

Aronia arbutifolia, 6'-8' Aronia melanocarpa, 8'-10' Azalea viscosa, 4'-5' Benzoin aestivalis, 10'-12' Benzoin aestivalis, 10'-12' Calycanthus floridus, 4'-5' Cephalanthus occidentalis, 4'-5' Clethra alnifolia, 4'-5'
Cornus amomum, 8'-9'
Cornus stolonifera, 7'-8'
Ilex glabra, 5'-6'
Ilex verticillata, 6'-8' Rhododendron canadense, 4' Sorbaria sorbifolia, 5'-6' Vaccinium corymbosum, 6'-8'

Viburnum cassinoides, 5'-6' Viburnum dentatum, 10'-12' Viburnum lentago, 18'-20'

Herbaceous Perennials

Aruncus sylvester Aster novae-angliae Boltonia latisquama Caltha palustris Cimicifuga racemosa Helenium autumnale Hemerocallis Hibiscus moscheutos Iris chrysographes Iris forresti Iris kaempferi Iris sibirica Lobelia cardinalis Lobelia siphilitica Lythrum salicaria roseum Myosotis scorpoides (palustris) Physostegia virginica Primula cachemiriana Primula japonica Primula japonica, Red Hugh Primula pulverulenta Trollius europaeus Trollius, Orange Globe

Acid Soil

The acidity of soil varies to a considerable degree and some plants prefer a decidedly acid reaction while others succeed best in a slightly acid soil. This list includes plants which have a preference for soil on the acid side, always providing other nutritional conditions are favorable.

Deciduous Trees and Shrubs

Acer pennsylvanicum Acer spicatum Aesculus parviflora Amelanchier Amorpha Aronia Azalea Baccharis Benzoin Betula lenta Buddleia Callicarpa Calycanthus Carpinus Celastrus

Cephalanthus

Abelia

Chionanthus Cladastris Clethra Cydonia Cytisus scoparius Daphne mezereum Enkianthus Fagus Forsythia Genista Ginkgo Halesia Hamamelis llex Itea virginica

Liquidambar

Liriodendron Lonicera belgica Magnolia Myrica Neillia Nyssa Oxydendrum Ouercus Sambucus Sophora Sorbus Stewartia Styrax Symplocos Vaccinium Viburnum Vitex

Acid Soil

Conifers

Pinus

Thuya

Tsuga

Abies Chamaecyparis Juniper horizontalis Picea

Broadleaf Evergreens

Azalea Buxus Calluna Erica Ilex glabra Ilex opaca Kalmia

Aconitum

Leiophyllum Leucothoe Pachistima Pieris Potentilla tridentata

Pseudotsuga

Rhododendrons

Perennials

Actaea Allium Alyssum Anemone Aquilegia Arenaria Artemisia Asclepias Aster Astilbe Baptisia Caltha Chelone lyoni Cimicifuga Convallaria Coreopsis Corydalis Cypripedium acaule Dicentra Digitalis Erythronium Gaillardia Gentiana Helianthemum Helleborus Hepatica

Heuchera Hibiscus moscheutos Houstonia Iberis Iris, Japanese Jeffersonia Liatris Lobelia Lotus Lupinus Lythrum Mertensia Monarda Oenothera Phlox ovata Phlox stolonifera Polemonium Polygala paucifolia Primula Ranunculus Sanguinaria Sedum anglicum Trillium **Trollius** Valeriana Viola Viola pedata

Antennaria Arctostaphylos Asarum Chimaphila Convallaria Cornus canadensis Epigaea

Ground Covers

Galax
Gaultheria
Houstonia
Linnea americana
Mitchella
Pachysandra

Wall-Gardening

Achillea tomentosa
Aethionema (all)
Alyssum (all listed)
Androsace chumbyi
Androsace chumbyi
Androsace chumbyi
Androsace chumbyi
Androsace chumbyi
Androsace lanuginosa
Antennaria dioica
Arabis in variety
Arenaria montana
Asplenium platyneuron
Asplenium richomanes
Aubretia in variety
Calamintha alpina
Campanula garganica
Campanula portenschlagiana
Campanula poscharskyana
Campanula poscharskyana
Campanula poscharskyana
Campanula pusilla
Cerastium tomentosum
Chieranthus allioni
Corydalis lutea (shady)
Dianthus arvernensis
Dianthus caesius
Dianthus deltoides
Dianthus neglectus
Dracocepholum
Erodium (all)

Geranium sanguineum & varieties Gypsophila repens Helianthemum in variety Hypericum olympicum Iberis in variety Leontopodium alpinum Lithospermum prostratum Lotus corniculatus Nepeta mussini
OEnothera missouriensis
OEnothera speciosa
Phlox subulata and varieties Plumbago larpentae Primula auricula (shady) Saponaria ocymoides Sedum (all except spectabile) Sempervivum (all) Silene alpestris Silene maritima fl. pl. Silene schafta Statice armeria Teucrium chamaedrys Thymus (all) Tunica saxifraga Veronica teucrium rupestris & var.

Crevice Plants

Achillea tomentosa Antennaria dioica Arenaria caespitosa Arenaria caespitosa aurea Campanula pusilla Euonymus radicans minimus Linaria aequitriloba Lotus corniculatus Menthella requieni Nierembergia rivularis Phlox subulata varieties (for large steps) Sedum acre
Sedum anglicum
Sedum dasyphyllum
Sedum nevi
Sedum sexangulare
Sedum spoth, purpureum
Sempervivums (all)
Silene alpestris
Statice armeria
Thymus (all)
Tunica saxifraga
Veronica repens

Ground Covers

For Shady Places

Ajuga reptans Asarum shuttleworthi Chimophiyla maculata Chrysogonum virginianum Convallaria majalis Cornus canadensis Dicentra eximia Epigaea repens
Epimedium in variety
Euonymus radicans coloratus
Euonymus radicans minimus
Ferns in variety Gaultheria procumbens
Hedera helix and varieties
Hepatica triloba
Linnaea borealis Mitchella repens Pachistima canbyi Pachysandra terminalis Polemonium reptans Shortia galacifolia Taxus canadensis Vaccinium vitis-idaea Veronica filiformis Veronica repens Vinca minor and varieties

For Sunny Places

Achillea tomentosum Arctostaphyllos uva-ursi Arenaria caespitosa Calluna vulgaris and varieties Cerastium tomentosum Dianthus plumaris Dicentra eximia Helianthemum in variety Iberis sempervirens Juniperus chinensis sargenti Juniperus communis montana Jun. horizontalis Bar Harbor Juniperus horizontalis plumosa Juniperus sabina tamariscifolia Juniperus squamata Leiophyllum buxifolium Lotus corniculatus Pachistima canbyi Phlox subulata Sedum in variety Thymus serphyllum Veronica teucrium rupestris Zanthorhiza apiifolia

Seashore Planting

Trees

Acer rubrum Betula papyrifera Betula populifolia Crataegus coccinea Crataegus crusgalli Juniperus virginiana Larix europaea Picea pungens Picea pungens kosteri Pinus montana mughus Pinus nigra Pinus resinosa Pinus sylvestris Pinus thunbergi Platanus orientalis Populus bolleana Populus eugenei Populus nigra italica Quercus rubra Salix elegantissima Salix pentandra

Shrubs

Berberis thunbergi Calluna vulgaris and varieties Clethra alnifolia Genista tinctoria Hydrangea arb. grandiflora Hypericum aureum llex verticillata Ligustrum ovalifolium Ligustrum regelianum Lonicera tatarica Myrica carolinensis Prunus maritima Rhodotypos kerriodes Rhus canadensis Rosa lucida Rosa rugosa Rosa setigera Symphoricarpos vulgaris Viburnum cassinoides Viburnum dentatum Viburnum lentago

Berry-Bearing Trees and Shrubs

Red Berries

Red Berries

Aronia arbutifolia, 8'-10'
Benzoin aestivale, 10'-12'
Berberis aggregata pratti, 8'-10'
Berberis thunbergi, 4'-5'
Berberis vernae, 5'-6'
Berberis vulgaris, 8'-9'
Cornus florida, 15'-25'
Cornus kousa, 15'-20'
Cornus mas, 15'-20'
Cotoneaster apiculata, 6'-7'
Cotoneaster dielsiana, 6'-8'
Cotoneaster dielsiana, 6'-8'
Cotoneaster franchetti, 7'-8'
Cotoneaster franchetti, 7'-8'
Cotoneaster hupehensis, 5'-6'
Cotoneaster hupehensis, 5'-6'
C. racemiflora soongarica C. racemiflora soongarica Cotoneaster rotundifolia, 7'-8' Cot. salicifolia floccosa Cots salicifolia floccosa
Cots salicifolia floccosa
Cotoneaster Simonsi, 5'-6'
Crataegus coccinea, 15'-20'
Crataegus cordata, 12'-15'
Crataegus crus-galli, 15'
Crataegus mollis, 20'-25'
Crataegus mollis, 20'-25'
Crataegus oxyacantha, 20'
Elaeagnus longipes, 6'-8'
Elaeagnus pungens, 10'-12'
Elaeagnus pungens, 10'-12'
Elaeagnus umbellata, 8'-10'
Euonymus alatus, 9'-10'
Euonymus europaeus, 12'-14'
Euonymus radicans vegetus
Euonymus yedoensis, 9'-10'
Ilex cornuta, 8'-10'
Ilex opaca, 25'-30'
Ilex pernyi, 7'-8'
Ilex verticillata, 6'-8'
Lonicera korolkowi floribunda Lonicera korolkowi floribunda Lonicera maacki, 8'-9' Lonicera minutiflora, 7 Lonicera morrowi, 7'-8' Lonicera morrowi, 7'-8'
Lonicera sachalinensis, 10'-12'
Lonicera syringantha wolfi, 4'
Lonicera syringantha wolfi, 4'
Lonicera tatarica, 9'-10'
Malus floribunda, 12'-15'
Malus sargenti, 8'-9'
Nyssa sylvatica, 60'-70'
Photinia villosa, 12'-15'
Pyracantha coccinea lalandi
Rhus canadensis, 3'-5'
Rosa a ubiginosa, 5'-6'
Rosa rubiginosa, 5'-6'
Rosa rugosa, 4'-5'
Rosa rugosa, 4'-5'
Rosa setigera, 10'-12'

Sambucus pubens, 10'-12' Sorbus aucuparia, 25'-30' Sorbus aucuparia, 25'-30' Symphoricarpos chenaulti, 4'-Symphoricarpos vulgaris, 4'-5' Viburnum americanum, 8'-9' Viburnum dilatatum, 8'-9' Viburnum opulus, 9'-10' Viburnum wrighti, 8'-10'

White Berries

Cornus alba sibirica, 8'-10' Cornus poniculata (bluish), 10'-12' Cornus stolonifera, 7'-8' Myrica carolinensis (gray) Pachysandra terminalis, 8"'-10'' Symphoricarpos racemosus

Yellow Berries

Elaeagnus angustifolia, 15'-18' Ilex opaca xanthocarpa, 25'-30' Ilex opaca xanthocarpa, 2 Malus arnoldiana, 12'-15'

Black Berries

Amelanchier canadensis, 25' Aronia melanocarpa, 8'-10' Berberis verruculosa, 2'-8' Berberis verruculosa, 2'-8' Cotoneaster acutifolia, 8'-10' Cotoneaster foveolata, 8'-10' Ilex crenata bullata, 4'-5' Ilex crenata bullata, 4'-5'
Ilex crenata microphylla, 6'-8'
Ilex glabra, 5'-6'
Ligustrum regelianum, 4'-5'
Rhamnus cathartica, 9'-10'
Rhamnus frangula, 10'-12'
Rhodotypus kerrioides, 4'-5'
Viburnum acerifolium, 4'-5'
Viburnum lantana, 15'-18'
Viburnum prunifolium, 12'-15'
Viburnum sieboldi, 9'-10'

Deep Blue-Black Berries

Berberis gagnepaini, 5'-6Berberis julianae, 6'-7'
Berberis tricanthophora, 4'-5'
Chionanthus virginica, 20'
Cornus controversa, 20'-25'
Vaccinium corymbosum, 4'-12'
Viburnum cassinoides, 5'-6'
Viburnum dentatum, 10'-12'
Viburnum lentago, 25'-30'

Blue Berries

Ampelopsis heterophylla Callicarpa purpurea (mauve) Cornus amomum, 8'-9' Symplocos paniculata, 30'-40'



Attractive to Birds

*-Nesting

- O Amelanchier canadensis
- * Ampelopsis quinquefolia * Ampelopsis tricuspidata * Ampelopsis tricuspid O Aronia arbutifolia O Aronia melanocarpa Benzoin aestivale *O Berberis thunbergi *O Berberis vernae *O Berberis vulgaris O Betula lenta O Betula nigra O Betula papyrifera O Celastrus scandens **Cornus alba

- * Cornus alba * Cornus controversa
- *O Cornus florida

- *O Cornus paniculata
 *O Cornus mas
 O Cornus kousa
 *O Crataegus most varieties
 O Elaeagnus longipes
- O Euonymus europaeus

0-Food

- O Gaultheria procumbens
 *O llex opaca
- llex opaca
- O llex verticillata
- *O Juniper virginiana varieties
 *O Lonicera in variety
- *O Malus floribunda and vars.
 O Mitchella repens
- O Myrica carolinensis
- * Picea polita
- *O Pinus nigra

 * Pinus resinosa

 *O Pinus strobus
- O Sambucus pubens
 O Sorbus aucuparia
 * Symphoricarpos chenaulti

 - Symphoricarpos racemosus * Symphoricarpos vulgaris
- * Tsuga canadensis
 O Vaccinium corymbosum
 *O Viburnums in variety
 O Weigela
- *0

Distinctive Bark

Acer pennsylvanicum (Striped) Betula alba (White) Betula nigra (Papery brown) Betula Papyrifera (Papery white) Betula populifolia (Creamy) Carpinus betulus (Blue-gray) Cornus alba (Bright red)
Cornus controversa (Purple)
Cornus paniculata (Gray)
Cornus stolonifera (Deep red)
Cornus stolonifera (utea (Yellow) Elaeagnus (Silvery) Euonymus alatus (Corky)

Euonymus europaeus (Green) Fagus varieties (Gray) Forsythia viridissima ((Green) Kerria japonica (Green) Laburnum vulgare (Green) Liquidambar styraciflua (Corky) Rosa lucida (Reddish)
Rosa lucida (Reddish)
Rosa lucida (Reddish)
Rosa rubrifolia (Dull red)
Salix vitellina (Yellow)
Tilia euchlora (Red twig) Tilia platyphyllos aurea (Yellow)

Suitable for Hedges

Evergreens

Berberis julianae Chamaecyparis pisifera and var. Chamaecyparis plumosa Chamaecyparis filifera **Euonymus patens** llex crenata Juniperus chinensis vars. Juniperus virginiana vars. Picea excelsa Pinus strobus

TALL

Taxus cuspidata capitata Thuya occidentalis and varieties Thuya plicata atrovirens Tsuga canadensis

Berberis triacanthophora Berberis verruculoso Buxus suffruticosa Chamaecyparis obtusa gracilis C. obtusa nana Ilex crenata bullata Ilex crenata microphylla Mahonia aquifolia Taxus cuspidata Taxus cuspidata nana Taxus media Taxus media browni Thuya occidentalis dwarf varieties Thuya occidentalis Little Gem

LOW

Would you like to have a clipped Yew hedge? More than any other one factor a neat hedge, already shaped, gives a finished appearance to garden or terrace. For shapes and sizes available, see page 73, priced by the lineal foot.

Suitable for Hedges

Deciduous

TALL

Acer ginnala
Carpinus betulus
Cotoneaster acutifolia
Crataegus coccinea
Crataegus cordata
Crataegus crusgalli
Crataegus oxyacantha
Euonymus alatus
Fagus americana
Fagus sylvatica
Hibiscus syriacus
Ligustrum omurense
Ligustrum ovalifolium
Lonicera fragrantissima
Lonicera fragrantissima
Lonicera minutifolia
Photinia villosa
Rhamnus frangula
Salix pentandra
Syringa vulgaris
Viburnum dentatum

LOW
Berberis thunbergi
Berberis thunbergi minor
Berberis vernae
Cotoneaster divaricata
Cydonia japonica
Deutzia gracilis
Ligustrum lodense
Hypericum aureum
Ligustrum ovalifolium (clipped)
Ligustrum regelianum
Philadelphus lemoinei and var.
Rhodotypos kerriodes
Rosa rugosa
Spiraea Anthony Waterer
Spiraea prunifolia
Spiraea thunbergi
Spiraea van houttei
Stephandra flexuosa
Symphoricarpos chenaulti
Viburnum opulus nana

Shrubs for Espalier

Amygdalus persica
Cercis chinensis
Corylopsis sinensis
Cotoneaster franchetti
Cotoneaster horizontalis
Cotoneaster salicifolia floccosa
Cotoneaster simonsi
Crataegus in variety
Cydonia in variety
Forsythia suspensa
Hamamelis japonica
Hamamelis mollis
Jasminum nudiflorum

Laburnum vulgare
Lonicera fragrantissima
Lonicera heckrotti
Lonicera morrowi
Magnolia glauca
Magnolia parviflora
Malus micromalus
Malus sargenti
Prunus triloba
Pyracantha coccinea lalandi
Stewartia pentagyna
Viburnum carlesi
Xanthoceras sorbifolia

Vines

Flowering

Actinidia
Bignonia
Clematis
Hydrangea petiolaris
Lonicera
Polygonum
Rosa wichuriana and varieties
Wisteria

Foliage

Actinidia Akebia Ampelopsis Euonymus Hedera Lonicera Rosa

Rapid Growth

Actinidia Clematis Polygonum Fruiting

Actinidia Akebia Ampelopsis heterophylla Celastrus Clematis

Self-Clinging (by roots)
Ampelopsis tricuspidata
Ampelopsis tricuspidata lowi
Bignonia
Euonymus
Hedera
Hydrangea petiolaris
Schizophragma hydrangeoides

Climbing

Actinidia Ampelopsis heterophylla Ampelopsis quinquefolia Celastrus Clematis

Clematis Lonicera Wisteria

Evergreen Conifers

Tall
Abies homopelis, 60'-80'
Abies concolor, 50'-60'
Abies veitchi, 50'-60'
Cedrus atlantica glauca, 50'-60'
Cedrus libani, 60'-80'
Chamaecyparis pisifera, 30'-40'
Cham, pisifera aurea, 30'-40'
Chamaecyparis plumosa, 35'-40'
Cham, plumosa aurea, 30'-35'

Chamacyparis squarrosa, 30'-40'
Cryptomeria jap. lobbi, 50'-60'
Juniperus virginiana, 30'-50'
Picea canadensis, 50-60'
Picea excelsa, 80'-100'
Picea excelsa pyromid, 40'-50'
Picea owoymai, 40'-50'
Picea omorika, 60'-80'
Picea orientalis, 60'-80'
Picea polita, 60'-80'

Evergreen Conifers

Picea pungens, 70'-80'
Picea pungens glauca, 70'-80'
Picea pungens kosteri, 50'-60'
Pinus flexilis, 35'-40'
Pinus resinosa, 60'-70'
Pinus strobus, 80'-100'
Pinus strobus fastigiata, 35'-40'
Pinus thunbergi, 60'-70'
Pseudotsuga douglasi, 70'-80'
Thuya occidentalis, 35'-40'
Thuya occiden, pyramid, 25'-30'
Thuya plicata atrovirens, 35'-40'
Tsuga canadensis, 70'-80'

Medium Height

Medium Height
Chamaecyparis obtusa, 20'-25'
Cham. obt. Lycopodioides, 8'
Cham. obtusa magnifica, 25'-30'
Cham. obtusa wagnifica, 20'-25'
Cham. pisifera filifera, 20'-25'
Juniperus chinensis, 18'-20'
Jun. chin. columnaris, 20'-25'
Juniperus chin. fortunei, 12'-15'
Juniperus virg. burki, 12'-15'
Juniperus virg. connarti, 20'-25'
Juniperus virg. glauca, 20'-25'
Juniperus virg. schotti, 20'-25'
Juniperus virg. schotti, 20'-25'
Juniperus virg. schotti, 20'-25'
Juniperus virg. schotti, 20'-25'
Tavus cembra, 25'-30'
Sciadopitys verticillata, 20'-25'
Taxus media hatfieldi, 15'
Thuya occ. doug. aurea, 15'-20'
Thuya occ. elegant, 15'-20'
Thuya occidentalis lutea
Thuya occ. wageaga, 12'-15' Thuya occ. rosenthali, 10'?12'
Thuya occ. wareana, 12'-15'
Thuya orient. conspicua, 10'-12'
Thuya orient. elegant., 10'-12'
Thuya standishi, 12'-15'
Tsuga canadensis atrovirens, 20'
Tsuga diversifolia, 50'

Shrubby

Cham. obtusa compacta, 5'-6' Cham. obtusa crippsi (slow), 8'-10' Cham. obt. gracilis (slow), 12' Cham. obt. grac. compacta, 6'-8' Cham. pis. filifera aurea, 15' Juniperus chin. albo variegata, 10'

Juniperus chin. pfitzeriana, 5'-6'
Juniperus canadensis, 3'-4'
Juniperus communis, 3'-4'
Juniperus excelsa stricta, 5'-6'
Juniperus sabina, 5'-6'
Jun. virginiana globosa, 4'-5'
Juniperus virg. pyramidalis, 20'
Juniperus virg. smithi, 6'-8'
Picea excelsa clanbrasiliana, 4'-5'
Picea excelsa conica, 6'-8'
Picea glauca conica, 5'-6'
Taxus baccata compacta, 10'
Taxus baccata vata, 12'-15'
Taxus baccata vashingtoni, 6'-8' Taxus bac. ovata, 12'-15'
Taxus cuspidata, 10'-12'
Taxus cuspidata, 10'-12'
Taxus cuspidata, 10'-12'
Taxus cuspidata compacta, 6'-8'
Taxus cuspidata nana, 4'-5'
Taxus cuspidata nana, 4'-5'
Taxus cuspidata nana, 4'-5'
Taxus media browni, 5'-6'
Taxus media hicksi, 10'-12'
Taxus media hicksi, 10'-12'
Taxus sieboldi, 10'-12'
Thuya occ. globosa, 3'-4'
Thuya occ. pumila, 3'-4'
Thuya occ. pumila, 3'-4'
Thuya occ. woodwardi, 3'
Thuya orient. curea nana, 4'-5'
Tsuga canad. pendula, 6'-8'

Low or Prostrate

Chamaecyparis squarrosa nana, Cham. plumosa lutescens, 3' Cham. plumosa nana, 2' Jun. chinensis sargenti, 2'-2\/2' Jun. communis aurea, 1\/2', Jun. communis montana, 1' Juniperus conferta, 9'-12" Juniperus horizontalis, 1'-1\/2' Jun. hor. Bar Harbor, 6''-12" Juniperus hor. douglasi, 9''-12" Juniperus hor. douglasi, 9''-12" Juniperus hor. hudsonica, 1'-2' Jun. horizontalis plumosa, 1'-2' Jun. horizontalis plumosa, 1'-2' Juniperus squamata, 1'-2' Juniperus squamata, 1'-2' Juniperus squamata variegata, 1'-2' Jun. squamata variegata, 1'-2' Chamaecyparis squarrosa nana, 2' Jun. squamata variegata, 1'-2' Picea excel. maxwelli, 1½'-2' Picea excel. maxwelli, 1½-2-27 picea excelsa procumbens, 2′ Picea excelsa pumila, 3′ Picea excelsa repens, 1½′ Pinus mugho, 3′ Taxus baccata repandens, 2′-3′ Taxus canadensis, 2½′, 3′ Taxus cuspidata densa Thuya occ. Little Gem, 2′-2½′

Broad Leaved Evergreens

Abelia grandiflora, 5'-6'
Arctostaphylos uva-ursi
Azalea amoena, 4'-5'
Azalea fujimayo, 5'-6'
Azalea fujimayo, 5'-6'
Azalea kaempferi hybrids, 3'-4'
Azalea kaempferi hybrids, 3'-4'
Azalea ledifolia, 4'-5'
Azalea macrantha, 3'-4'
Berberis chenaulti, 3'-4'
Berberis gagnepaini, 4'-5'
Berberis tricanthophora, 4'-5'
Berberis verruculosa, 3'-3\frac{1}{2}'
Buxus species, 5'-10' Abelia grandiflora, 5'-6'

Calluna vulgaris, 6"-15"
Chimaphila maculata, 6"-8"
Cotoneaster dammeri, 1'-11½'
Cotoneaster franchetti, 8'-10'
Cotoneaster horizontalis, 2'-2½'
Coton. hor, perpusilla, 1'-2'
Cotoneaster microphylla, 2'-3'
Daphne cneorum, 1'
Erica carnea, 1½'
Euonymus patens, 8'-10'
Euonymus radicans, vine
Euonymus rad. vegetus, vine
Euonymus rad. vegetus, vine
Gaultheria procumbens, 4"-6"

Broad Leaved Evergreens

Hedera helix and varieties, vine Hedera helix conglomerata Hedera helix deltoidea, 2' Hedera helix minima, 1½' Iberis sempervirens, 1' llex crenata convexa, 3'-4'
llex crenata convexa, 3'-4'
llex crenata helleri, 1\frac{1}{2}' llex crenata helleri, 1½'
llex crenata microphylla, 8'-10'
llex glabra, 4'-6'
llex opaca, 30''-40''
llex pennyi, 7'-8'
Kalmia angustifolia, 3'-4'
Kalmia latifolia, 6'-8'
Laurocerosus schipkaensis, 4'-6'
Lavendula vera, 1½'-2'
Leiophyllum buxifolium, 1'-2'
Leucothoe axillaris, 2'-3'
Leucothoe catesbaei, 3'-4'
Lithospermum prostratum Lithosperum prostratum Lonicera fragrantissima, 6'-8' Lonicera iaponica halliana, vine Lonicera nitida, 4'-5' Mahonia aquifolium, 3'-4' Mitchella repens, vine, 2"
Pachistima conbyi, 6"-9"
Pachysandra terminalis, 6"-9"
Pieris floribunda, 4'-5'
Pieris japonica, 6'-7'
Pyracantha coccinea, 8'-10'
Pyracantha coccinea, 8'-10'
Pyracantha coccinea, 8'-10'
Rhodo. arbutifolium, 3'-4'
Rhodo. carolinianum, 5'-6'
Rhodo. carolinianum, 5'-6'
Rhodo carowbiense, 8'-10'
Rhododendron Hybrids, 4'-12'
Rhodod maximum, 12'-15'
Rhododendron minus, 6'-8'
Rhodo. myrtifolium, 3'-4'
Rhodo. vilsoni, 4'-5'
Santolina incana, 1½'
Stranvaesia davidiana, 12'-15'
Teucrium chamaedrys, 12"-15"
Thymus citriodorus, 6"-9"
Viburnum rhytidophyllus, 8'-10'
Vinca minor, vine
Yucca filamentosa. 2'-3' Vinca minor, vine Yucca filamentosa, 2'-3'

Deciduous Shrubs

Dwarf up to 3 ft. Dwarf up to 3 ft.
Berberis thunbergi minor, 2'-3'
Caryopteris incana,, 1½'-2'
Cotoneaster adpressa, 1'
Cotoneaster dorizontalis, 2'
Cydonia japonica alpina, 1'-2'
Cydonia maulei, 2'-3'
Cytisus kewensis, 1'-2'
Daphne mezereum, 3'
Deutzia gracilis, 3'
Deutzia gracilis rosea, 3'-4'
Diervilla trifida, 3'
Elsholtzia farquhari, 3' Elsholtzia farquhari, 3' Genista pilosa, 1'-2' Genista tinctoria fl. pl., 2'-3' Hydrangea quercifolia, 3' Hypericum moserianum, 1'-2' Indigofera gerardiana, 3' Indigofera kirilowi, 3' Ligustrum vulgare lodense, 2'-3' Lonicera thibetica, 3'
Potentilla fruitcosa, 3'
Rosa humilis, 2'-3'
Rosa nitida, 2'
Spirec Anthony V' Spirea Anthony Waterer, 3' Viburnum opulus nanum, 1' Zanthorhiza apiifolia, 2'

Medium up to 6 ft.

Abelia grandiflora, 5'-6'
Amelanchier stolonifera, 4'-5'
Aronia melanocarpa, 3'-4'
Azalea kaempferi, 5'-6'
Azalea mollis, 4'-5'
Azalea poukhanensis, 4'-5'
Azalea poukhanensis, 4'-5'
Azalea poukhanensis, 4'-5'
Azalea schlippenbachi, 6'
Berberis thunberai, 5'-6'
Berberis thunberai, 5'-6'
Berberis vernae, 5'-6'
Buddleia lle de France, 4'-6'
Callicarpa purpurea, 4'-5'
Cotoneaster divaricata, 5'-6'
Cotoneaster divaricata, 5'-6'
Cotoneaster hupehensis, 5'-6'
Coton, racemiflora soongarica, 6'
Coton, racemiflora soongarica, 6 Coton. salicifolia floccosa, 6'-8'

Cotoneaster zabeli miniata, 4'-6'
Cydonia japonica and var., 3'-5'
Cytisus scoparius, 5'-6'
Deutzia lemoinei, 4'-5'
Eleagnus longipes, 5'-6'
Eleagnus longipes, 5'-6'
Eleonymus alatus compactus, 5'-6'
Forsythia suspensa, 6'
Hydrangea arb. grandiflora, 4'-5'
Hydrangea arb. grandiflora, 4'-5'
Hydrangea arb. grandiflora, 4'-5'
Hydrangea arb. grandiflora, 4'-6'
Lespedeza formosa, 6'
Lespedeza formosa, 6'
Lespedeza formosa, 6'
Kerria japonica flore pleno, 4'-6'
Lespedeza formosa, 6'
Lespedeza formosa, 6'
Forsytum ibota regelianum, 5'-6'
Neillia sinensis, 4'-5'
Philadelphus lemoinei, 4'-5'
Philadelphus lemoinei, 4'-5'
Philadelphus Mont Blanc, 4'-5'
Physocarpus opulifolia nana, 3'-4'
Prunus glandulosa, 4'-5'
Prunus glandulosa, 4'-5'
Rhodotypos kerrioides, 4'-6'
Rhodotypos kerrioides, 4'-6'
Rosa rubanda, 3'-4'
Rosa Grootendorst, 4'-5'
Rosa blanda, 3'-4'
Rosa Grootendorst, 4'-5'
Sophora viciifolia, 5'-6'
Sophora viciifolia, 5'-6'
Sophora viciifolia, 5'-6'
Sophora viciifolia, 5'-6'
Spirea drichocarpa, 5'-6'
Spirea triloba, 3'-4'
Stephanandra flexuosa, 5'-6'
Symphoricarpos racemosus, 4'-5'
Symphoricarpos racemosus, 4'-5'
Viburnum careifolium, 5'-6'
Viburnum careifolium, 5'-6'
Viburnum careifolium, 5'-6'
Viburnum careifolium, 5'-6'
Aesculus parviflora, 8'-9'
Aronia arbutifolia, 8'-10'
A. melanocarpa grandiflora, 8'-9'
Aronia arbutifolia, 8'-10'
Azalea nudiflora, 6'-8'
Azalea pontica, 6'-8'

Deciduous Shrubs

Tall up to 10 ft.

Azalea rosea, 6'-8'

Azalea vaseyi, 10'

Azalea viscosa, 9'-10'

Barberis accuractics Azalea viscosa, 9'-10'
Berberis aggregata pratti, 8'-10'
Berberis vulgaris, 8'-9'
Berberis vulgaris purpurea, 8'-9'
Buddleia alternifolia, 8'-10'
Buddleia veitchi, 8'-10'
Calyconthus floridus, 8'-9'
Cercis chinensis, 8'-10'
Clethra alnifolia, 6'-8'
Cornus alba, 8'-10'
Cornus amomum, 8'-10'
Cornus anniculata, 10'-12' Cornus amomum, 8'-10'
Cornus paniculata, 10'-12'
Cornus stolonifera, 8'-10'
Cornus stolonifera lutea, 6'-8'
Corylopsis sinensis, 9'-10'
Cotoneaster foveolata, 8'-10'
Deutzia magnifica, 8'-10'
Deutzia magnifica, 8'-10'
Eutonymus alatus, 8'-9'
Euonymus hamiltonianus, 9'-10'
Euonymus yedoensis, 9'-10'
Exochorda grandiflora, 8'-10'
Forsythia oyata, 6'-8'
Forsythia spectabilis, 8'-9' Forsythia spectabilis, 8'-9'
Forsythia viridissima, 7'-8' Forsythia virid. koreana, 7'-8' Hibiscus syriacus, 10' Hibiscus syriacus, 10'
Hydrangea paniculata, 10'
Hydrangea pan grandiflora, 8'-10'
Ilex verticillata, 8'-10'
Ilex verticillata polycarpa, 7'-8'
Kolkwitzia amabilis, 8'
Ligustrum ibota, 8'-10'
Lonicera fragrantissima, 6'-8'
L. korolkowi floribunda, 8'-10'
Lonicera minutiflora, 8'-10'
Lonicera morrowi, 7'-8'
Lonicera notha, 8'-10'
L. tatarica and varieties, 8'-10'
Magnolia stellata, 10'
Malus floribunda brevipes, 8'
Malus sargenti, 8'
Philodelphus coronarius, 9'-10' Malus sargenti, 8'
Philadelphus coronarius, 9'-10'
Philadelphus virginalis, 7'-8'
Prunus maritima, 8'-10'
Prunus tomentosa, 7'-8'
Rhamnus frangula, 8'-10'
Robinia hispida, 6'-8'
Rosa huganis, 6'-8'
Spirea prunifolia, 7'-8'
Spirea van houttei, 6'-8'
Staphylea colchica, 10'-12'
Syringa persica, 8'-10'
Syringa persica, 8'-10'
Syringa vulgaris varieties, 6'-10'
Vaccinium corymbosum, 6'-8'
Viburnum americanum, 10'

Viburnum cassinoides, 6'-8'
Viburnum dentatum, 10'
Viburnum dilatatum, 8'-10'
Viburnum molle, 10'
Viburnum opulus, 10'
Viburnum sieboldi, 10'
Viburnum tomentosum, 8'-10'
Vib. tomentosum plicatum, 7'-8'
Viburnum wrighti, 8'-10'
Weigela candida, 6'-8'
Weigela candida Feerie, 6'-8'
Weigela venusta, 6'-8'
Xanthoceras sorbifolia, 10'

Large above 10 ft.

Acer palmatum and var., 10'-25'
Amelanchier canadensis, 25'
Amygdalus persica, 12'-15'
Azalea arborescens, 15'
Benzoin aestivale, 12'-15'
Cephalanthus occidentalis, 12'-15'
Chionanthus virginica, 20'
Colutea arborescens, 10'-12'
Cornus alternifolia, 15'-20'
Cornus controversa, 25'
Cornus kousa, 15'-20'
Cornus kousa, 15'-20'
Cornus mas, 15'-20'
Cornus mas, 15'-20'
Enkianthus campanulatus, 12'-15'
Euonymus europaeus, 12'-15'
Euonymus europaeus, 12'-15'
Euonymus europaeus, 12'-15'
Ligustrum amurense, 10'-12'
Hamamelis iopinica, 20'
Hamamelis virginiana, 15'
Ligustrum amurense, 10'-12'
Ligustrum acelini, 10'-12'
Lonicera sacholinensis, 10'-12'
Adanolia acuminata cordata, 20'
Magnolia acuminata cordata, 20'
Magnolia soulangeana, 15'-30'
Malus micromalus, 10'-12'
Shotaria arborea glabrata, 12'-15'
Stewartia pentagyna, 12'-15'
Stewartia pentagyna, 12'-15'
Styrax japonica, 18'-20'
Symplocos poniculata, 20'
Syringa chinensis, 12'
Syringa vulgaris, 12'-15'
Viburnum lantana, 12'-15'
Viburnum lentago, 20'
Viburnum prunifolium, 10'-15'

Suitable Distances for Planting

Large street trees	.50	to	60	feet	apart
Medium street trees	.40	to	50	feet	apart
Small street trees	.30	to	40	feet	apart
Large shrubs	. 8	to	10	feet	apart
Medium shrubs	. 4	to	6	feet	apart
Small shrubs	. 2	to	3	feet	apart
Herbaceous Perennials	6	to	18	inch	apart
Ground covers	6	to	12	inch	apart

Autumn Coloring

Trees

Acer ginnala, 12'-20'
Acer rubrum, 50'-75'
Acer saccharum, 50'-75'
Betula lutea, 90'-100'
Carpinus caroliniana, 25'-35'
Cercidiphyllum japonicum, 80'
Cladastris lutea, 40'-50'
Cornus florida, 15'-25'
Crataegus cordata, 15'-25'
Grinkgo biloba, 90'-100'
Halesia tetraptera, 20'-25'
Hamamelis mollis, 15'-20'
Liquidambar styraciflua
Nyssa sylvatica, 40'-60'
Oxydendrum arboreum, 25'-30'
Quercus alba, 100' Quercus alba, 100' Quercus coccinea, 75'-90' Quercus palustris. 75'-90' Quercus rubra, 75'-90'

Shrubs

Amelanchier species, 4'-20' Aronia arbutifolia, 6'-8'

Aronia melanocarpa, 8'-10' Azalea vaseyi, 10'-12' Berberis thunbergi, 4'-5' Berberis triacanthophora, 4'-5' Berberis triacanthophora, 4
Berberis vernae, 5'-6'
Celastrus scandens
Clethra alnifolia, 7'-8'
Cornus alternifolia, 15'-18'
Cornus amomum, 8'-10'
Cornus paniculata, 10'-12'
Cotoneaster in variety Enkianthus companulatus, 12' Euonymus alatus, 9'-10' Euonymus americanus, 7'-8' Euonymus alatus, 9'-10' Euonymus americanus, 7'-8' Hamamelis japonica, 15'-20' Hydrangea quericifolia, 3'-4' Mahonia aquifolia, 3'-4' Photinia villosa, 12'-15' Rhus canadensis, 3'-4' Rhus cotinus, 12'-15' Spirea prunifolia, 7'-8' Spirea prunifolia, 7'-8' Spirea thunbergi, 4'-5' Styrax japonica, 18' Styrax japonica, 18' Vaccinium corymbosum, 5'-6' Viburnum (all species)

Shade Trees

Tall

Acer rubrum Acer saccharum Betula lutea Betula nigra Betula nigra
Betula papyrifera
Cercidiphyllum japonicum
Fagus americana
Fagus sylvatica riversi Fraxinus americana Ginkgo biloba Liquidombar styraciflua Liriodendron tulipfera Platanus occidentalis Platanus orientalis Pseudolarix kaempferi Quercus coccinea Quercus palustris Quercus rubra Taxodium distichum Tillia americana Tilia platyphyllos Tilia cordata Ulmus americana Ulmus campestris

Medium Height

Acer platanoides Acer platanoides schwedleri Aesculus hippocastanum Betula alba Betula alba laciniata Betula populifolia Carpinus betulus Fagus sylvatica asplenifolia Gymnocladus dioica Larix europaea Larix leptolepis Magnolia kobus Nyssa sylvatica Phellodendron amurense Populus bolleana Populus nigra italica Populus simoni Pterostyrax hispida Quercus phellos Salix babylonica Salix pentandra Sophora japonica Tilia tomentosa Ulmus moline

Flowering Trees

Amelanchier canadensis Aesculus rubicunda Amygdalus persica Cercis canadensis Cercis canadensis
Chionanthus virginica
Cladastrus lutea
Cornus florida
Cornus kousa
Cornus mas Crataegus in variety Halesia tetraptera Koelreuteria paniculata Laburnum Magnolia conspicua

Magnolia cordata Magnolia kobus Magnolia soulangeana and var. Malus in variety Oxydendrum arboreum Prunus pissardi Prunus serrulata and varieties Sorbus aucuparia Sorbus quercifolia Stewartia pseudo camellia Styrax japonica Styrax obassia Symplocos paniculata

Planting Calendar for Bulbs

D. II.	T:	Depth to Plant
Bulb	Time to Plant	in Inches
Chionodoxa	November	2-3
Colchicum	September—October	3
	Early August	3 2 3-4
Crocus Eranthis	August—September—October	3-4
	August	3
Erythronium	September	3-4
Fritillaria	September	2-3
Galanthus	August	2
Hyacinth	September	6-7
Iris (bulbous)	September—October	3-4
Leucojum	September—October	4-5
Lilium auratum	November—December	10-12
Lilium batemannioe	November	6
Lilium candidum	August—September	2-3
Lilium canadense	November	10
Lilium chalcedonicum	October-November	4 5 6
Lilium elegans	November	5
Lilium hansoni	November	
Lilium henryi	November—December	10
Lilium martagon	October—November	4
Lilium regale	November	8
Lilium speciosum	November—December	10
Lilium superbum	November	5
Lilium tenuifolium	October-November	4
Lilium tigrinum	November	9
Muscari	September—October	2-3
Narcissus	September	4-8
Ornithogalum	September	2-3
Scilla	September-October	2-3
Tulip	October—November	5-6

Pruning of Shrubs

The fundamental principle of all pruning is to cut back any shrub just after its normal blooming season. This gives it a chance to produce new wood and new buds before the next blooming season. It is also necessary with most shrubs to encourage all shoots coming up from the base. Such new growth supplies the vigorous young wood, so prune old wood to the ground.

There are a few exceptions to this rule, such as Lilac, Coralberry, Snowberry, Japanese Quince and Sorbaria, which produce good young shoots anywhere along the older branches.

Pruning is injurious if improperly done. Branchlets and twigs should be cut with a sharp knife or pruning shears. Heavy branches may be removed with a pair of lopping shears, or a saw. Large wounds should be thoroughly covered with a good tree paint. Cut each branch or twig back to the next larger one so that no useless stub is left. Small branches or twigs should be cut just above a strong bud, if possible. Normally, excessive pruning when planting is unnecessary, if the shrubs have a good root system and the plants are fertilized and well cultivated after planting, but severe pruning is desirable with late spring planting after growth has commenced.

Most shrubs need not be pruned back more than one-third. Such shrubs as Buddleia, Callicarpa, and Vitex will often die back part way at least when planted. They should be pruned to within 6 or 8 inches of the ground. Heavy pruning at planting has one big advantage with shrubs that are inclined to be scraggly. It causes the development of 2 more compact specimen.

Shrubs which are grown mainly for their winter twig effect should be pruned just before growth starts, by cutting out all wood over a year old each spring. Those that are grown mostly for their foliage effect may also be pruned in the spring, except for the slow conservative growers, and they need only an occasional thinning out of the very old poorly placed branches.

Shrubs with ornamental fruits, as well as flowers, should not be runned until the fruit has withered or g

Shrubs with ornamental fruits, as well as flowers, should pruned until the fruit has withered or gone, and then cut but ingly, to preserve the following year's crop of flowers and fruits.

Rejuvenating Old Shrubs

Old shrubs which have not been pruned for a number of years may be completely pruned at one time, but will be unattractive for a season or two. It is advisable to cut about one-third of the oldest branches to the ground each season. In this way the shrub can be completely rejuvenated in a few years' time without any severe hardship to the shrub or to the landscape effect.

Some Facts About Controlling Insects on Ornamental Plants



Because of the many different kinds of ornamental plants and the thousands of insects attacking these plants it is impossible to give control methods here for all these insects. Therefore, this brief article is presented on some of the fundamental principles of insect control. Difficult cases of insect control should be referred to your State Entomologist for advice.

IMPORTANCE OF FEEDING HABITS

The method of controlling any specific insect is largely determined by the manner it obtains its food. If it bites off, chews and swallows solid particles of the foliage, bloom or fruit it can often be best controlled by stomach poisons, such as arsenate of lead, etc.; if it obtains its food by inserting its mouth parts through the surface and sucking out the plant juice, one must use contact poisons, such as nicotine, rotenone, pyrethrum, etc. The above two methods are effective where the insects feed upon exposed surfaces. If they bore inside the leaves, fruit, stems, trunk or roots, other methods are often necessary. Thus, how the insects feed and their habits have an important place in how to control them.

STOMACH POISONS

The most common stomach poison for use on ornamental plants is arsenate of lead. It may be obtained in a white powdery material, or in a paste form. The powder is usually used at the rate of $1\frac{1}{2}$ pounds to 50 gallons of water or in smaller quantities 1 ounce to 2 gallons or 1 rounded teaspoonful to 1 quart of water. Spray thoroughly all parts of the plant likely to be fed upon.

Powdered derris root or powdered pyrethrum flowers or dusts containing these insecticides also have some value as stomach poisons for ornamental plants where one does not wish to use an arsenical poison. These powders may be dusted upon the plants or applied as a spray by diluting at the rate of 1 pound to 3 to 5 gallons of water. They act as contact poisons and repellents as well as stomach poisons, but will not protect the plants for as long a time as lead arsenate against leaf eating insects.

Stomach poisons may be used against insects such as most beetles, grasshoppers, caterpillars, etc. They are not effective against plant lice, scale insects, leaf hoppers, various plant bugs, etc.

CONTACT SPRAYS

Contact sprays are of two kinds. Those used on plants during the growing season and known as summer contact sprays, and those used on hardy plants while they are in resting or dormant stage, are known as dormant sprays.

Summer contact sprays are of many kinds. The most common ones contain either nicotine, extracts of pyrethrum flowers (pyrethrins) or extracts of derris or cube roots (principally rotenone) as the principal killing agent in water, alcohols or oils. Soaps and the so-called white oils are also effective against some insects, such as plant lice, crawling stages of scale insects or other young insects. There are so many different kinds of contact sprays and they vary so much in their composition and formulae that general directions are difficult to give. State and Federal laws require that they be true to label and directions; therefore they should be used as directed on the containers.

Contact sprays kill by wetting the surface of the insect to be killed. Therefore, the spraying should be thoroughly applied to all parts of the plant, both upper and lower leaf surfaces. Many contact sprays contain either soap, oils or other materials to make the diluted spray wet better. If they do not contain a wetting agent or if the dilution with water is rather high they can often be made more effective by adding soap. Powdered or dry soaps should be used 1 part to about 200 parts of the diluted spray. Liquid soap should be used diluted from 2 to 4 times as much as the actual amount of soap they contain. Thus, a liquid soap containing 15% actual soap should be added 1 part to 30 to 60 parts of the diluted insecticide spray or liquid soap containing 40% actual soap should be added 1 part to 80 to 160 parts of the diluted insecticide. The concentration of soap will depend upon how hard the insects are to kill and whether the plants are tender or hardy.

The insects controlled with summer contact sprays may be divided into several groups according to their habits and difficulty of control. These groups are as follows:

PLANT LICE (also called aphids and green fly), infest many different kinds of plants. Soft bodied, whitish, green, brown or sometimes almost black in color, usually not more than $\frac{1}{2}$ inch long. Generally found clustered on the under surface of leaves, or along the new growth of stems. To control, dip or spray plants in any of the summer contact sprays diluted with water as recommended on the container. Be careful to wet the lower surface of the leaves. It is often advisable to give a second treatment in 5 or 6 days.

PLANT BUGS, such as leaf hoppers, tarnished plant bugs, "white fly," thrips, etc. All are sucking insects and they are more active than plant lice, therefore, much more difficult to wet all the insects with the spray material. Use summer contact sprays as recommended on the container or at strength slightly stronger than recommended for plant lice. Use considerable volume of spray where possible and wet lower surface of leaves. It is often necessary to give 3 or 4 treatments at weekly intervals. Nicotine or pyrethrum dusts are very good where plants are crowded or close together.

MEALY BUGS. These are sucking insects covered with a white, powdery or woolly, wax-like material. The eggs are pinkish, small, laid in masses of 100 or more and covered with the white, woolly, wax-like material. Both the insects and egg masses are difficult to wet with the spray material. Sprays containing nicotine are usually better for mealy bugs than those containing pyrethrum or rotenone. Sprays containing summer oil or wetting agents with oil are more effective than soap or other common wetting materials. Spray with considerable force and where possible repeat the applications at 3 or 4 day intervals until the infestation is cleaned up. Large masses of mealy bugs or egg masses that are hard to wet may be painted with a solution of the spray material 4 to 6 times as strong as recommended for control of plant lice. After a few minutes or when these painted places have been wet through syringe with clean water and spray with the regular strength recommended for mealy bugs.

SCALE INSECTS. Two types are commonly found on ornamental plants. One type is called armored scales because the body is covered with a round or oval, flat, wax-like scale, usually not more than ½ inch in diameter. The second type is called soft scales, because they have no protecting waxy scale, or they are sometimes called lecanium scales because of their shape. They are usually oval in outline, flat to hemispherical in shape and from ½ to ¾ inch in greatest diameter. Both types are difficult to control with summer sprays after they become half grown or more. Regular spraying at about 10-day intervals with a summer contact spray about twice as strong as recommended for control of plant lice will kill the young insects and clean up an infestation. Contact sprays containing summer oils are more effective against scale insects than those containing soop as the wetting agent. On hardy ornamental plants scale insects are best controlled by a delayed dormant application of miscible oil or concentrated lime sulfur solution.

SPIDER MITES. A number of different kinds infesting many plants. They are extremely small, greenish, reddish or brown, 4-legged creatures. They occur most abundantly on the lower surface of the leaves, often several hundred to a single leaf. Their injury can be determined by the fine speckled or mottled greenish or brownish appearance on the upper surface of the leaves. The small, round, pinkish eggs or white empty egg shells or cast skins are usually abundant and easily seen with a magnifying class. with a magnifying glass.

Summer sprays containing pyrethrum or rotenone are more effective against spider mites than those containing nicotine. Sprays containing summer oils are also more effective than those containing soap or no wetting materials. The sprays should be diluted as directed on the container or usually at a strength about twice that given for plant lice. Be careful to wet the lower surface of all leaves and give two or three applications at intervals of about a week. Thorough applications with superfine ground sulphur dust have been found most effective. The over-wintering eggs of spider mites on hardy plants may be destroyed by delayed dormant applications of miscible oil.

OTHER INSECTS. There are many other insects such as beetles of various kinds, some caterpillars, etc., that may be killed by summer contact sprays. If they are hardy insects the spray should be used from two to three times as strong as recommended for plant lice.

DORMANT CONTACT SPRAYS

Dormant sprays are used for the control of the overwintering stage of certain insects on hardy plants. The dormant condition of the trees makes possible a stronger spray solution and the absence of foliage on deciduous plants permits a more thorough application. Dormant sprays usually consist of oils made miscible with water or concentrated solutions of lime sulfur liquid. The miscible oils are usually used at dilutions of 1 part to 15 to 20 parts of water and the lime sulfur solution at a dilution of 1 part to 9 parts of water. Oil sprays are usually to be preferred but should not be used on hard maples, hickory, walnut, upright type of junipers, or evergreen trees where the "bloom" will be destroyed. Lime sulfur should be used on such trees. Lime sulfur should not be used near buildings as it discolors badly.

Dormant sprays are usually used for the control of the eggs of plant lice, spider mites and other stages of insects that might hibernate on the trees or shrubs.

INSECTS INJURING THE ROOTS OF PLANTS

The most common forms are various plant lice, wire worms, various kinds of white grubs, such as the Japanese beetle grubs, weevil grubs of several kinds and nematodes. Plant lice may sometimes be controlled by mulching with $\frac{1}{8}$ to $\frac{1}{4}$ inch of tobacco powder or by watering the plants with a nicotine solution at the strength used for spraying plant lice. Root infesting plant lice are often attended by ants; therefore, control of the ants will help in getting rid of the root aphis.

BORING INSECTS

There are many insects that bore on the inside of the trunk, stem, twigs or even the folioge of plants. Usually they cannot be reached with either a contact spray or a stomach poison spray. When they occur in woody plants and make a distinct opening to the outside through which the borings are pushed they may be destroyed by poking with a flexible twig or by poking a small rag dipped in free nicotine into the hole or by injecting a nicotine paste material into the hole. A second type of wood borers tunnel in the cambium layer of the bark or in the sap wood. They are usually not found until considerable damage has been done. Stimulating plant growth by watering and the use of fertilizers will help to prevent their occurrence as they usually attack trees that have been transplanted or that have been weakened from some other cause.

Borers infesting herbacious plants such as the common stalk borer, the iris borer, etc., often pass the winter in the egg stage on the foliage of dead plants. The raking up and burning of these dead plant remains will help very much in keeping down infestations of these borers.

Plant Diseases of Ornamentals **FUNGICIDES**

Satisfactory control measures for the diseases of ornamental plants are preventatives rather than cures. Control measures must, therefore, to be most effective, be initiated before the appearance of disease. When a plant is once infected there is often no cure, and the removal of such individuals and their destruction should be a general sanitary practice in all growing operations.

Disinfecting and protective fungicides serve two distinct purposes. A disinfecting spray is used as a dormant and summer spray to destroy the spores of fungi which cause disease, and which may be lodged on the bark or about the buds of deciduous trees and shrubs. Lime-sulfur solution diluted 1-9 is the most commonly used dormant disinfecting spray. Some sprays and dusts prevent infection by depositing a protective coating poisonous to fungous spores on the plant surfaces. Lime-sulfur 1-49. Bordeaux mixture, sulfur dusts and wettable sulfur sprays, are the most generally known and used protective sprays.

Index

A	Bladder Senna 18
Abelia 2	Blanket Flower 91
	Bleeding Heart 90
	Bloodroot101
Acanthopanax2	Bluebell 97
Acer3, 4	Blueberry 78
Actinidia 4	Blue Libr Canal
Aesculus 4	Blue Lily Grass 84
Akebia 5	Blue Stem Grass 91
Allium 83	Boltonia 86
Almond, Flowering 56	Boston Ivy 5
Alpine Savory 86	Bottlebush Buckeye 4
Alpine Sow Bread	Boxwood
	Bridal Wreath
Alyssum 83	Broom25, 30, 91
Amaryllis 97	Brunnera 86
Amelanchier 5	Buckthorn 60
Amorpha 5	Buddleia11, 12
Ampelopsis5	Proglement
Amygdalus 5	Bugbane88-89
Andromeda 54	Bugle 83
Androsace	Bugloss 83, 86
	Bunchberry19, 89
Anemone	Burnet101
Angelica 84	Bush Clover 41
Aralia2	Butterfly Bush 11
Arbor-Vitae73-75	Butterfly Weed 85
Ārbutus 27, 108	Buttonbush
Arctic Daisy 87	Dattonbush 13
Arctostaphylos 5	С
Armeria102	
Arrowwood 78	Callicarpa
Ash, Mountain 65	Calluna 12
	Calycanthus 13
Aster85, 86, 103	Camomile 84
Aster85, 86, 103 Astilbe86	Camomile 84
Aster 85, 86, 103 Astilbe 86 Aubretia 86	Camomile 84 Campion 102
Aster .85, 86, 103 Astilbe .86 Aubretia .86 Avens .91	Camomile 84 Campion 102 Candytuft 93, 94
Aster 85, 86, 103 Astilbe 86 Aubretia 86	Camomile 84 Campion 102 Candytuft 93, 94 Canterbury Bells 87
Aster .85, 86, 103 Astilbe .86 Aubretia .86 Avens .91	Camomile 84 Campion 102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96
Aster .85, 86, 103 Astilbe .86 Aubretia .86 Avens .91 Azaleamums .87	Camomile 84 Campion .102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13
Aster .85, 86, 103 Astilbe .86 Aubretia .86 Avens .91 Azaleamums .87	Camomile 84 Campion .102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells .87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97, 102
Aster	Camomile 84 Campion 102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97
Aster	Camomile 84 Campion 102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92	Camomile 84 Campion 102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13
Aster	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celostrus .13
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celostrus .13
Aster	Camomile 84 Campion .102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13 Celastrus 13 Centaurea 87
Aster	Camomile 84 Campion .102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13 Celastrus 13 Celastrus 13 Centaurea 87 Cephalanthus 13
Aster	Camomile 84 Campion 102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13 Celastrus 13 Centaurea 87 Cephalanthus 13 Cercidiphyllum 13
Aster	Camomile 84 Campion 102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13 Celastrus 13 Centcurea 87 Cephalanthus 13 Cercidiphyllum 13 Cercis 14
Aster	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells .87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celastrus .13 Celastrus .13 Cephalanthus .13 Cercidiphyllum .13 Cercis .14 Chamaecyparis .14, 15
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98	Camomile 84 Campion .102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13 Celastrus 13 Centaurea 87 Cephalanthus 13 Cercis 14 Chamaecyparis 14, 15 Chaste Tree 80
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Beach Plum 56 Beard Tongue 98 Beauty Berry 12	Camomile 84 Campion .102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13 Celastrus 13 Centaurea 87 Cephalanthus 13 Cercidiphyllum 13 Cercidiphyllum 13 Chamaecyparis 14, 15 Chaste Tree 80 Cherries, Flowering 56, 57
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98 Beauty Berry 12 Beauty Bush 40	Camomile 84 Campion .102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 38 Gedrus 13 Celastrus 13 Centaurea 87 Cephalanthus 13 Cercidiphyllum 13 Cercis 14 Chaste Tree 80 Cherries, Flowering 56, 57 Cherry Laurel 41
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Ballm 92 Barberry 91 Barrenwort 90 Barswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98 Beauty Berry 12 Beauty Bush 40 Beebalm 97	Camomile 84 Campion 102 Candytuft 93 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97 Cedar 13 Cedrus 13 Celus 13 Centaurea 87 Cephalanthus 13 Crcidiphyllum 13 Cercis 14 Chamaecyparis 14 Chaste Tree 80 Cherries, Flowering 56 Cherry Laurel 41 Chimaphila 16
Aster	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells .87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celastrus .13 Centaurea .87 Cephalanthus .13 Cercidiphyllum .13 Cercis .14 Chamaecyparis .14, 15 Chaste Tree .80 Cherries, Flowering .56, 57 Cherry Laurel .41 Chimaphila .16 Chinese Buckeye .81
Aster	Camomile 84 Campion 102 Candytuft 93 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97 Cedar 13 Cedrus 13 Celus 13 Centaurea 87 Cephalanthus 13 Crcidiphyllum 13 Cercis 14 Chamaecyparis 14 Chaste Tree 80 Cherries, Flowering 56 Cherry Laurel 41 Chimaphila 16
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Ballm 92 Barberry 91 Barrenwort 90 Barswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98 Beauty Berry 12 Beauty Bush 40 Beebalm 97	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells .87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celastrus .13 Centaurea .87 Cephalanthus .13 Cercidiphyllum .13 Cercis .14 Chamaecyparis .14, 15 Chaste Tree .80 Cherries, Flowering .56, 57 Cherry Laurel .41 Chimaphila .16 Chinese Buckeye .81
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98 Beauty Berry 12 Beauty Bush 40 Beebalm 97 Beech 28, 29 Bellflower 86, 87 Benzoin 9	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells .87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celastrus .13 Centaurea .87 Cephalanthus .13 Cercidiphyllum .13 Cercis .14 Chamaecyparis .14, 15 Chaste Tree .80 Cherries, Flowering .56, 57 Cherry Laurel .41 Chimaphila .16 Chinese Buckeye .81 Chinese Fleece Vine .55
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Beach Plum 56 Beard Tongue 98 Beauty Berry 12 Beauty Bush 40 Beebalm 97 Beech 28, 29 Bellflower 86, 87 Benzoin 9 Berberis 9, 10	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13 Celastrus 13 Centaurea 87 Cephalanthus 13 Cercidiphyllum 13 Cercis 14 Chaste Tree 80 Cherries, Flowering 56, 57 Cherry Laurel 41 Chimese Buckeye 81 Chinese Fleece Vine 55 Chinese Scholar Tree 65
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98 Beauty Berry 12 Beauty Bush 40 Beebalm 97 Beech 28, 29 Bellflower 86, 87 Benzoin 9 Berberis 9, 10 Betula 11	Camomile 84 Campion .102 Candytuft 93, 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97, 102 Catnip 97 Cedar 13, 38, 39 Cedrus 13 Celastrus 13 Centaurea 87 Cephalanthus 13 Cercidiphyllum 13 Cercidiphyllum 13 Chaste Tree 80 Cherries, Flowering 56, 57 Cherry Laurel 41 Chinese Buckeye 81 Chinese Fleece Vine 55 Chinese Scholar Tree 65 Chinese Winterhazel 20 Chionanthus 16
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Beard Tongue 98 Beauty Berry 12 Beauty Berry 12 Beauty Berry 12 Beauty Bush 40 Beebalm 97 Beech 28, 29 Bellflower 86, 87 Benzoin 99 Berberis 9, 10 Betula 11 Bignonia 11	Camomile 84 Campion .102 Candytuft .93 ,94 Canterbury Bells .87 Carclinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97 .102 Catnip .97 .02 Catnip .13 .38 .39 Cedrus .13 .38 .39 Cedrus .13 .38 .39 Cedrus .13 .6e .14 .15 Celastrus .13 .13 .2e .2e
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98 Beauty Berry 12 Beauty Berry 12 Beauty Bush 40 Beebalm 97 Beech 28, 29 Bellflower 86, 87 Benzoin 9 Berberis 9, 10 Betula 11 Bignonia 11 Birch 11	Camomile 84 Campion .102 Candytuft .93 .94 Canterbury Bells .87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97 Catnip .97 Cedar .13 Cedrus .13 Celastrus .13 Celastrus .13 Cephalanthus .13 Cercidiphyllum .13 Cercis .14 Chaste Tree .80 Cherries, Flowering .56 Cherry Laurel .41 Chimaphila .16 Chinese Buckeye .81 Chinese Scholar Tree .65 Chinese Winterhazel .20 Chionanthus .16 Chive .83 Chokeberry .6
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98 Beauty Berry 12 Beauty Berry 12 Beauty Bush 40 Beebalm 97 Beech 28, 29 Bellflower 86, 87 Benzoin 9 Berberis 9, 10 Betula 11 Bignonia 11 Birch 11 Bittersweet 13	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells .87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celastrus .13 Celastrus .13 Cercidiphyllum .13 Cercidiphyllum .13 Cercis .14 Chaste Tree .80 Cherries, Flowering .56, 57 Cherry Laurel .41 Chimaphila .16 Chinese Buckeye .81 Chinese Fleece Vine .55 Chinese Winterhazel .20 Chionanthus .16 Chive .83 Clokeberry .6 Christmas Berry .50
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Beard Plum 56 Beauty Berry 12 Beauty Berry 12 Beauty Besh 40 Beebalm 97 Beech 28, 29 Bellflower 86, 87 Benzoin 9 Berberis 9, 10 Betula 11 Bignonia 11 Bittersweet 13 Blackberry Lily 86	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells 87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celastrus .13 Ceptalanthus .13 Cercidiphyllum .13 Cercis .14 Chaste Tree .80 Cherries, Flowering .56, 57 Cherry Laurel .41 Chinese Buckeye .81 Chinese Fleece Vine .55 Chinese Scholar Tree .65 Chinese Winterhazel .20 Chionanthus .16 Chève .83 Chiokeberry .6 Christmas Berry .50 Christmas Rose .92
Aster	Camomile 84 Campion 102 Candytuft 93 94 Canterbury Bells 87 Cardinal Flower 96 Carpinus 13 Caryopteris 13 Catchfly 97 Cedar 13 Cedrus 13 Celastrus 13 Celastrus 13 Centaurea 87 Cephalanthus 13 Crecidiphyllum 13 Cercis 14 Chaste Tree 80 Cherries, Flowering 56, 57 Cherry Laurel 41 Chimese Buckeye 81 Chinese Fleece Vine 55 Chinese Winterhazel 20 Chionanthus 16 Chive 83 Clockeberry 6 Christmas Rose 92 Chrysanthemum 87, 88
Aster 85, 86, 103 Astilbe 86 Aubretia 86 Aubretia 86 Avens 91 Azaleamums 87 Azaleas 6, 7, 8 B Baby's Breath 92 Balloon Flower 99 Balm 92 Barberry 9, 10 Barrenwort 90 Basswood 76 Bayberry 48 Beach Plum 56 Bearberry 5 Beard Tongue 98 Beauty Berry 12 Beauty Bush 40 Beebalm 97 Beech 28, 29 Bellflower 86, 87 Benzoin 9 Berberis 9, 10 Betula 11 Bignonia 11 Bignonia 11 Birch 11 Bittersweet 13 Blackberry Lily 86 Blackberye Susam 101	Camomile 84 Campion .102 Candytuft .93, 94 Canterbury Bells 87 Cardinal Flower .96 Carpinus .13 Caryopteris .13 Catchfly .97, 102 Catnip .97 Cedar .13, 38, 39 Cedrus .13 Celastrus .13 Ceptalanthus .13 Cercidiphyllum .13 Cercis .14 Chaste Tree .80 Cherries, Flowering .56, 57 Cherry Laurel .41 Chinese Buckeye .81 Chinese Fleece Vine .55 Chinese Scholar Tree .65 Chinese Winterhazel .20 Chionanthus .16 Chève .83 Chiokeberry .6 Christmas Berry .50 Christmas Rose .92

Clematis16, 17	Genista 30
Clethra 18	Gentian
Coffee Tree 30	Geranium91, 98
Columbine84-85, 102	Geranium Creeper 5
Colutea 18	Germander
Coneflower90, 101	Ghost Plant 85
Coral Bells	Ginkgo
Coralberry 68	Globe Glower103
Coreopsis	Globe Thistle
Cork Tree	Golden Bell
Cornelian Cherry 20	Golden Chain
Cornflower	Golden Star
Cornus	Golden Sun
Corylopsis	Golden Tuft
Cotoneaster21, 22	Gold Flower
Crab Apples 46-48	Goldmoss
Cranberry	Great Silver Bell
Cranesbill	Gromwell
Crataegus23-24	Gum, Sweet
Crown Vetch	Gumi-Cherry
Čryptomeria	Gymnocladus 30
Cup and Saucer 87	Gypsophila 92
Cyclamen	Gypsopinia
Cydonia	H
Cypress14, 15	Hawthorn23, 24
Cytisus	Heath
Cytisus	Heather
D	Heliopsis
	Hemlock
Dames Rocket 93	Hepatica
Daphne	Heronsbill
Day Lily 92, 93	Hoarhound
Deutzia	Holly
Dittany 98	Holly Grape
Dogwood18-20	Hollyhock 83
Douglas Fir 58	Honeysuckle42, 43
Dragonhead	Hornbeam 13
Dutchman's Breeches 90	
Dwarf Wirevine 97	Houseleek
	Hydrangea 32
E	Hydrangea
E Edelweiss	Hydrangea 32 Hydrangea Vine 65 Hyssop 93
E Edelweiss	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31
E Edelweiss 96 Elaeagnus 26 Elder 64	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92
E Edelweiss 96 Elacagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92
E Edelweiss 96 Elacagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27 28	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92
E Edelweiss 96 Elacagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27 28	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 Illex 33, 35
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F Fagus 28, 29	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 Illex 33, 35 Indigo 35, 86
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F Fagus 28, 29 Fir 2, 58	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 Illex 33, 35 Indigo 35, 86 Ir digofera 35
E Edelweiss 96 Elacaagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F Fagus 28, 29 Fir 2, 58 Finethorn 58	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 Illex 33, 35 Indigo 35, 86 Ir digofera 35 Inkberry 34
E Edelweiss 96 Elacagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F Fagus Fir 2, 58 Finethorn 58 Flax 96	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Helenium 33 I I Ilex 33, 35 Indigo 35, 86 Ir.digofera 35 Inkberry 34 Inula 94
E Edelweiss 96 Elaeagnus 26 Elder 64 Elder 78 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F Fagus 28, 29 Fir 2, 58 Fisethorn 58 Fisethorn 58 Flax 96 Fleabane 90	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 I Ilex Indigo 35, 86 Ir digofera 35 Inkberry 34 Inia 94 Iris 94, 95
E Edelweiss 96 Elacagnus 26 Elder 64 Eller 78 Eller 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F Fagus Fir 2, 58 Finethorn 58 Flax 96 Fleabane 90 Forget-me-not 97	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Helenium 33 I I Ilex 33, 35 Indigo 35, 86 Ir.digofera 35 Inkberry 34 Inula 94
E Edelweiss 96 Elacaagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epoulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F Fagus 28, 29 Fir 2, 58 Finethorn 58 Flax 96 Fleabane 90 Forget-me-not 97 Forsythia 29	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 Indigo 35, 86 Ir digofera 35 Inkberry 34 Inula 94 Iris 94, 95 Ivy 5, 31, 32
E Edelweiss 96 Elacaagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epoulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F 7 Fagus 28, 29 Fir 2, 58 Finethorn 58 Flax 96 Fleabane 90 Forget-me-not 97 Forsythia 29 Fumitory 89	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 I Ilex Indigo 35, 86 Ir digofera 35 Inkberry 34 Inia 94 Iris 94, 95
E Edelweiss 96 Elacaagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epoulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F Fagus 28, 29 Fir 2, 58 Finethorn 58 Flax 96 Fleabane 90 Forget-me-not 97 Forsythia 29	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 Indigo 35, 86 Ir digofera 35 Inkberry 34 Inula 94 Iris 94, 95 Ivy 5, 31, 32
E Edelweiss 96 Elacagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F 7 Fagus 28, 29 Fir 2, 58 Fishehorn 58 Flax 96 Fleabane 90 Forget-me-not 97 Forsythia 29 Funitory 89 Foxglove 90	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 Indigo 35, 86 Ir digofera 35 Inkberry 34 Inula 94 Iris 94, 95 Ivy 5, 31, 32 J J Jacob's Ladder 100
E Edelweiss 96 Elacaagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epoulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F 7 Fagus 28, 29 Fir 2, 58 Finethorn 58 Flax 96 Fleabane 90 Forget-me-not 97 Forsythia 29 Fumitory 89	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Helenium 33 Imilex 33, 35 Indigo 35, 35 Indigo 35, 35 Inkberry 34 Inula 94 Iris 94, 95 Ivy 5, 31, 32 Jacob's Ladder 100 Iapamese Maple 3 Jasmine 36, 64
E Edelweiss 96 Elacacagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Enpigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27 28 Exochorda 28 Exochorda 28 Exochorda 28 Erica 27 Elacacacacacacacacacacacacacacacacacacac	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Helenium 33 Imilex 33, 35 Indigo 35, 35 Indigo 35, 35 Inkberry 34 Inula 94 Iris 94, 95 Ivy 5, 31, 32 Jacob's Ladder 100 Iapamese Maple 3 Jasmine 36, 64
E Edelweiss 96 Elaeagnus 26 Elder 64 Elm 78 Elsholtzia 26 Enkianthus 26 Epigaea 27 Epaulette Tree 58 Erica 27 Euonymus 27, 28 Exochorda 28 F 7 Fagus 28, 29 Fir 2, 58 Fir 2, 58 Fin- 2, 58	Hydrangea 32 Hydrangea Vine 65 Hyssop 93 Halesia 31 Hamamelis 31 Harebell 87 Hawkweed 93 Hedera 31, 32 Helebore 92 Helenium 92 Hibiscus 32 Hypericum 33 Indigo 35, 86 Ir digofera 35 Inkberry 34 Inula 94 Ivy 5, 31, 32 J Jacob's Ladder 100 Iapanese Maple 3


K	0
Kalmia 40	Oaks 59
Katsura Tree 13	Oconee-Bells102
Kentucky Coffee Tree 30	Oxydendrum 49
Kerria 40	P
Koelreuteria 40	Pachistima
Kolkwitzia 40	Painted Lady101
L	Partridge Berry48, 97
Laburnum	Peach, Flowering 5
Ladies' Mantle 83	Pearl Bush 28
Lady Slipper 89	Pachysandra 49
Larkspur 89	Pasque Flower 84
Laurel40, 41	Pentstemon
Laurocerasus 41	Pennyroyal 97
Lavender96, 101	Peony 98
Lead Plant 5	Pepper Bush
Leadwort	Periwinkle
Lemon Lily 92	Philadelphus 50
Leopardbane	Phlox
Lespedeza	Photinia
Leucothoe	Physocarpus 50
Ligustrum 41	Picea50-53
Lilac	Pieris 54
Lily Leek 83	Pinus54, 55
Lily of the Valley 89	Pine54-55, 65
Lilies 96	Pink Bells
Lindens 76	Pinks
Liquidambar	Pipsissewa
Lithospermum	Plantain Lily
Lobelia	Platanus
Lonicera42, 43	Plum, Double Flowering 58
Loose Strife	Plum, Purple Leaf 56
Lupine96, 97	Polemonium100
Lungwort101	Polygonum 55
M	Populus 56
Mahonia 46	Poplar 56
Magnolia	Poppies
Maidenhair Tree 30	Potentilla
Malus46-48	Privet
Maple3, 4	Prunus
Marjoram 98	Pseudotsuga 58
Mazus	Pterostyrax 58
Meadowrue103 Michaelmas Daisy85, 86	Pussytoes 84
Milkwort100	Pyracantha 58
Mint	Q
Mint Shrub	Quince, Flowering24, 25
Mistflower 91	Quercus 59
Mitchella 48	R
Mock Orange 50	Rampion 99
Monkshood	Red Bud 14
Moss Pink	Red Hot Poker 96
Mountain Ash	Rhamnus 60
Mountain Laurel	Rhododendron60-62
Myrica	Rhodora 60
Myrtle41, 106	Rhodotypos
N	Rhus
Nannyberry 79	Rosemallow
Navelwort 97	Rosemary101
Neillia 49	Rose of Sharon 32
Ninebark	Roses63, 64
Nyssα	Roulet's Rose 63

Rowan Tree 65	Thoroughwort 91
Rue101	Thrift
3	Thuya73-75
	Thyme103
Sage101	Tilia 76
Salix	Toadflax
Salvia101	Toad Lily103
Sambucus64	Torchlily 96
Sand Myrtle 41	Trailing Arbutus27, 90
Sandwort 85	Trefoil 96
Santolina101	Trillium103
Savory86, 101	Trumpet Vine 11
Saxifrage101	Tsuga 77
Scabiosa101	Tulip Tree 42
Schizophrozma 65	Tunic Flower103
Sciadopitys 65	Tupelo 49
Sea Lavender 96	Turquoise Berry 68
September Daisy 88	Twin Flower 96
Shadblow 5	Twinleaf96
Shasta Daisy 88	
Shooting Star 90	U
Silver Bell 31	
Skirret102	Ulmus 78
Smoke Tree 63	Umbrella Pine 65
Snakebeard96, 98	
Snowball	V
Snowbell	Vaccinium 78
Snowberry	Verbena103
Snow in Summer 87	Viburnum78-80
Sneezeweed	
Soapwort101	Vinca90, 104
Sophora	Viola104
Sorbaria	Violet104
Sorbus	Vitex 90
DOLDUS 00	
Sorral Tree Sourregood 49	w
Sorrel Tree, Sourwood 49	W
Sour Gum 49	Wallflower 87
Sour Gum	Wallflower
Sour Gum 49 Speedwell 104 Spicebush 9	Wallflower
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97
Sour Gum 49 Speedwell 104 Spicebush 9 Spireα 13, 66, 87 Spruce 50-53	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16
Sour Gum 49 Speedwell 104 Spicebush 9 Spireα 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wintercreeper 27, 28
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wintercreeper 27, 28 Wirevine 97
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce .50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wintercreeper 27, 28 Wirevine 97 Wisteria 81
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wintercreeper 27, 28 Wirevine 97 Wisteria 81 Witchhazel 31
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wintercreeper 27, 28 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Styrax 67	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 78 Woodbine 5, 43
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wintercreeper 27, 28 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Sycamore 55	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Wormwood 85 Woodwaxen 31
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce .50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecres 83 Stonecrop 102 Stranvaesia 67 Syrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Wormwood 85
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce .50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Syveat 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Symplocos 68	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Wormwood 85 Woodwaxen 31
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecres 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sycamore 55 Symphocarpos 68 Symplocos 68 Syringa 68-69	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Wormwood 85 Woodwaxen 31
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Symplocos 68 Syringa 68-69 Sumach 63	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Woodwaxen 31 Woodruff 85
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Symplocos 68 Syringa 68-69 Sumach 63 Summer Sweet 18	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Wormwood 85 Woodwaxen 31 Woodruff 85
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecres 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Syringa 68-68 Sumach 63 Summer Sweet 18 Sundrops 97	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Woodwaxen 31 Woodruff 85
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Syringa 68-69 Sumach 63 Summer Sweet 18 Sundrops 97 Sunrose 92	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wintercreeper 27, 28 Wirevine 97 Wisteria 81 Witherod 79 Woodbine 5, 43 Wormwood 85 Woodruff 85 X Xanthoceras 81
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce .50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecres 83 Stonecrop 102 Stranvaesia 67 Syrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Syringa 68-69 Sumach 63 Summer Sweet 18 Sundrops 97 Sunrose 92 Sweet Gum 42	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 75 Woodbine 5, 43 Woodwaxen 31 Woodruff 85 X Xanthoceras 81 Yarrow 83
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Syringa 68-69 Sumach 63 Summer Sweet 18 Sundrops 97 Sunrose 92	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 70 Woodbine 5, 43 Woodwaxen 31 Woodruff 85 X Xanthoceras 81 Yellow Root 81
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecres 83 Stonecrop 102 Stranvæsia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Syringa 68-63 Summer 68 Summer Sweet 18 Sundrops 97 Sunrose 92 Sweet Gum 42 Sweet Shrub 13	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Woodwaxen 31 Woodruff 85 X Xanthoceras 81 Yellow Root 81 Yellow Wood 16
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecres 83 Stonecrop 102 Stranvæsia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Symplocos 68 Syminga 68-69 Sumach 63 Summer Sweet 18 Sundrops 97 Sunrose 92 Sweet Gum 42 Sweet Shrub 13	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witherod 79 Woodbine 5, 43 Wormwood 85 Woodwaxen 31 Woodruff 85 X Xanthoceras Yarrow 83 Yellow Root 81 Yew 70-73
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecres 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Syringa 68-69 Summer 68 Sumch 63 Sumrose 92 Sweet Gum 42 Sweet Shrub 13	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Woodwaxen 31 Woodruff 85 X Xanthoceras 81 Yellow Root 81 Yellow Wood 16
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecress 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Symphocarpos 68 Symplocos 68 Syringa 68-69 Sumach 63 Summer Sweet 18 Sundrops 97 Surest Gum 42 Sweet Shrub 13 T Tansy 103 Tarragon 85	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witchhazel 31 Witherod 79 Woodbine 5, 43 Woodwaxen 31 Woodruff 85 X Xanthoceras 81 Yellow Root 81 Yellow Wood 16 Yew 70-73 Yew Hedges 73
Sour Gum 49 Speedwell 104 Spicebush 9 Spirea 13, 66, 87 Spruce 50-53 Spurge 49, 91, 98 Staphylea 66 Stephandra 66 St. Johnswort 33 Stewartia 67 Stokesia 103 Stonecres 83 Stonecrop 102 Stranvaesia 67 Styrax 67 Sweet Cecily 97 Sycamore 55 Symphocarpos 68 Syringa 68-69 Summer 68 Sumch 63 Sumrose 92 Sweet Gum 42 Sweet Shrub 13	Wallflower 87 Wayfaring Tree 79 Weigela 81 White Cup 97 White Fringe 16 Whitlow Grass 90 White Rocket 93 Willow 64 Winterberry 35 Wirevine 97 Wisteria 81 Witherod 79 Woodbine 5, 43 Wormwood 85 Woodwaxen 31 Woodruff 85 X Xanthoceras Yarrow 83 Yellow Root 81 Yew 70-73

Memoranda

Memoranda

Memoranda



Victory

calls for the cooperation of everyone in conserving our national resources. Paper is and will be needed more and more in the war economy.

So it may not be possible to send your catalog next season.

May we suggest therefore that you

Preserve This Catalog For Future Reference

Thank you

F. & F. Nurseries

Springfield New Jersey

Please Keep This Catalog

Conditions of Sale

Contracts—Due to conditions beyond our control all orders and contracts accepted, are subject to government regulations and availability of labor and supplies.

Orders Are Accepted Subject to prior sale, and to condition of stock at delivery date, under the following terms.

Goods in Transit—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

Claims must be made within five days after receipt of goods.

Prices in this catalogue cancel all previous lists and quotations, are subject to change without notice and they are F.O.B. our nurseries, packing extra. The price columns indicate the unit price for each plant. The ten rate applies to purchases of 5 to 24 plants of same size and variety. The hundred rate applies to purchases of 25 or more plants of same size and variety.

Terms Cash—For customers of established credit accounts will be opened due in 30 days from date of invoice. Interest at six per cent (6%) per year will be charged on all accounts from due date. Orders for C.O.D. shipment must be accompanied by one-third of the amount.

Special Selection—Plant materials specially selected at the nursery will be sold at prices commensurate with the value of the specimens chosen, irrespective of the listed prices.

Ball and Burlap—The specification "B&B" in this list signifies digging with a ball of earth, which, where indicated, is included in the price. For digging all other items (not specified B&B) in this manner, there is an additional charge based upon the dimensions of the earth ball as follows:

-		COLUMN TO THE REAL PROPERTY.						
9"	diam\$.40	21"	diam\$	3.50	42"	diam	\$15.00
12"	diam	.60	24"	diam	5.00	48"	diam	22.00
15"	diam	1.25	30"	diam	7.00	54"	diam	30.00
18"	diam	2.25	36"	diam	10.00	60"	diam	40.00

Platforms, as part of our equipment, are to be returned.

SCHEDULE OF DELIVERY CHARGES

Amt. of Order on one delivery	First Zone 1-15 miles	Second Zone 15-30 miles	Third Zone 30-50 miles
\$1,000 or more \$500 to \$999 \$300 to 499 \$100 to 299 Less than \$100	Free	Free	Free
Amt. of Order on one delivery	Fourth Zone 50-75 miles	Fifth Zone 75-100 miles	Additional information
\$1,000 or more \$500 to \$999 \$300 to 499 \$100 to 299 Less than \$100	4% of order 6% of order 8% of order 10% of order \$12.50	6% of order. 8% of order. 10% of order Ship Ship	on special deliveries given on request.

Delivery Dates are made subject to enforced delay caused by weather or other conditions beyond our control.

BOXING CHARGES

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4'	.75	1.00	1.25	1.50	1.75	2.00	2.50
6'	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8'	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10'	1.75	2.50	2.75	3.25	3.50	4.00	4.50
12'		3.00	3.25	3.50	4.00	5.00	5.50
14'			3.75	4.00	4.25	5.50	6.00

"Gardening is one activity that has great possibilities as a useful outlet for that urge to do something. There's a spiritual uplift in seeing things grow." — Secretary of Agriculture Claude R. Wickard.

